



Folyóiratcikkek

Idegen nyelvű közlemények tudományos folyóiratban (34)

Első szerzős közlemények (5)

1. **Czifra, G.**, Szöllősi, A., Nagy, Z., Boros, M., Juhász, I., Kiss, A., Erdődi, F., Szabó, T., Kovács, I., Török, M., Kovács, L., Blumberg, P.M., Bíró, T.: Protein kinase C δ promotes proliferation and induces malignant transformation in skeletal muscle. *J. Cell. Mol. Med. Epub ahead of print (2014)*
DOI: <http://dx.doi.org/10.1111/JCMM.12452>
IF:3.698 (2013)

2. **Czifra, G.**, Tóth, B., Kovács, I., Bíró, T., Griger, Z., Baráth, S., Tarr, T., Zeher, M., Sipka, S.: The in vitro treatment with vitamin D3 is ineffective on the expression of PKC isoenzymes, but decreases further the impaired production of IL-2 in the T lymphocytes of SLE patients. *Rheumatol. Int.* 34 (5), 717-720, 2014.
DOI: <http://dx.doi.org/10.1007/s00296-013-2751-y>
IF:1.627 (2013)

Idézetek összesen: 1

Független idézetek:1

1. Myszka, M., Klinger, M.: The immunomodulatory role of vitamin D. (2014) *Postepy Hig Med Dosw*, 68 , pp. 865-878.



3. **Czifra, G.**, Szöllősi, A.G., Tóth, I.B., Demaude, J., Bouez, C., Breton, L., Bíró, T.:
Endocannabinoids Regulate Growth and Survival of Human Eccrine Sweat Gland-Derived Epithelial Cells.
J. Invest. Dermatol. 132 (8), 1967-1976, 2012.
DOI: <http://dx.doi.org/10.1038/jid.2012.118>
IF:6.193

Idézetek összesen: 3

Független idézetek: 1

1. Özdemir, B., Shi, B., Bantleon, H.P., Moritz, A., Rausch-Fan, X., Andrukhov, O.: Endocannabinoids and inflammatory response in periodontal ligament cells. (2014) PLoS ONE, 9 (9). e107407

Függő idézetek: 2

1. Ramot, Y., Sugawara, K., Zákány, N., Tóth, B.I., Bíró, T., Paus, R.: A novel control of human keratin expression: Cannabinoid receptor 1-mediated signaling down-regulates the expression of keratins K6 and K16 in human keratinocytes in vitro and in situ. (2013) PeerJ, 2013 (1). e40.
2. Szöllosi, A.G., Oláh, A., Tóth, I.B., Papp, F., Czifra, G., Panyi, G., Bíró, T.: Transient receptor potential vanilloid-2 mediates the effects of transient heat shock on endocytosis of human monocyte-derived dendritic cells. (2013) FEBS Lett, 587 (9), pp. 1440-1445.

4. **Czifra, G.**, Varga, A., Nyeste, K., Marincsák, R., Tóth, I.B., Kovács, I., Kovács, L., Bíró, T.: Increased expressions of cannabinoid receptor-1 and transient receptor potential vanilloid-1 in human prostate carcinoma.
J. Cancer Res. Clin. Oncol. 135 (4), 507-514, 2009.
DOI: <http://dx.doi.org/10.1007/s00432-008-0482-3>
IF:2.261

Idézetek összesen: 45

Független idézetek: 45

1. Chakravarti, B., Ravi, J., Ganju, R.K.: Cannabinoids as therapeutic agents in cancer: Current status and future implications. (2014) Oncotarget, 5 (15), pp. 5852-5872.
2. Chen, J., Luan, Y., Yu, R., Zhang, Z., Zhang, J., Wang, W.: Transient receptor potential (TRP) channels, promising potential diagnostic and therapeutic tools for cancer. (2014) BioScience Trends, 8 (1), pp. 1-10.
3. Díaz-Laviada I, Rodríguez-Henche N.: The potential antitumor effects of capsaicin. (2014) Progress in Drug Research, 68, pp. 181-208.
4. Häggström, J., Cipriano, M., Forshell, L.P., Persson, E., Hammarsten, P., Stella, N., Fowler, C.J.: Potential upstream regulators of cannabinoid receptor 1 signaling in prostate cancer: A bayesian network analysis of data from a tissue microarray. (2014) Prostate, 74 (11), pp. 1107-1117.
5. Ko, J.-., Gu, W., Lim, I., Bang, H., Ko, E.A., Zhou, T.: Ion channel gene expression in lung adenocarcinoma: Potential role in prognosis and diagnosis. (2014) PLoS ONE, 9 (1). e86569
6. Mergler, S., Derckx, R., Reinach, P.S., Garreis, F., Böhm, A., Schmelzer, L., Skosyrski, S., Ramesh, N., Abdelmessih, S., Polat, O.K., Khajavi, N., Riechardt, A.I.: Calcium regulation by temperature-sensitive transient receptor potential channels in human uveal melanoma cells. (2014) Cell Signal, 26 (1), pp. 56-69.



DEBRECENI EGYETEM
EGYETEMI ÉS NEMZETI KÖNYVTÁR
PUBLIKÁCIÓK



7. Skrzypski, M., Sassek, M., Abdelmessih, S., Mergler, S., Grötzinger, C., Metzke, D., Wojciechowicz, T., Nowak, K.W., Strowski, M.Z.: Capsaicin induces cytotoxicity in pancreatic neuroendocrine tumor cells via mitochondrial action. (2014) *Cell Signal*, 26 (1), pp. 41-48.
8. Vercelli, C., Barbero, R., Cuniberti, B., Racca, S., Abbadessa, G., Piccione, F., Re, G.: Transient receptor potential vanilloid 1 expression and functionality in MCF-7 cells: A preliminary investigation. (2014) *Journal of Breast Cancer*, 17 (4), pp. 332-338.
9. Wang, D., Li, X., Liu, J., Li, J., Li, L.-., Qiu, M.-.: Effects of TRPC6 on invasibility of low-differentiated prostate cancer cells. (2014) *Asian Pacific Journal of Tropical Medicine*, 7 (1), pp. 44-47.
10. Wu, T.T.L., Peters, A.A., Tan, P.T., Roberts-Thomson, S.J., Monteith, G.R.: Consequences of activating the calcium-permeable ion channel TRPV1 in breast cancer cells with regulated TRPV1 expression. (2014) *Cell Calcium*, 56 (2), pp. 59-67.
11. Ayakannu, T., Taylor, A.H., Marczylo, T.H., Willets, J.M., Konje, J.C.: The endocannabinoid system and sex steroid hormone-dependent cancers. (2013) *International Journal of Endocrinology*, 2013. 259676
12. Bromberg, Z., Goloubinoff, P., Saidi, Y., Weiss, Y.G.: The membrane-associated transient receptor potential vanilloid channel is the central heat shock receptor controlling the cellular heat shock response in epithelial cells. (2013) *PLoS ONE*, 8 (2). e57149
13. Brown, I., Cascio, M.G., Rotondo, D., Pertwee, R.G., Heys, S.D., Wahle, K.W.J.: Cannabinoids and omega-3/6 endocannabinoids as cell death and anticancer modulators. (2013) *Prog Lipid Res*, 52 (1), pp. 80-109.
14. Cipriano, M., Häggström, J., Hammarsten, P., Fowler, C.J.: Association between cannabinoid CB1 receptor expression and akt signalling in prostate cancer. (2013) *PLoS ONE*, 8 (6). e65798
15. De Petrocellis, L., Ligresti, A., Schiano Moriello, A., Iappelli, M., Verde, R., Stott, C.G., Cristino, L., Orlando, P., Di Marzo, V.: Non-THC cannabinoids inhibit prostate carcinoma growth in vitro and in vivo: Pro-apoptotic effects and underlying mechanisms. (2013) *Br J Pharmacol*, 168 (1), pp. 79-102.
16. Emonds, K.M., Koole, M., Casteels, C., Van den Bergh, L., Bormans, G.M., Claus, F., De Wever, L., Lerut, E., Van Poppel, H., Joniau, S., Dumez, H., Hausermans, K., Mortelmans, L., Goffin, K., Van Laere, K., Deroose, C.M., Mottaghy, F.M.: 18F-MK-9470 pet imaging of the type 1 cannabinoid receptor in prostate carcinoma: A pilot study. (2013) *EJNMMI Research*, 3 (1).
17. Fowler, C.J., Josefsson, A., Thors, L., Chung, S.C., Hammarsten, P., Wikström, P., Bergh, A.: Tumour epithelial expression levels of endocannabinoid markers modulate the value of endoglin-positive vascular density as a prognostic marker in prostate cancer. (2013) *Biochimica et Biophysica Acta - Molecular and Cell Biology of Lipids*, 1831 (10), pp. 1579-1587.
18. Liberati, S., Morelli, M.B., Nabissi, M., Santoni, M., Santoni, G.: Oncogenic and anti-oncogenic effects of transient receptor potential channels. (2013) *Current Topics in Medicinal Chemistry*, 13 (3), pp. 344-366.
19. Nilius B, Appendino G. Spices: The savory and beneficial science of pungency. (2013) *Reviews of Physiology, Biochemistry and Pharmacology*, 164, pp. 1-76.
20. Xing, G., Carlton, J., Jiang, X., Jia, M., Sharma, P., Choi, K.H., Li, H.: Delayed effects of repeated inescapable severe stress on brain cannabinoid receptor expression and acoustic startle response in adolescent male rats: Relevance to the development of posttraumatic stress disorder and stress-related brain atrophy. (2013) *Post-Traumatic Stress Disorder: New Research*. pp. 83-108.
21. Chatzakos, V., Slätis, K., Djureinovic, T., Helleday, T., Hunt, M.C.: N-acyl taurines are anti-proliferative in prostate cancer cells. (2012) *Lipids*, 47 (4), pp. 355-361.



DEBRECENI EGYETEM
EGYETEMI ÉS NEMZETI KÖNYVTÁR
PUBLIKÁCIÓK



22. Di Marzo, V., De Petrocellis, L.: Why do cannabinoid receptors have more than one endogenous ligand? (2012) *Philosophical Transactions of the Royal Society B: Biological Sciences*, 367 (1607), pp. 3216-3228.
23. Mergler, S., Cheng, Y., Skosyrski, S., Garreis, F., Pietrzak, P., Kociok, N., Dwarakanath, A., Reinach, P.S., Kakkassery, V.: Altered calcium regulation by thermosensitive transient receptor potential channels in etoposide-resistant WERI-Rb1 retinoblastoma cells. (2012) *Exp Eye Res*, 94 (1), pp. 157-173.
24. Mergler, S., Skrzypski, M., Sassek, M., Pietrzak, P., Pucci, C., Wiedenmann, B., Strowski, M.Z.: Thermo-sensitive transient receptor potential vanilloid channel-1 regulates intracellular calcium and triggers chromogranin A secretion in pancreatic neuroendocrine BON-1 tumor cells. (2012) *Cell Signal*, 24 (1), pp. 233-246.
25. Monteith, G.R., Davis, F.M., Roberts-Thomson, S.J.: Calcium channels and pumps in cancer: Changes and consequences. (2012) *J Biol Chem*, 287 (38), pp. 31666-31673.
26. Ouadid-Ahidouch, H., Dhennin-Duthille, I., Gautier, M., Sevestre, H., Ahidouch, A.: TRP calcium channel and breast cancer: Expression, role and correlation with clinical parameters. (2012) *Bull Cancer*, 99 (6), pp. 655-664.
27. Díaz-Laviada, I.: The endocannabinoid system in prostate cancer. (2011) *Nature Reviews Urology*, 8 (10), pp. 553-561.
28. Glitsch, M.: Protons and Ca^{2+} : Ionic allies in tumor progression? (2011) *Physiology*, 26 (4), pp. 252-265.
29. Guindon, J., Hohmann, A.G.: The endocannabinoid system and cancer: Therapeutic implication. (2011) *Br J Pharmacol*, 163 (7), pp. 1447-1463.
30. Guindon, J., Hohmann, A.G.: The endocannabinoid system and cancer: Therapeutic implication. (2011) *Br J Pharmacol*, 163 (7), pp. 1447-1463.
31. Hermanson, D.J., Marnett, L.J.: Cannabinoids, endocannabinoids, and cancer. (2011) *Cancer Metastasis Rev*, 30 (3-4), pp. 599-612.
32. Lehen'Kyiv, V., Prevarskaya, N.: Oncogenic TRP channels. (2011) *Advances in Experimental Medicine and Biology*, 704, pp. 929-945.
33. Liy, S., Bodey, A.M., Zhuy, F., Liu, K., Zhang, J., Kim, M.O., Reddy, K., Zykova, T., Ma, W.-., Carper, A.L., Langfald, A.K., Dong, Z.: TRPV1-antagonist AMG9810 promotes mouse skin tumorigenesis through EGFR/Akt signaling. (2011) *Carcinogenesis*, 32 (5), pp. 779-785.
34. Malfitano, A.M., Ciaglia, E., Gangemi, G., Gazzerri, P., Laezza, C., Bifulco, M.: Update on the endocannabinoid system as an anticancer target. (2011) *Expert Opinion on Therapeutic Targets*, 15 (3), pp. 297-308.
35. Piszcz, J., Radziwon, P., Boklun, U., Cichocka, E., Kolczko, J.: Vanilloid receptor (TRPV1) expression in B-cell lymphocytes of patients with chronic lymphocytic leukaemia. (2011) *Acta Haematol Pol*, 42 (2), pp. 235-238.
36. Santoni, G., Farfariello, V.: TRP channels and cancer: New targets for diagnosis and chemotherapy. (2011) *Endocrine, Metabolic and Immune Disorders - Drug Targets*, 11 (1), pp. 54-67.
37. Santoni G, Farfariello V, Amantini C.: TRPV channels in tumor growth and progression. (2011) *Advances in Experimental Medicine and Biology*, 704, pp. 947-967.
38. White, J.P.M., Urban, L., Nagy, I.: TRPV1 function in health and disease. (2011) *Curr Pharm Biotechnol*, 12 (1), pp. 130-144.
39. Daz-Laviada, I.: Effect of capsaicin on prostate cancer cells. (2010) *Future Oncology*, 6 (10), pp. 1545-1550.
40. Fowler, C.J., Gustafsson, S.B., Chung, S.C., Persson, E., Jacobsson, S.O.P., Bergh, A.: Targeting the endocannabinoid system for the treatment of cancer - a practical view. (2010) *Current Topics in Medicinal Chemistry*, 10 (8), pp. 814-827.



41. Halász, G.J., Sobolewski, A.L., Vibók, Á.: Radiationless decay of excited states of tetrahydrocannabinol through the S1-S0 (conical) intersection. (2010) *Theoretical Chemistry Accounts*, 125 (3-6), pp. 503-509.
42. Kalogris, C., Caprodossi, S., Amantini, C., Lambertucci, F., Nabissi, M., Morelli, M.B., Farfariello, V., Filosa, A., Emiliozzi, M.C., Mammana, G., Santoni, G.: Expression of transient receptor potential vanilloid-1 (TRPV1) in urothelial cancers of human bladder: Relation to clinicopathological and molecular parameters. (2010) *Histopathology*, 57 (5), pp. 744-752.
43. Thors, L., Bergh, A., Persson, E., Hammarsten, P., Stattin, P., Egevad, L., Granfors, T., Fowler, C.J.: Fatty acid amide hydrolase in prostate cancer: Association with disease severity and outcome, CB1 receptor expression and regulation by IL-4. (2010) *PLoS ONE*, 5 (8). e12275
44. Van Haute, C., De Ridder, D., Nilius, B.: TRP channels in human prostate. (2010) *TheScientificWorldJournal*, 10 , pp. 1597-1611.
45. Pisanti, S., Bifulco, M.: Endocannabinoid system modulation in cancer biology and therapy. (2009) *Pharmacological Research*, 60 (2), pp. 107-116.

5. **Czifra, G.**, Tóth, I.B., Marincsák, R., Juhász, I., Kovács, I., Ács, P., Kovács, L., Blumberg, P.M., Bíró, T.: Insulin-like growth factor-I-coupled mitogenic signaling in primary cultured human skeletal muscle cells and in C2C12 myoblasts: A central role of protein kinase C[delta].

Cell. Signal. 18 (9), 1461-1472, 2006.

DOI: <http://dx.doi.org/10.1016/j.cellsig.2005.11.007>

IF:4.887

Idézetek összesen: 22

Független idézetek: 20

1. Birk, R., Sommer, J.U., Haas, D., Faber, A., Aderhold, C., Schultz, J.D., Hoermann, K., Stern-Straeter, J.: Influence of static magnetic fields combined with human insulin-like growth factor 1 on human satellite cell cultures. (2014) *In Vivo*, 28 (5), pp. 795-802.
2. Ge, X., Zhang, Y., Jiang, H.: Signaling pathways mediating the effects of insulin-like growth factor-I in bovine muscle satellite cells. (2013) *Mol Cell Endocrinol*, 372 (1-2), pp. 23-29.
3. Sakuma, K., Yamaguchi, A.: Basic biology and current concepts of muscle regeneration. (2013) *Muscle Cells: Development, Disorders and Regeneration*, pp. 1-50.
4. Black, A.R., Black, J.D.: Protein kinase C signaling and cell cycle regulation. (2012) *Frontiers in Immunology*, 3 (JAN). 423
5. Breikreutz, D., Braiman-Wiksmann, L., Daum N., Tennenbaum, T.: The protein kinase C family: Key regulators bridging signaling pathways in skin and tumor epithelia, (2011) *Protein Reviews*, 13, pp. 171-198.
6. Brzoska, E., Ciemerych, M.A., Przewozniak, M., Zimowska, M.: Regulation of muscle stem cells activation. the role of growth factors and extracellular matrix, (2011) *Vitamins and Hormones* 87, pp. 239-276.
7. Ciemerych, M.A., Archacka, K., Grabowska, I., Przewozniak, M.: Cell cycle regulation during proliferation and differentiation of mammalian muscle precursor cells, (2011) *Results and Problems in Cell Differentiation*, 53, pp. 473-527.
8. Hoppeler, H., Baum, O., Lurman, G., Mueller, M.: Molecular mechanisms of muscle plasticity with exercise. (2011) *Comprehensive Physiology*, 1 (3), pp. 1383-1412.



9. Kleger, A., Loebnitz, C., Pusapati, G.V., Armacki, M., Iler, M.M., Tümpel, S., Illing, A., Hartmann, D., Brunner, C., Liebau, S., Rudolph, K.L., Adler, G., Seufferlein, T.: Protein kinase D2 is an essential regulator of murine myoblast differentiation. (2011) PLoS ONE, 6 (1). e14599.
10. Matta, C., Juhász, T., Sziógyártó, Z., Kolozsvári, B., Somogyi, C., Nagy, G., Gergely, P., Zákány, R.: PKCdelta is a positive regulator of chondrogenesis in chicken high density micromass cell cultures. (2011) Biochimie, 93 (2), pp. 149-159.
11. Giacomo, V.D., Rapino, M., Sancilio, S., Patrino, A., Zara, S., Di Pietro, R., Cataldi, A.: PKC-d signalling pathway is involved in H9c2 cells differentiation. (2010) Differentiation, 80 (4-5), pp. 204-212.
12. Ronda, A.C., Buitrago, C., Boland, R.: Role of estrogen receptors, PKC and src in ERK2 and p38 MAPK signaling triggered by 17 β -estradiol in skeletal muscle cells. (2010) J Steroid Biochem Mol Biol, 122 (4), pp. 287-294.
13. Li, S., Zhang, D., Yang, L., Burnier, J.V., Wang, N., Lin, R., Lee, E.R., Glazer, R.I., Brodt, P.: The IGF-I receptor can alter the matrix metalloproteinase repertoire of tumor cells through transcriptional regulation of PKC-a. (2009) Molecular Endocrinology, 23 (12), pp. 2013-2025.
14. Hsu, Y.-., Kuo, P.-.: Diosmetin induces human osteoblastic differentiation through the protein kinase C/p38 and extracellular signal-regulated kinase 1/2 pathway. (2008) Journal of Bone and Mineral Research, 23 (6), pp. 949-960.
15. Liu, Y., Heinichen, M., Wirth, K., Schmidtbleicher, D., Steinacker, J.M.: Response of growth and myogenic factors in human skeletal muscle to strength training. (2008) Br J Sports Med, 42 (12), pp. 989-993.
16. O'Connor, J.C., McCusker, R.H., Strle, K., Johnson, R.W., Dantzer, R., Kelley, K.W.: Regulation of IGF-I function by proinflammatory cytokines: At the interface of immunology and endocrinology. (2008) Cell Immunol, 252 (1-2), pp. 91-110.
17. Ryall, J.G., Schertzer, J.D., Lynch, G.S.: Cellular and molecular mechanisms underlying age-related skeletal muscle wasting and weakness. (2008) Biogerontology, 9 (4), pp. 213-228.
18. Griner, E.M., Kazanietz, M.G.: Protein kinase C and other diacylglycerol effectors in cancer. (2007) Nature Reviews Cancer, 7 (4), pp. 281-294.
19. New, D.C., Wong, Y.H.: Molecular mechanisms mediating the G protein-coupled receptor regulation of cell cycle progression. (2007) Journal of Molecular Signaling, 2, 2.
20. Puente, L.G., Voisin, S., Lee, R.E.C., Megeney, L.A.: Reconstructing the regulatory kinase pathways of myogenesis from phosphopeptide data. (2006) Molecular and Cellular Proteomics, 5 (12), pp. 2244-2251.

Függő idézetek: 2

1. Marincsák, R., Tóth, B., Czifra, G., Márton, I., Rédl, P., Tar, I., Tóth, L., Kovács, L., Bíró, T.: Increased expression of TRPV1 in squamous cell carcinoma of the human tongue. (2009) Oral Dis, 15 (5), pp. 328-335.
2. Deli, T., Tóth, B.I., Czifra, G., Szappanos, H., Bíró, T., Csernoch, L.: Differences in purinergic and voltage-dependent signalling during protein kinase ca overexpression- and culturing-induced differentiation of C2C12 myoblasts. (2006) J Muscle Res Cell Motil, 27 (8), pp. 617-630.



Utolsó szerzős közlemények (1)

6. Nagy, Z., Kovács, I., Török, M., Tóth, D., Vereb, G., Buzás, K., Juhász, I., Blumberg, P.M., Bíró, T., **Czifra, G.**: Function of RasGRP3 in the formation and progression of human breast cancer.
Mol. Cancer. 13, 1-17, 2014.
DOI: <http://dx.doi.org/10.1186/1476-4598-13-96>
IF:5.397 (2013)

Társszerzős közlemények (28)

7. Iannotti, F.A., Silvestri, C., Mazarella, E., Martella, A., Calvigioni, D., Piscitelli, F., Ambrosino, P., Petrosino, S., **Czifra, G.**, Bíró, T., Harkány, T., Tagliatela, M., Di Marzo, V.: The endocannabinoid 2-AG controls skeletal muscle cell differentiation via CB1 receptor-dependent inhibition of Kv7 channels.
Proc. Natl. Acad. Sci. U. S. A. 111 (24), 2472-2481, 2014.
DOI: <http://dx.doi.org/10.1073/pnas.1406728111>
IF:9.809 (2013)
8. Oláh, A., Tóth, I.B., Borbíró, I., Sugawara, K., Szöllösi, A.G., **Czifra, G.**, Pál, B., Ambrus, L., Kloepper, J., Camera, E., Ludovici, M., Picardo, M., Voets, T., Zouboulis, C.C., Paus, R., Bíró, T.: Cannabidiol exerts sebostatic and antiinflammatory effects on human sebocytes.
J. Clin. Invest. 124 (9), 3713-3724, 2014.
DOI: <http://dx.doi.org/10.1172/JCI64628>
IF:13.765 (2013)

Idézetek összesen: 3

Független idézetek: 2

1. Ribeiro, A., Almeida, V.I., Costola-De-Souza, C., Ferraz-De-Paula, V., Pinheiro, M.L., Vitoretti, L.B., Gimenes-Junior, J.A., Akamine, A.T., Crippa, J.A., Tavares-De-Lima, W., Palermo-Neto, J.: Cannabidiol improves lung function and inflammation in mice submitted to LPS-induced acute lung injury. (2015) *Immunopharmacol Immunotoxicol*, 37 (1), pp. 35-41.
2. Meunier, L.: What's new in dermatology therapy? (2014) *Ann Dermatol Venereol*, 141 (S4), pp. S643-S653.

Függő idézetek: 1

1. Bíró, T.: Human sebocytes: The new leptin connection? (2014) *Br J Dermatol*, 171 (6), pp. 1288.



9. Szöllősi, A.G., Oláh, A., Tóth, I.B., Papp, F., **Czifra, G.**, Panyi, G., Bíró, T.: Transient receptor potential vanilloid-2 mediates the effects of transient heat shock on endocytosis of human monocyte-derived dendritic cells.

FEBS Lett. 587 (9), 1440-1445, 2013.

DOI: <http://dx.doi.org/10.1016/j.febslet.2013.03.027>

IF:3.341

Idézetek összesen: 2

Független idézetek: 2

1. Albright, J., Quizon, P.M., Lusic, A.J., Bennett, B.J.: Genetic network identifies novel pathways contributing to atherosclerosis susceptibility in the innominate artery. (2014) *BMC Medical Genomics*, 7 (1). 51
2. Caterina, M.J.: TRP channel cannabinoid receptors in skin sensation, homeostasis, and inflammation. (2014) *ACS Chemical Neuroscience*, 5 (11), pp. 1107-1116.

10. Géczy, T., Oláh, A., Tóth, I.B., **Czifra, G.**, Szöllősi, A.G., Szabó, T., Zouboulis, C.C., Paus, R., Bíró, T.: Protein Kinase C Isoforms Have Differential Roles in the Regulation of Human Sebocyte Biology.

J. Invest. Dermatol. 132 (8), 1988-1997, 2012.

DOI: <http://dx.doi.org/10.1038/jid.2012.94>

IF:6.193

Idézetek összesen: 2

Független idézetek: 1

1. Forni, M.F., Trombetta-Lima, M., Sogayar, M.C.: Stem cells in embryonic skin development. (2012) *Biol Res*, 45 (3), pp. 215-222.

Függő idézetek: 1

1. Hinde, E., Haslam, I.S., Schneider, M.R., Langan, E.A., Kloepper, J.E., Schramm, C., Zouboulis, C.C., Paus, R.: A practical guide for the study of human and murine sebaceous glands in situ. (2013) *Exp Dermatol*, 22 (10), pp. 631-637.

11. Kedei, N., Telek, A., Czap, A., Lubart, E.S., **Czifra, G.**, Yang, D., Chen, J., Morrison, T., Goldsmith, P.K., Lim, L., Mannan, P., Garfield, S.H., Kraft, M.B., Li, W., Keck, G.E., Blumberg, P.M.: The synthetic bryostatin analog Merle 23 dissects distinct mechanisms of bryostatin activity in the LNCaP human prostate cancer cell line.

Biochem. Pharmacol. 81 (11), 1296-1308, 2011.

DOI: <http://dx.doi.org/10.1016/j.bcp.2011.03.018>

IF:4.705

Idézetek összesen: 13

Független idézetek: 6

1. Irie, K., Yanagita, R.C.: Synthesis and biological activities of simplified analogs of the natural PKC ligands, bryostatin-1 and aplysiatoxin. (2014) *Chemical Record*, 14 (2), pp. 251-267.



- Drew, D.A., Devers, T., Horelik, N., Yang, S., O'Brien, M., Wu, R., Rosenberg, D.W.: Nanoproteomic analysis of extracellular receptor kinase-1/2 post-translational activation in microdissected human hyperplastic colon lesions. (2013) *Proteomics*, 13 (9), pp. 1428-1436.
- Fan, A.C., O'Rourke, J.J., Prahara, D.R., Felsher, D.W.: Real-time nanoscale proteomic analysis of the novel multi-kinase pathway inhibitor rigosertib to measure the response to treatment of cancer. (2013) *Expert Opin Investig Drugs*, 22 (11), pp. 1495-1509.
- Nakagawa, Y.: Artificial analogs of naturally occurring tumor promoters as biochemical tools and therapeutic leads. (2012) *Bioscience, Biotechnology and Biochemistry*, 76 (7), pp. 1262-1274.
- Ruan, B.-., Zhu, H.-.: The chemistry and biology of the bryostatins: Potential PKC inhibitors in clinical development. (2012) *Curr Med Chem*, 19 (16), pp. 2652-2664.
- Sinko, J., Rajchard, J., Balounova, Z., Fikotova, L.: Biologically active substances from water invertebrates: A review. (2012) *Vet Med*, 57 (4), pp. 177-184.

Függő idézetek: 7

- Garcia, L.C., Donadio, L.G., Mann, E., Kolusheva, S., Kedei, N., Lewin, N.E., Hill, C.S., Kelsey, J.S., Yang, J., Esch, T.E., Santos, M., Peach, M.L., Kelley, J.A., Blumberg, P.M., Jelinek, R., Marquez, V.E., Comin, M.J.: Synthesis, biological, and biophysical studies of DAG-indololactones designed as selective activators of RasGRP. (2014) *Bioorganic and Medicinal Chemistry*, 22 (12), pp. 3123-3140.
- Kedei, N., Chen, J.-., Herrmann, M.A., Telek, A., Goldsmith, P.K., Petersen, M.E., Keck, G.E., Blumberg, P.M.: Molecular systems pharmacology: Isoelectric focusing signature of protein kinase cd provides an integrated measure of its modulation in response to ligands. (2014) *J Med Chem*, 57 (12), pp. 5356-5369.
- Ou, O., Huppi, K., Chakka, S., Gehlhaus, K., Dubois, W., Patel, J., Chen, J., Mackiewicz, M., Jones, T.L., Pitt, J.J., Martin, S.E., Goldsmith, P., Simmons, J.K., Mock, B.A., Caplen, N.J.: Loss-of-function RNAi screens in breast cancer cells identify AURKB, PLK1, PIK3R1, MAPK12, PRKD2, and PTK6 as sensitizing targets of rapamycin activity. (2014) *Cancer Lett*, 354 (2), pp. 336-347.
- Chen, J.-., Heldman, M.R., Herrmann, M.A., Kedei, N., Woo, W., Blumberg, P.M., Goldsmith, P.K.: Absolute quantitation of endogenous proteins with precision and accuracy using a capillary western system. (2013) *Anal Biochem*, 442 (1), pp. 97-103.
- Kedei, N., Lewin, N.E., Géczy, T., Selezneva, J., Braun, D.C., Chen, J., Herrmann, M.A., Heldman, M.R., Lim, L., Mannan, P., Garfield, S.H., Poudel, Y.B., Cummins, T.J., Rudra, A., Blumberg, P.M., Keck, G.E.: Biological profile of the less lipophilic and synthetically more accessible bryostatin 7 closely resembles that of bryostatin 1. (2013) *ACS Chemical Biology*, 8 (4), pp. 767-777.
- Kedei, N., Telek, A., Michalowski, A.M., Kraft, M.B., Li, W., Poudel, Y.B., Rudra, A., Petersen, M.E., Keck, G.E., Blumberg, P.M.: Comparison of transcriptional response to phorbol ester, bryostatin 1, and bryostatin analogs in LNCaP and U937 cancer cell lines provides insight into their differential mechanism of action. (2013) *Biochem Pharmacol*, 85 (3), pp. 313-324.
- Keck, G.E., Poudel, Y.B., Rudra, A., Stephens, J.C., Kedei, N., Lewin, N.E., Blumberg, P.M.: Role of the C 8 gem-dimethyl group of bryostatin 1 on its unique pattern of biological activity. (2012) *Bioorganic and Medicinal Chemistry Letters*, 22 (12), pp. 4084-4088.



12. Galajda, Z., Balla, J., Szentmiklósi, J.A., Bíró, T., **Czifra, G.**, Dobrosi, N., Cseppentő, Á., Patonay, L., Rőszer, T., Balla, G., Popescu, L.M., Lekli, I., Tósaki, Á.: Histamine and H1-Histamine receptors factor venous circulation.
J. Cell. Mol. Med. 15 (12), 2614-2623, 2011.
DOI: <http://dx.doi.org/10.1111/j.1582-4934.2010.01254.x>
IF:4.125

Idézetek összesen: 1

Független idézetek: 1

1. Ettinger, K., Cohen, G., Momic, T., Lazarovici, P.: The effects of a chactoid scorpion venom and its purified toxins on rat blood pressure and mast cells histamine release. (2013) *Toxins*, 5 (8), pp. 1332-1342.

13. Tóth, I.B., Oláh, A., Szöllösi, A.G., **Czifra, G.**, Bíró, T.: "Sebocytes' makeup": Novel mechanisms and concepts in the physiology of the human sebaceous glands.
Pflugers Arch. 461 (6), 593-606, 2011.
DOI: <http://dx.doi.org/10.1007/s00424-011-0941-6>
IF:4.463

Idézetek összesen: 11

Független idézetek: 7

1. Bowe, W.P., Patel, N.B., Logan, A.C.: Acne vulgaris, probiotics and the gut-brain-skin axis: From anecdote to translational medicine. (2014) *Beneficial Microbes*, 5 (2), pp. 185-199.
2. Roma, A.A., Barry, J., Pai, R.K., Billings, S.D.: Sebaceous hyperplasia of the vulva: A series of cases reporting no association with the muir-torre syndrome. (2014) *International Journal of Gynecological Pathology*, 33 (4), pp. 437-442.
3. Hinde, E., Haslam, I.S., Schneider, M.R., Langan, E.A., Kloepper, J.E., Schramm, C., Zouboulis, C.C., Paus, R.: A practical guide for the study of human and murine sebaceous glands in situ. (2013) *Exp Dermatol*, 22 (10), pp. 631-637.
4. Nejati, R., Skobowiat, C., Slominski, A.T.: Commentary on the practical guide for the study of sebaceous glands. (2013) *Exp Dermatol*, 22 (10), pp. 629-630.
5. Sakuma, T.H., Maibach, H.I.: Oily skin: An overview. (2012) *Skin Pharmacology and Physiology*, 25 (5), pp. 227-235.
6. Sugawara, T., Nemoto, K., Adachi, Y., Yamano, N., Tokuda, N., Muto, M., Okuyama, R., Sakai, S., Owada, Y.: Reduced size of sebaceous gland and altered sebum lipid composition in mice lacking fatty acid binding protein 5 gene. (2012) *Exp Dermatol*, 21 (7), pp. 543-546.
7. Yager, J.A., Gross, T.L., Shearer, D., Rothstein, E., Power, H., Sinke, J.D., Kraus, H., Gram, D., Cowper, E., Foster, A., Welle, M.: Abnormal sebaceous gland differentiation in 10 kittens ('sebaceous gland dysplasia') associated with generalized hypotrichosis and scaling. (2012) *Vet Dermatol*, 23 (2), pp. 136-e30.

Függő idézetek: 4

1. Bíró, T.: Human sebocytes: The new leptin connection? (2014) *Br J Dermatol*, 171 (6), pp. 1288.



2. Dozsa, A., Dezso, B., Toth, B.I., Bacsı, A., Poliska, S., Camera, E., Picardo, M., Zouboulis, C.C., Bıró, T., Schmitz, G., Liebisch, G., Rühl, R., Remenyik, E., Nagy, L.: PPAR γ -mediated and arachidonic acid-dependent signaling is involved in differentiation and lipid production of human sebocytes. (2014) *Journal of Investigative Dermatology*, 134 (4), pp. 910-920.
 3. Tóth, B.I., Bıró, T.: TRP channels and pruritus. (2013) *Open Pain Journal*, 6 (SPEC.ISSUE.1), pp. 62-80.
 4. Oláh, A., Szöllosi, A.G., Bıró, T.: The channel physiology of the skin, (2012) *Reviews of Physiology, Biochemistry and Pharmacology*, 163, pp. 65-131.
14. Tóth, I.B., Dobrosi, N., Dajnoki, A., **Czifra, G.**, Oláh, A., Szöllősi, A.G., Juhász, I., Sugawara, K., Paus, R., Bıró, T.: Endocannabinoids Modulate Human Epidermal Keratinocyte Proliferation and Survival via the Sequential Engagement of Cannabinoid Receptor-1 and Transient Receptor Potential Vanilloid-1. *J. Invest. Dermatol.* 131 (5), 1095-1104, 2011.
DOI: <http://dx.doi.org/10.1038/jid.2010.421>
IF:6.314

Idézetek összesen: 22

Független idézetek: 11

1. Caterina, M.J.: TRP channel cannabinoid receptors in skin sensation, homeostasis, and inflammation. (2014) *ACS Chemical Neuroscience*, 5 (11), pp. 1107-1116.
2. Kaneko, Y., Szallasi, A.: Transient receptor potential (TRP) channels: A clinical perspective. (2014) *Br J Pharmacol*, 171 (10), pp. 2474-2507.
3. Kaneko, Y., Szallasi, A.: Editorial. (2013) *Current Topics in Medicinal Chemistry*, 13 (3), pp. 241-243.
4. Kendall, A.C., Nicolaou, A.: Bioactive lipid mediators in skin inflammation and immunity. (2013) *Prog Lipid Res*, 52 (1), pp. 141-164.
5. Pucci, M., Rapino, C., Di Francesco, A., Dainese, E., D'Addario, C., Maccarrone, M.: Epigenetic control of skin differentiation genes by phytocannabinoids. (2013) *Br J Pharmacol*, 170 (3), pp. 581-591.
6. Ruzsnavszky, O., Dienes, B., Oláh, T., Vincze, J., Gáll, T., Balogh, E., Nagy, G., Bátorı, R., Lontay, B., Erdodi, F., Csernoch, L.: Differential effects of phosphatase inhibitors on the calcium homeostasis and migration of HaCaT keratinocytes. (2013) *PLoS ONE*, 8 (4). e61507
7. Valdes-Rodriguez, R., Kaushik, S.B., Yosipovitch, G.: Transient receptor potential channels and dermatological disorders. (2013) *Current Topics in Medicinal Chemistry*, 13 (3), pp. 335-343.
8. Yang, Y., Yang, H., Wang, Z., Varadaraj, K., Kumari, S.S., Mergler, S., Okada, Y., Saika, S., Kingsley, P.J., Marnett, L.J., Reinach, P.S.: Cannabinoid receptor 1 suppresses transient receptor potential vanilloid 1-induced inflammatory responses to corneal injury. (2013) *Cell Signal*, 25 (2), pp. 501-511.
9. Di Marzo, V., De Petrocellis, L.: Why do cannabinoid receptors have more than one endogenous ligand? (2012) *Philosophical Transactions of the Royal Society B: Biological Sciences*, 367 (1607), pp. 3216-3228.
10. Nunn, A., Guy, G., Bell, J.D.: Endocannabinoids in neuroendopsychology: Multiphasic control of mitochondrial function. (2012) *Philosophical Transactions of the Royal Society B: Biological Sciences*, 367 (1607), pp. 3342-3352.



DEBRECENI EGYETEM
EGYETEMI ÉS NEMZETI KÖNYVTÁR
PUBLIKÁCIÓK



11. Slominski, A.T., Zmijewski, M.A., Skobowiat, C., Zbytek, B., Slominski, R.M., Steketee, J.D.: Sensing the environment: Regulation of local and global homeostasis by the skin's neuroendocrine system, (2012) *Advances in Anatomy Embryology and Cell Biology*, 212, pp. 1-115.

Függő idézetek: 11

1. Fischer, T.W., Herczeg-Lisztes, E., Funk, W., Zillikens, D., Bíró, T., Paus, R.: Differential effects of caffeine on hair shaft elongation, matrix and outer root sheath keratinocyte proliferation, and transforming growth factor- β 2/insulin-like growth factor-1-mediated regulation of the hair cycle in male and female human hair follicles in vitro. (2014) *Br J Dermatol*, 171 (5), pp. 1031-1043.
2. Oláh, A., Tóth, B.I., Borbíró, I., Sugawara, K., Szöllösi, A.G., Czifra, G., Pál, B., Ambrus, L., Kloepper, J., Camera, E., Ludovici, M., Picardo, M., Voets, T., Zouboulis, C.C., Paus, R., Bíró, T.: Cannabidiol exerts sebostatic and antiinflammatory effects on human sebocytes. (2014) *J Clin Invest*, 124 (9), pp. 3713-3724.
3. Ramot, Y., Paus, R.: Harnessing neuroendocrine controls of keratin expression: A new therapeutic strategy for skin diseases? (2014) *Bioessays*, 36 (7), pp. 672-686.
4. Tóth, B.I., Oláh, A., Szöllösi, A.G., Bíró, T.: TRP channels in the skin. (2014) *Br J Pharmacol*, 171 (10), pp. 2568-2581.
5. Ramot, Y., Sugawara, K., Zákány, N., Tóth, B.I., Bíró, T., Paus, R.: A novel control of human keratin expression: Cannabinoid receptor 1-mediated signaling down-regulates the expression of keratins K6 and K16 in human keratinocytes in vitro and in situ. (2013) *PeerJ*, 2013 (1).
6. Szöllosi, A.G., Oláh, A., Tóth, B.I., Papp, F., Czifra, G., Panyi, G., Bíró, T.: Transient receptor potential vanilloid-2 mediates the effects of transient heat shock on endocytosis of human monocyte-derived dendritic cells. (2013) *FEBS Lett*, 587 (9), pp. 1440-1445.
7. Tóth, B.I., Bíró, T.: TRP channels and pruritus. (2013) *Open Pain Journal*, 6 (SPEC.ISSUE.1), pp. 62-80.
8. Czifra, G., Szöllsi, A.G., Tóth, B.I., Demaude, J., Bouez, C., Breton, L., Bíró, T.: Endocannabinoids regulate growth and survival of human eccrine sweat gland-derived epithelial cells. (2012) *J Invest Dermatol*, 132 (8), pp. 1967-1976.
9. Géczy, T., Oláh, A., Tóth, B.I., Czifra, G., Szöllsi, A.G., Szabó, T., Zouboulis, C.C., Paus, R., Bíró, T.: Protein kinase C isoforms have differential roles in the regulation of human sebocyte biology. (2012) *J Invest Dermatol*, 132 (8), pp. 1988-1997.
10. Oláh, A., Szöllosi, A.G., Bíró, T.: The channel physiology of the skin, (2012) *Reviews of Physiology, Biochemistry and Pharmacology*, 163, pp. 65-131.
11. Moran, M.M., McAlexander, M.A., Bíró, T., Szallasi, A.: Transient receptor potential channels as therapeutic targets. (2011) *Nature Reviews Drug Discovery*, 10 (8), pp. 601-620.



15. Borbíró, I., Lisztes, E., Tóth, I.B., **Czifra, G.**, Oláh, A., Szöllösi, A.G., Szentandrassy, N., Nánási, P.P., Paus, R., Kovács, L., Bíró, T.: Activation of transient receptor potential vanilloid-3 inhibits human hair growth.
J. Invest. Dermatol. 131 (8), 1605-1614, 2011.
DOI: <http://dx.doi.org/10.1038/jid.2011.122>
IF:6.314

Idézetek összesen: 21

Független idézetek: 13

1. Suntres, Z.E., Coccimiglio, J., Alipour, M.: The bioactivity and toxicological actions of carvacrol. (2015) *Crit Rev Food Sci Nutr*, 55 (3), pp. 304-318.
2. Blyadon, D.C., Kelsell, D.P.: Defective channels lead to an impaired skin barrier. (2014) *J Cell Sci*, 127 (20), pp. 4343-4350.
3. Caterina, M.J.: TRP channel cannabinoid receptors in skin sensation, homeostasis, and inflammation. (2014) *ACS Chemical Neuroscience*, 5 (11), pp. 1107-1116.
4. Eytan, O., Fuchs-Telem, D., Mevorach, B., Indelman, M., Bergman, R., Sarig, O., Goldberg, I., Adir, N., Sprecher, E.: Olmsted syndrome caused by a homozygous recessive mutation in TRPV3. (2014) *J Invest Dermatol*, 134 (6), pp. 1752-1754.
5. Kaneko, Y., Szallasi, A.: Transient receptor potential (TRP) channels: A clinical perspective. (2014) *Br J Pharmacol*, 171 (10), pp. 2474-2507.
6. Brederson, J.-., Kym, P.R., Szallasi, A.: Targeting TRP channels for pain relief. (2013) *Eur J Pharmacol*, 716 (1-3), pp. 61-76.
7. Huang, S.M., Chung, M.-.: Targeting TRPV3 for the development of novel analgesics. (2013) *Open Pain Journal*, 6 (SPEC.ISSUE.1), pp. 119-126.
8. Cao, X., Yang, F., Zheng, J., Wang, K.: Intracellular proton-mediated activation of TRPV3 channels accounts for the exfoliation effect of α -hydroxyl acids on keratinocytes. (2012) *J Biol Chem*, 287 (31), pp. 25905-25916.
9. Lin, Z., Chen, Q., Lee, M., Cao, X., Zhang, J., Ma, D., Chen, L., Hu, X., Wang, H., Wang, X., Zhang, P., Liu, X., Guan, L., Tang, Y., Yang, H., Tu, P., Bu, D., Zhu, X., Wang, K., Li, R., Yang, Y.: Exome sequencing reveals mutations in TRPV3 as a cause of olmsted syndrome. (2012) *Am J Hum Genet*, 90 (3), pp. 558-564.
10. Luo, J., Stewart, R., Berdeaux, R., Hu, H.: Tonic inhibition of TRPV3 by mg^{2+} in mouse epidermal keratinocytes. (2012) *J Invest Dermatol*, 132 (9), pp. 2158-2165.
11. Philpott MP. Hair follicle culture; 2012 [cited 19 January 2015].
12. Sherkheli, M.A., Gisselmann, G., Hatt, H.: Supercooling agent icilin blocks a warmth-sensing ion channel TRPV3. (2012) *The Scientific World Journal*, 2012 . 982725.
13. Bin Saif, G.A., Ericson, M.E., Yosipovitch, G.: The itchy scalp - scratching for an explanation. (2011) *Exp Dermatol*, 20 (12), pp. 959-968.

Függő idézetek: 8

1. Fischer, T.W., Herczeg-Lisztes, E., Funk, W., Zillikens, D., Bíró, T., Paus, R.: Differential effects of caffeine on hair shaft elongation, matrix and outer root sheath keratinocyte proliferation, and transforming growth factor- β 2/insulin-like growth factor-1-mediated regulation of the hair cycle in male and female human hair follicles in vitro. (2014) *Br J Dermatol*, 171 (5), pp. 1031-1043.
2. Nilus, B., Bíró, T., Owsianik, G.: TRPV3: Time to decipher a poorly understood family member! (2014) *J Physiol (Lond)*, 592 (2), pp. 295-304.



3. Oláh, A., Tóth, B.I., Borbíró, I., Sugawara, K., Szöllösi, A.G., Czifra, G., Pál, B., Ambrus, L., Kloepper, J., Camera, E., Ludovici, M., Picardo, M., Voets, T., Zouboulis, C.C., Paus, R., Bíró, T.: Cannabidiol exerts sebostatic and antiinflammatory effects on human sebocytes. (2014) *J Clin Invest*, 124 (9), pp. 3713-3724.
 4. Tóth, B.I., Oláh, A., Szöllösi, A.G., Bíró, T.: TRP channels in the skin. (2014) *Br J Pharmacol*, 171 (10), pp. 2568-2581.
 5. Nilius, B., Bíró, T.: TRPV3: A 'more than skinny' channel. (2013) *Exp Dermatol*, 22 (7), pp. 447-452.
 6. Tóth, B.I., Bíró, T.: TRP channels and pruritus. (2013) *Open Pain Journal*, 6 (SPEC.ISSUE.1), pp. 62-80.
 7. Oláh, A., Szöllösi, A.G., Bíró, T.: The channel physiology of the skin, (2012) *Reviews of Physiology, Biochemistry and Pharmacology*, 163, pp. 65-131.
 8. Sugawara, K., Bíró, T., Tsuruta, D., Tóth, B.I., Kromminga, A., Zákány, N., Zimmer, A., Funk, W., Gibbs, B.F., Zimmer, A., Paus, R.: Endocannabinoids limit excessive mast cell maturation and activation in human skin. (2012) *J Allergy Clin Immunol*, 129 (3), pp. 726-738.e8.
16. Comin, M.J., **Czifra, G.**, Kedei, N., Telek, A., Lewin, N.E., Kulusheva, S., Velasquez, J.F., Kobylarz, R., Jelinek, R., Blumberg, P.M., Marquez, V.E.: Conformationally Constrained Analogues of Diacylglycerol (DAG). 31. Modulation of the Biological Properties of Diacylglycerol Lactones (DAG-lactones) Containing Rigid-Rod Acyl Groups Separated from the Core Lactone by Spacer Units of Different Lengths. *J. Med. Chem.* 52 (10), 3274-3283, 2009.
DOI: <http://dx.doi.org/10.1021/jm900186m>
IF:4.802

Idézetek összesen: 6

Független idézetek: 4

1. Eo, M., Bae, H.J., Hong, M., Do, Y., Cho, S., Lee, M.H.: Synthesis and electron transporting properties of methanofullerene-o-carborane dyads in organic field-effect transistors. (2013) *Dalton Transactions*, 42 (22), pp. 8104-8112.
2. Hirai, G.: Development of novel types of biologically active compounds based on natural products and biomolecules. (2012) *Yakugaku Zasshi*, 132 (1), pp. 117-124.
3. Boije af Gennäs, G., Talman, V., Yli-Kauhaluoma, J., Tuominen, R.K., Ekokoski, E.: Current status and future prospects of C1 domain ligands as drug candidates. (2011) *Current Topics in Medicinal Chemistry*, 11 (11), pp. 1370-1392.
4. Hirai, G., Ohkubo, M., Tamura, Y., Sodeoka, M.: Design and synthesis of protein kinase ca activators based on 'out of pocket' interactions. (2011) *Bioorganic and Medicinal Chemistry Letters*, 21 (12), pp. 3587-3590.

Függő idézetek: 2

1. Gal, N., Kulusheva, S., Kedei, N., Telek, A., Naeem, T.A., Lewin, N.E., Lim, L., Mannan, P., Garfield, S.H., El Kazzouli, S., Sigano, D.M., Marquez, V.E., Blumberg, P.M., Jelinek, R.: N-methyl-substituted fluorescent DAG-indololactone isomers exhibit dramatic differences in membrane interactions and biological activity. (2011) *ChemBioChem*, 12 (15), pp. 2331-2340.



2. Kedei, N., Lubart, E., Lewin, N.E., Telek, A., Lim, L., Mannan, P., Garfield, S.H., Kraft, M.B., Keck, G.E., Kolusheva, S., Jelinek, R., Blumberg, P.M.: Some phorbol esters might partially resemble bryostatin 1 in their actions on LNCaP prostate cancer cells and U937 leukemia cells. (2011) *ChemBioChem*, 12 (8), pp. 1242-1251.

17. Szegedi, A., Páyer, E., **Czifra, G.**, Tóth, I.B., Schmidt, E., Kovács, L., Blumberg, P.M., Bíró, T.: Protein kinase C isoenzymes differentially regulate the differentiation-dependent expression of adhesion molecules in human epidermal keratinocytes. *Exp. Dermatol.* 18 (2), 122-129, 2009.

DOI: <http://dx.doi.org/10.1111/j.1600-0625.2008.00771.x>

IF:3.239

Idézetek összesen: 12

Független idézetek: 9

1. Saha, K., Adhikary, G., Kanade, S.R., Rorke, E.A., Eckert, R.L.: P38 δ regulates p53 to control p21Cip1 expression in human epidermal keratinocytes. (2014) *Journal of Biological Chemistry*, 289 (16), pp. 11443-11453.
2. Ge, X., Shi, Z., Yu, N., Jiao, Y., Jin, L., Zhang, J.: The role of EGFR/ERK/ELK-1 MAP kinase pathway in the underlying damage to diabetic rat skin. (2013) *Indian J Dermatol*, 58 (2), pp. 101-106.
3. Inoue, K., Jinnin, M., Yamane, K., Makino, T., Kajihara, I., Makino, K., Honda, N., Nakayama, W., Fukushima, S., Ihn, H.: Down-regulation of miR-223 contributes to the formation of Gottron's papules in dermatomyositis via the induction of PKC ϵ . (2013) *European Journal of Dermatology*, 23 (2), pp. 160-167.
4. Laugesen, I.G., Hauge, E., Andersen, S.M., Stenderup, K., De Darkó, E., Dam, T.N., Rosada, C.: Valrubicin activates PKC α in keratinocytes: A conceivable mode of action in treating hyper-proliferative skin diseases. (2013) *Journal of Drugs in Dermatology*, 12 (10), pp. 1156-1162.
5. Chew, Y.C., Adhikary, G., Wilson, G.M., Reece, E.A., Eckert, R.L.: Protein kinase C (PKC) δ suppresses keratinocyte proliferation by increasing p21 Cip1 level by a KLF4 transcription factor-dependent mechanism. (2011) *J Biol Chem*, 286 (33), pp. 28772-28782.
6. Sandjeu, Y., Callejon, S., Vincent, C., Haftek, M.: Human epidermal desmosome-enriched tissue fractions for analytical and prospective studies. (2011) *Exp Dermatol*, 20 (4), pp. 357-360.
7. Chen, X.-., Lin, W.-., Lu, S.-., Xie, T., Ge, K., Shi, Y.-., Zou, J.-., Liu, Z.-., Liao, W.-.: Mechanistic study of endogenous skin lesions in diabetic rats. (2010) *Exp Dermatol*, 19 (12), pp. 1088-1095.
8. Kamioka, N., Akahane, T., Kohno, Y., Kuroki, T., Iijima, M., Honma, I., Ohba, M.: Protein kinase C δ and η differently regulate the expression of loricrin and jun family proteins in human keratinocytes. (2010) *Biochem Biophys Res Commun*, 394 (1), pp. 106-111.
9. De Grujil, F.: Protein kinase C reveals importance of extrinsic apoptosis in preventing UV carcinogenesis. (2009) *J Invest Dermatol*, 129 (8), pp. 1853-1856.

Függő idézetek: 3

1. Czifra, G., Szöllsi, A.G., Tóth, B.I., Demaude, J., Bouez, C., Breton, L., Bíró, T.: Endocannabinoids regulate growth and survival of human eccrine sweat gland-derived epithelial cells. (2012) *J Invest Dermatol*, 132 (8), pp. 1967-1976.



- Géczy, T., Oláh, A., Tóth, B.I., Czifra, G., Szöllsi, A.G., Szabó, T., Zouboulis, C.C., Paus, R., Bíró, T.: Protein kinase C isoforms have differential roles in the regulation of human sebocyte biology. (2012) *J Invest Dermatol*, 132 (8), pp. 1988-1997.
- Tóth, B.I., Dobrosi, N., Dajnoki, A., Czifra, G., Oláh, A., Szöllsi, A.G., Juhász, I., Sugawara, K., Paus, R., Bíró, T.: Endocannabinoids modulate human epidermal keratinocyte proliferation and survival via the sequential engagement of cannabinoid receptor-1 and transient receptor potential vanilloid-1. (2011) *J Invest Dermatol*, 131 (5), pp. 1095-1104.

18. Marincsák, R., Tóth, I.B., **Czifra, G.**, Márton, I., Redl, P., Tar, I., Tóth, L., Kovács, L., Bíró, T.: Increased expression of TRPV1 in squamous cell carcinoma of the human tongue.

Oral Dis. 15 (5), 328-335, 2009.

DOI: <http://dx.doi.org/10.1111/j.1601-0825.2009.01526.x>

IF:1.922

Idézetek összesen: 16

Független idézetek: 16

- Borsani, E., Majorana, A., Cocchi, M.A., Conti, G., Bonadeo, S., Padovani, A., Lauria, G., Bardellini, E., Rezzani, R., Rodella, L.F.: Epithelial expression of vanilloid and cannabinoid receptors: A potential role in burning mouth syndrome pathogenesis. (2014) *Histol Histopathol*, 29 (4), pp. 523-533.
- Roper SD. TRPs in taste and chemesthesis; 2014 [cited 19 January 2015].
- Vercelli, C., Barbero, R., Cuniberti, B., Racca, S., Abbadessa, G., Piccione, F., Re, G.: Transient receptor potential vanilloid 1 expression and functionality in MCF-7 cells: A preliminary investigation. (2014) *Journal of Breast Cancer*, 17 (4), pp. 332-338.
- Bromberg, Z., Goloubinoff, P., Saidi, Y., Weiss, Y.G.: The membrane-associated transient receptor potential vanilloid channel is the central heat shock receptor controlling the cellular heat shock response in epithelial cells. (2013) *PLoS ONE*, 8 (2). e57149.
- Brown, I., Cascio, M.G., Rotondo, D., Pertwee, R.G., Heys, S.D., Wahle, K.W.J.: Cannabinoids and omega-3/6 endocannabinoids as cell death and anticancer modulators. (2013) *Prog Lipid Res*, 52 (1), pp. 80-109.
- Liberati, S., Morelli, M.B., Nabissi, M., Santoni, M., Santoni, G.: Oncogenic and anti-oncogenic effects of transient receptor potential channels. (2013) *Current Topics in Medicinal Chemistry*, 13 (3), pp. 344-366.
- Nieto-Posadas, A., Picazo-Juárez, G., Llorente, I., Jara-Oseguera, A., Morales-Lázaro, S., Escalante-Alcalde, D., Islas, L.D., Rosenbaum, T.: Lysophosphatidic acid directly activates TRPV1 through a C-terminal binding site. (2012) *Nature Chemical Biology*, 8 (1), pp. 78-85.
- Okamoto, Y., Ohkubo, T., Ikebe, T., Yamazaki, J.: Blockade of TRPM8 activity reduces the invasion potential of oral squamous carcinoma cell lines. (2012) *Int J Oncol*, 40 (5), pp. 1431-1440.
- Bishnoi, M., Premkumar, L.S.: Possible consequences of blocking transient receptor potential vanilloid 1. (2011) *Curr Pharm Biotechnol*, 12 (1), pp. 102-114.
- Lehen'Ky, V., Prevarskaya, N.: Oncogenic TRP channels. (2011) *Advances in Experimental Medicine and Biology*, 704, pp. 929-945.
- Malfitano, A.M., Ciaglia, E., Gangemi, G., Gazzerò, P., Laezza, C., Bifulco, M.: Update on the endocannabinoid system as an anticancer target. (2011) *Expert Opinion on Therapeutic Targets*, 15 (3), pp. 297-308.



12. Premkumar, L.S., Bishnoi, M.: Disease-related changes in TRPV1 expression and its implications for drug development. (2011) *Current Topics in Medicinal Chemistry*, 11 (17), pp. 2192-2209.
 13. Santoni, G., Farfariello, V.: TRP channels and cancer: New targets for diagnosis and chemotherapy. (2011) *Endocrine, Metabolic and Immune Disorders - Drug Targets*, 11 (1), pp. 54-67.
 14. Santoni, G., Farfariello, V., Amantini, C.: TRPV channels in tumor growth and progression. (2011) *Advances in Experimental Medicine and Biology*, 704, pp. 947-967.
 15. White, J.P.M., Urban, L., Nagy, I.: TRPV1 function in health and disease. (2011) *Curr Pharm Biotechnol*, 12 (1), pp. 130-144.
 16. Ding, X., He, Z., Shi, Y., Wang, Q., Wang, Y.: Targeting TRPC6 channels in oesophageal carcinoma growth. (2010) *Expert Opinion on Therapeutic Targets*, 14 (5), pp. 513-527.
19. Blumberg, P.M., Kedei, N., Lewin, N.E., Yang, D., **Czifra, G.**, Pu, Y., Peach, M., Marquez, V.E.: Wealth of opportunity - the C1 domain as a target for drug development.
Curr. Drug Targets. 9 (8), 641-652, 2008.
IF:4.187

Idézetek összesen: 41

Független idézetek: 27

1. Rahman, G.M., Das, J.: Modeling studies on the structural determinants for the DAG/phorbol ester binding to C1 domain. (2015) *Journal of Biomolecular Structure and Dynamics*, 33 (1), pp. 219-232.
2. Borah, R., Talukdar, D., Gorai, S., Bain, D., Manna, D.: Bilayer interaction and protein kinase C-C1 domain binding studies of kojic acid esters. (2014) *RSC Advances*, 4 (49), pp. 25520-25531.
3. Das, J., Rahman, G.M.: C1 domains: Structure and ligand-binding properties. (2014) *Chem Rev*, 114 (24), pp. 12108-12131.
4. Grue-Sørensen, G., Liang, X., Månsson, K., Vedsø, P., Dahl Sørensen, M., Soor, A., Stahlhut, M., Bertelsen, M., Engell, K.M., Högberg, T.: Synthesis, biological evaluation and SAR of 3-benzoates of ingenol for treatment of actinic keratosis and non-melanoma skin cancer. (2014) *Bioorganic and Medicinal Chemistry Letters*, 24 (1), pp. 54-60.
5. Irie, K., Yanagita, R.C.: Synthesis and biological activities of simplified analogs of the natural PKC ligands, bryostatin-1 and aplysiatoxin. (2014) *Chemical Record*, 14 (2), pp. 251-267.
6. Lewis, K.T., Maddipati, K.R., Taatjes, D.J., Jena, B.P.: Neuronal porosome lipidome. (2014) *J Cell Mol Med*, 18 (10), pp. 1927-1937.
7. Mamidi, N., Panda, S., Borah, R., Manna, D.: Synthesis and protein kinase C (PKC)-C1 domain binding properties of diacyltetrol based anionic lipids. (2014) *Molecular BioSystems*, 10 (11), pp. 3002-3013.
8. Stahelin, R.V.: Ready, set, go! how protein kinase C manages dynamic signaling. (2014) *Chemistry and Biology*, 21 (4), pp. 433-434.
9. Talman, V., Gateva, G., Ahti, M., Ekokoski, E., Lappalainen, P., Tuominen, R.K.: Evidence for a role of MRCK in mediating HeLa cell elongation induced by the C1 domain ligand HMI-1a3. (2014) *European Journal of Pharmaceutical Sciences*, 55 (1), pp. 46-57.
10. Talman, V., Provenzani, R., Af Gennäs, G.B., Tuominen, R.K., Yli-Kauhaluoma, J.: C1 domain-targeted isophthalates as protein kinase C modulators: Structure-based design, structure-activity relationships and biological activities. (2014) *Biochem Soc Trans*, 42 , pp. 1543-1549.



DEBRECENI EGYETEM
EGYETEMI ÉS NEMZETI KÖNYVTÁR
PUBLIKÁCIÓK



11. Talukdar, D., Panda, S., Borah, R., Manna, D.: Membrane interaction and protein kinase C-C1 domain binding properties of 4-hydroxy-3-(hydroxymethyl) phenyl ester analogues. (2014) *J Phys Chem B*, 118 (27), pp. 7541-7553.
12. Talman, V., Amadio, M., Osera, C., Sorvari, S., Boije Af Gennäs, G., Yli-Kauhaluoma, J., Rossi, D., Govoni, S., Collina, S., Ekokoski, E., Tuominen, R.K., Pascale, A.: The C1 domain-targeted isophthalate derivative HMI-1b11 promotes neurite outgrowth and GAP-43 expression through PKC α activation in SH-SY5Y cells. (2013) *Pharmacological Research*, 73, pp. 44-54.
13. Irie, K., Yanagita, R.C., Nakagawa, Y.: Challenges to the development of bryostatin-type anticancer drugs based on the activation mechanism of protein kinase C δ . (2012) *Med Res Rev*, 32 (3), pp. 518-535.
14. Kawaguchi, M., Valencia, J.C., Namiki, T., Suzuki, T., Hearing, V.J.: Diacylglycerol kinase regulates tyrosinase expression and function in human melanocytes. (2012) *J Invest Dermatol*, 132 (12), pp. 2791-2799.
15. Mamidi, N., Borah, R., Sinha, N., Jana, C., Manna, D.: Effects of ortho substituent groups of protocatechualdehyde derivatives on binding to the C1 domain of novel protein kinase C. (2012) *J Phys Chem B*, 116 (35), pp. 10684-10692.
16. Nakagawa, Y.: Artificial analogs of naturally occurring tumor promoters as biochemical tools and therapeutic leads. (2012) *Bioscience, Biotechnology and Biochemistry*, 76 (7), pp. 1262-1274.
17. Boije af Gennäs, G., Talman, V., Yli-Kauhaluoma, J., Tuominen, R.K., Ekokoski, E.: Current status and future prospects of C1 domain ligands as drug candidates. (2011) *Current Topics in Medicinal Chemistry*, 11 (11), pp. 1370-1392.
18. Marengo, B., de Ciucis, C., Ricciarelli, R., Pronzato, M.A., Marinari, U.M., Domenicotti, C.: Protein kinase C: An attractive target for cancer therapy. (2011) *Cancers*, 3 (1), pp. 531-567.
19. Stewart, M.D., Morgan, B., Massi, F., Igumenova, T.I.: Probing the determinants of diacylglycerol binding affinity in the C1B domain of protein kinase C α . (2011) *J Mol Biol*, 408 (5), pp. 949-970.
20. Talman, V., Tuominen, R.K., af Gennäs, G.B., Yli-Kauhaluoma, J., Ekokoski, E.: C1 domain-targeted isophthalate derivatives induce cell elongation and cell cycle arrest in HeLa cells. (2011) *PLoS ONE*, 6 (5), e20053.
21. Wang, H., Xiao, L., Kazanietz, M.G.: p23/Tmp21 associates with protein kinase C δ (PKC δ) and modulates its apoptotic function. (2011) *J Biol Chem*, 286 (18), pp. 15821-15831.
22. Majhi, A., Rahman, G.M., Panchal, S., Das, J.: Binding of curcumin and its long chain derivatives to the activator binding domain of novel protein kinase C. (2010) *Bioorganic and Medicinal Chemistry*, 18 (4), pp. 1591-1598.
23. Maltseva, E.L., Gurevich, K.G., Palmina, N.P.: A kinetic approach to explain the effects of α -tocopherol at physiological and ultra-low concentrations on the activity of protein kinase c in vitro. (2010) *Oxidation Commun*, 33 (3), pp. 673-681.
24. Newton, A.C.: Protein kinase C: Poised to signal. (2010) *American Journal of Physiology - Endocrinology and Metabolism*, 298 (3), pp. E395-E402.
25. Vigil, D., Cherfils, J., Rossman, K.L., Der, C.J.: Ras superfamily GEFs and GAPs: Validated and tractable targets for cancer therapy? (2010) *Nature Reviews Cancer*, 10 (12), pp. 842-857.
26. Af Gennäs, G.B., Talman, V., Aitio, O., Ekokoski, E., Finel, M., Tuominen, R.K., Yli-Kauhaluoma, J.: Design, synthesis, and biological activity of isophthalic acid derivatives targeted to the C1 domain of protein kinase C. (2009) *J Med Chem*, 52 (13), pp. 3969-3981.
27. Stahelin, R.V.: Lipid binding domains: More than simple lipid effectors. (2009) *J Lipid Res*, 50 (SUPPL.), pp. S299-S304.



Függő idézetek: 14

1. Ann, J., Yoon, S., Baek, J., Kim, D.H., Lewin, N.E., Hill, C.S., Blumberg, P.M., Lee, J.: Design and synthesis of protein kinase C epsilon selective diacylglycerol lactones (DAG-lactones). (2014) *Eur J Med Chem*, 90 , pp. 332-341.
2. Kedei, N., Chen, J.-., Herrmann, M.A., Telek, A., Goldsmith, P.K., Petersen, M.E., Keck, G.E., Blumberg, P.M.: Molecular systems pharmacology: Isoelectric focusing signature of protein kinase C δ provides an integrated measure of its modulation in response to ligands. (2014) *J Med Chem*, 57 (12), pp. 5356-5369.
3. Kelsey, J.S., Geczy, T., Lewin, N.E., Kedei, N., Hill, C.S., Selezneva, J.S., Valle, C.J., Woo, W., Gorshkova, I., Blumberg, P.M.: Charge density influences C1 domain ligand affinity and membrane interactions. (2014) *ChemBioChem*, 15 (8), pp. 1131-1144.
4. Pu, Y., Kang, J.-., Sigano, D.M., Peach, M.L., Lewin, N.E., Marquez, V.E., Blumberg, P.M.: Diacylglycerol lactones targeting the structural features that distinguish the atypical C1 domains of protein kinase C ζ and ι from typical C1 domains. (2014) *J Med Chem*, 57 (9), pp. 3835-3844.
5. Kedei, N., Telek, A., Michalowski, A.M., Kraft, M.B., Li, W., Poudel, Y.B., Rudra, A., Petersen, M.E., Keck, G.E., Blumberg, P.M.: Comparison of transcriptional response to phorbol ester, bryostatin 1, and bryostatin analogs in LNCaP and U937 cancer cell lines provides insight into their differential mechanism of action. (2013) *Biochem Pharmacol*, 85 (3), pp. 313-324.
6. Rahman, G.M., Shanker, S., Lewin, N.E., Kedei, N., Hill, C.S., Prasad, B.V.V., Blumberg, P.M., Das, J.: Identification of the activator-binding residues in the second cysteine-rich regulatory domain of protein kinase C θ (PKC θ). (2013) *Biochem J*, 451 (1), pp. 33-44.
7. Geczy, T., Peach, M.L., Kazzouli, S.E., Sigano, D.M., Kang, J.-., Valle, C.J., Selezneva, J., Woo, W., Kedei, N., Lewin, N.E., Garfield, S.H., Lim, L., Mannan, P., Marquez, V.E., Blumberg, P.M.: Molecular basis for failure of "atypical" C1 domain of Vav1 to bind diacylglycerol/phorbol ester. (2012) *J Biol Chem*, 287 (16), pp. 13137-13158.
8. Blumberg, P.M., Pearce, L.V., Lee, J.: TRPV1 activation is not an all-or-none event: TRPV1 partial agonism/antagonism and its regulatory modulation. (2011) *Current Topics in Medicinal Chemistry*, 11 (17), pp. 2151-2158.
9. Gal, N., Kolusheva, S., Kedei, N., Telek, A., Naeem, T.A., Lewin, N.E., Lim, L., Mannan, P., Garfield, S.H., El Kazzouli, S., Sigano, D.M., Marquez, V.E., Blumberg, P.M., Jelinek, R.: N-methyl-substituted fluorescent DAG-indololactone isomers exhibit dramatic differences in membrane interactions and biological activity. (2011) *ChemBioChem*, 12 (15), pp. 2331-2340.
10. Kedei, N., Lubart, E., Lewin, N.E., Telek, A., Lim, L., Mannan, P., Garfield, S.H., Kraft, M.B., Keck, G.E., Kolusheva, S., Jelinek, R., Blumberg, P.M.: Some phorbol esters might partially resemble bryostatin 1 in their actions on LNCaP prostate cancer cells and U937 leukemia cells. (2011) *ChemBioChem*, 12 (8), pp. 1242-1251.
11. Kang, J.-., Kim, Y., Won, S.-., Park, S.-., Lee, C.W., Kim, H.-., Lewin, N.E., Perry, N.A., Pearce, L.V., Lundberg, D.J., Surawski, R.J., Blumberg, P.M., Lee, J.: Polar 3-alkylidene-5-pivaloyloxymethyl-5'-hydroxymethyl- γ -lactones as protein kinase C ligands and antitumor agents. (2010) *Bioorganic and Medicinal Chemistry Letters*, 20 (3), pp. 1008-1012.



12. Comin, M.J., Czifra, G., Kedei, N., Telek, A., Lewin, N.E., Kolusheva, S., Velasquez, J.F., Kobylarz, R., Jelinek, R., Blumberg, P.M., Marquez, V.E.: Conformationally constrained analogues of diacylglycerol (DAG). 31. modulation of the biological properties of diacylglycerol lactones (DAG-lactones) containing rigid-rod acyl groups separated from the core lactone by spacer units of different lengths. (2009) *J Med Chem*, 52 (10), pp. 3274-3283.
13. Keck, G.E., Li, W., Kraft, M.B., Kedei, N., Lewin, N.E., Blumberg, P.M.: The bryostatins 1 A-ring acetate is not the critical determinant for antagonism of phorbol ester-induced biological responses. (2009) *Org Lett*, 11 (11), pp. 2277-2280.
14. Pu, Y., Garfield, S.H., Kedei, N., Blumberg, P.M.: Characterization of the differential roles of the twin C1a and C1b domains of protein kinase c δ . (2009) *J Biol Chem*, 284 (2), pp. 1302-1312.

20. Choi, S.H., **Czifra, G.**, Kedei, N., Lewin, N.E., Lázár, J., Pu, Y., Marquez, V.E., Blumberg, P.M.: Characterization of the interaction of phorbol esters with the C1 domain of MRCK (myotonic dystrophy kinase-related Cdc42 binding kinase) alpha/beta.

J. Biol. Chem. 283 (16), 10543-10549, 2008.

DOI: <http://dx.doi.org/10.1074/jbc.M707463200>

IF:5.52

Idézetek összesen: 12

Független idézetek: 10

1. Talman, V., Gateva, G., Ahti, M., Ekokoski, E., Lappalainen, P., Tuominen, R.K.: Evidence for a role of MRCK in mediating HeLa cell elongation induced by the C1 domain ligand HMI-1a3. (2014) *European Journal of Pharmaceutical Sciences*, 55 (1), pp. 46-57.
2. Talman, V., Provenzani, R., Af Gennäs, G.B., Tuominen, R.K., Yli-Kauhaluoma, J.: C1 domain-targeted isophthalates as protein kinase C modulators: Structure-based design, structure-activity relationships and biological activities. (2014) *Biochem Soc Trans*, 42 , pp. 1543-1549.
3. Ueda, Y., Ishitsuka, R., Hullin-Matsuda, F., Kobayashi, T.: Regulation of the transbilayer movement of diacylglycerol in the plasma membrane. (2014) *Biochimie*, 107 (PA), pp. 43-50.
4. Unbekandt, M., Croft, D.R., Crighton, D., Mezna, M., McArthur, D., McConnell, P., Schüttelkopf, A.W., Belshaw, S., Pannifer, A., Sime, M., Bower, J., Drysdale, M., Olson, M.F.: A novel small-molecule MRCK inhibitor blocks cancer cell invasion. (2014) *Cell Communication and Signaling*, 12 (1). 54.
5. Unbekandt, M., Olson, M.F.: The actin-myosin regulatory MRCK kinases: Regulation, biological functions and associations with human cancer. (2014) *Journal of Molecular Medicine*, 92 (3), pp. 217-225.
6. Chen, C., Wu, D., Zhang, L., Zhao, Y., Guo, L.: Comparative phosphoproteomics studies of macrophage response to bacterial virulence effectors. (2012) *Journal of Proteomics*, 77 , pp. 251-261.
7. Huo, L., Wen, W., Wang, R., Kam, C., Xia, J., Feng, W., Zhang, M.: Cdc42-dependent formation of the ZO-1/MRCK β complex at the leading edge controls cell migration. (2011) *EMBO J*, 30 (4), pp. 665-678.
8. Kumar, V., Matsuo, K., Takahashi, A., Hosono, N., Tsunoda, T., Kamatani, N., Kong, S.-, Nakagawa, H., Cui, R., Tanikawa, C., Seto, M., Morishima, Y., Kubo, M., Nakamura, Y., Matsuda, K.: Common variants on 14q32 and 13q12 are associated with DLBCL susceptibility. (2011) *J Hum Genet*, 56 (6), pp. 436-439.



DEBRECENI EGYETEM
EGYETEMI ÉS NEMZETI KÖNYVTÁR
PUBLIKÁCIÓK



9. Talman, V., Tuominen, R.K., af Gennäs, G.B., Yli-Kauhaluoma, J., Ekokoski, E.: C1 domain-targeted isophthalate derivatives induce cell elongation and cell cycle arrest in HeLa cells. (2011) PLoS ONE, 6 (5).
10. Wang, H., Kazanietz, M.G.: p23/Tmp21 differentially targets the rac-GAP β 2-chimaerin and protein kinase C via their C1 domains. (2010) Mol Biol Cell, 21 (8), pp. 1398-1408.

Függő idézetek: 2

1. Blumberg, P.M., Keddi, N., Lewin, N.E., Yang, D., Czifra, G., Pu, Y., Peach, M.L., Marquez, V.E.: Wealth of opportunity - the C1 domain as a target for drug development. (2008) Curr Drug Targets, 9 (8), pp. 641-652.
2. Kazzouli, S.E., Lewin, N.E., Blumberg, P.M., Marquez, V.E.: Conformationally constrained analogues of diacylglycerol. 30. an investigation of diacylglycerol-lactones containing heteroaryl groups reveals compounds with high selectivity for ras guanyl nucleotide-releasing proteins. (2008) J Med Chem, 51 (17), pp. 5371-5386.

21. Marincsák, R., Tóth, I.B., **Czifra, G.**, Szabó, T., Kovács, L., Bíró, T.: The analgesic drug, tramadol, acts as an agonist of the transient receptor potential vanilloid-1.

Anesth. Analg. 106 (6), 1890-1896, 2008.

DOI: <http://dx.doi.org/10.1213/ane.0b013e318172fetc>

IF:2.59

Idézetek összesen: 20

Független idézetek: 19

1. Anseline, W., Grose, D., Smith, P., Murray, S., Messieh, A., Billing, T.: A plant-derived anti-nociceptive spray for reduction of pain with photodynamic therapy. (2014) Photodiagnosis and Photodynamic Therapy, 11 (4), pp. 467-471.
2. Bag, P.P., Reddy, C.M.: Tramadol hydrochloride and its acetonitrile solvate: Crystal structure analysis and thermal studies. (2014) Proceedings of the National Academy of Sciences India Section A - Physical Sciences, 84 (2), pp. 235-242.
3. Chavarria-Bolaños, D., Perez-Urizar, J., Grandfils, C., Pozos-Guillén, A.: Peripheral synergism between tramadol and ibuprofen in the formalin test. (2014) Drug Dev Res, 75 (4), pp. 224-230.
4. Chang, J.-., Yu, C.-., Lee, M.-., Yeo, K., Chang, I.-., Tsou, H.-., Wei, J.C.-.: Tramadol/acetaminophen combination as add-on therapy in the treatment of patients with ankylosing spondylitis. (2013) Clin Rheumatol, 32 (3), pp. 341-347.
5. Sawynok, J., Reid, A.R., Liu, J.: Spinal and peripheral adenosine A1 receptors contribute to antinociception by tramadol in the formalin test in mice. (2013) Eur J Pharmacol, 714 (1-3), pp. 373-378.
6. Bloor, M., Paech, M.J., Kaye, R.: Tramadol in pregnancy and lactation. (2012) International Journal of Obstetric Anesthesia, 21 (2), pp. 163-167.
7. Luo, J., Zhu, Y., Zhu, M.X., Hu, H.: Cell-based calcium assay for medium to high throughput screening of TRP channel functions using FlexStation 3. (2011) Journal of Visualized Experiments, (54). e3149.
8. Trevisani, M., Szallasi, A.: Targeting TRPV1 for pain relief: Should we quench or reignite the fire? (2011) Journal of Pain Management, 4 (3), pp. 229-247.
9. Di Marzo, V., De Petrocellis, L.: Endocannabinoids as regulators of transient receptor potential (TRP) channels: A further opportunity to develop new endocannabinoid-based therapeutic drugs. (2010) Curr Med Chem, 17 (14), pp. 1430-1449.



10. Moreno, C.B., Gutiérrez-Álvarez, A.M.: Opioids in the management of pain in diabetic neuropathy. (2010) *Arch Neurocienc*, 15 (1), pp. 31-34.
11. Surowy, C.S., Kym, P.R., Reilly, R.M.: Biochemical pharmacology of TRPV1: Molecular integrator of pain signals. (2010) *Vanilloid Receptor TRPV1 in Drug Discovery: Targeting Pain and Other Pathological Disorders*, pp. 101-133.
12. Wang, J.T.C., Chung, C.C.W., Whitehead, R.A., Schwarz, S.K.W., Ries, C.R., MacLeod, B.A.: Effects of local tramadol administration on peripheral glutamate-induced nociceptive behaviour in mice. (2010) *Canadian Journal of Anesthesia*, 57 (7), pp. 659-663.
13. Bodnar, R.J.: Endogenous opiates and behavior: 2008. (2009) *Peptides*, 30 (12), pp. 2432-2479.
14. Haider, S., Sikander, R.I., Us Samad, B., Memon, I.: Epidural tramadol and bupivacaine in obstetric patients with concurrent cardiac diseases. (2009) *Anaesthesia, Pain and Intensive Care*, 13 (1), pp. 15-18.
15. Vriens, J., Appendino, G., Nilius, B.: Pharmacology of vanilloid transient receptor potential cation channels. (2009) *Mol Pharmacol*, 75 (6), pp. 1262-1279.
16. Johnston, S.A., McLaughlin, R.M., Budsberg, S.C.: Nonsurgical management of osteoarthritis in dogs. (2008) *Veterinary Clinics of North America - Small Animal Practice*, 38 (6), pp. 1449-1470.
17. Öztürk, E., Zinnuroglu, M., Sezer, O.A., GÖkyar, I., Beyazova, M., Kaya, K.: Effects of perineural tramadol on sensory and motor conduction of ulnar nerve. (2008) *Journal of Opioid Management*, 4 (6), pp. 345-349.
18. Tabboush, Z.: Intraarticular tramadol or "hot chili peppers"? (2008) *Anesth Analg*, 107 (6), pp. 2092-2093.
19. Zeidan, A., Struys, M.M.R.F.: Intraarticular tramadol or "hot chili peppers"? (2008) *Anesth Analg*, 107 (6), pp. 2093.

Függő idézetek: 1

1. Borbíró, I., Lisztes, E., Tóth, B.I., Czifra, G., Oláh, A., Szöllsi, A.G., Szentandrassy, N., Nánási, P.P., Péter, Z., Paus, R., Kovács, L., Bíró, T.: Activation of transient receptor potential vanilloid-3 inhibits human hair growth. (2011) *J Invest Dermatol*, 131 (8), pp. 1605-1614.

22. Kiss, B., Bíró, T., **Czifra, G.**, Tóth, I.B., Kertész, Z., Szikszai, Z., Kiss, Á.Z., Juhász, I., Zouboulis, C.C., Hunyadi, J.: Investigation of micronized titanium dioxide penetration in human skin xenografts and its effect on cellular functions of human skin-derived cells.

Exp. Dermatol. 17 (8), 659-667, 2008.

DOI: <http://dx.doi.org/10.1111/j.1600-0625.2007.00683.x>

IF:3.259

Idézetek összesen: 59

Független idézetek: 54

1. Herman, A., Herman, A.P.: Nanoparticles as antimicrobial agents: Their toxicity and mechanisms of action. (2014) *Journal of Nanoscience and Nanotechnology*, 14 (1), pp. 946-957.
2. Ul-Islam, M., Shehzad, A., Khan, S., Khattak, W.A., Ullahl, M.W., Park, J.K.: Antimicrobial and biocompatible properties of nanomaterials. (2014) *Journal of Nanoscience and Nanotechnology*, 14 (1), pp. 780-791.
3. Baert, C., Novack, L., Lison, D.: Occupational exposure to nanoparticles and skin protection. (2013) *Archives des Maladies Professionnelles et de l'Environnement*, 74 (5), pp. 488-498.



DEBRECENI EGYETEM
EGYETEMI ÉS NEMZETI KÖNYVTÁR
PUBLIKÁCIÓK



4. Gilbert, E., Piro, F., Bertholle, V., Roussel, L., Falson, F., Padois, K.: Commonly used UV filter toxicity on biological functions: Review of last decade studies. (2013) *Int J Cosmetic Sci*, 35 (3), pp. 208-219.
5. Huang, X.-., Feng, Y.-., Huang, Y., Li, H.-.: Potential cosmetic application of essential oil extracted from litsea cubeba fruits from china. (2013) *J Essent Oil Res*, 25 (2), pp. 112-119.
6. Joško, I., Oleszczuk, P.: The influence of ZnO and TiO₂ nanoparticles on the toxicity of sewage sludges. (2013) *Environmental Sciences: Processes and Impacts*, 15 (1), pp. 296-306.
7. Labouta, H.I., Schneider, M.: Interaction of inorganic nanoparticles with the skin barrier: Current status and critical review. (2013) *Nanomedicine: Nanotechnology, Biology, and Medicine*, 9 (1), pp. 39-54.
8. Larese Filon, F., Crosera, M., Timeus, E., Adami, G., Bovenzi, M., Ponti, J., Maina, G.: Human skin penetration of cobalt nanoparticles through intact and damaged skin. (2013) *Toxicology in Vitro*, 27 (1), pp. 121-127.
9. Manaia, E.B., Kaminski, R.C.K., Corrêa, M.A., Chiavacci, L.A.: Inorganic UV filters. (2013) *Brazilian Journal of Pharmaceutical Sciences*, 49 (2), pp. 201-209.
10. Wang, L., Qin, G., Geng, S., Dai, Y., Wang, J.-.: Preparation of zein conjugated quantum dots and their in vivo transdermal delivery capacity through nude mouse skin. (2013) *Journal of Biomedical Nanotechnology*, 9 (3), pp. 367-376.
11. Zhang, C., Zhang, Q., Zhang, Y., Yan, B.: Toward a better understanding of pharmacokinetics of nanomaterials. (2013) *Curr Pharm Des*, 19 (37), pp. 6667-6680.
12. Chen, P., Kanehira, K., Sonezaki, S., Taniguchi, A.: Detection of cellular response to titanium dioxide nanoparticle agglomerates by sensor cells using heat shock protein promoter. (2012) *Biotechnol Bioeng*, 109 (12), pp. 3112-3118.
13. Gauri, B.: Nanotherapeutics magic bullets- A boon or bane to human health. (2012) *Journal of Nanomedicine and Nanotechnology*, 3 (5).
14. Iavicoli, I., Leso, V., Bergamaschi, A.: Toxicological effects of titanium dioxide nanoparticles: A review of in vivo studies. (2012) *Journal of Nanomaterials*, 2012. 964381.
15. Li, X., Wang, L., Fan, Y., Feng, Q., Cui, F.-.: Biocompatibility and toxicity of nanoparticles and nanotubes. (2012) *Journal of Nanomaterials*, 2012 .
16. Misra, S.K., Tetley, T.D., Thorley, A., Boccaccini, A.R., Valsami-Jones, E.: Engineered nanomaterials. (2012) *Pollutants, Human Health and the Environment: A Risk Based Approach*, , pp. 287-318.
17. Monteiro-Riviere, N.A., Filon, F.L.: Skin. (2012) *Adverse Effects of Engineered Nanomaterials*, , pp. 185-207.
18. Nohynek, G.J., Dufour, E.K.: Nano-sized cosmetic formulations or solid nanoparticles in sunscreens: A risk to human health? (2012) *Arch Toxicol*, 86 (7), pp. 1063-1075.
19. Pedata, P., Boccellino, M., La Porta, R., Napolitano, M., Minutolo, P., Sgro, L.A., Zei, F., Sannolo, N., Quagliuolo, L.: Interaction between combustion-generated organic nanoparticles and biological systems: In vitro study of cell toxicity and apoptosis in human keratinocytes. (2012) *Nanotoxicology*, 6 (4), pp. 338-352.
20. Chen, P., Migita, S., Kanehira, K., Sonezaki, S., Taniguchi, A.: Development of sensor cells using NF-κB pathway activation for detection of nanoparticle-induced inflammation. (2011) *Sensors*, 11 (7), pp. 7219-7230.
21. Christensen, F.M., Johnston, H.J., Stone, V., Aitken, R.J., Hankin, S., Peters, S., Aschberger, K.: Nano-TiO₂ - feasibility and challenges for human health risk assessment based on open literature. (2011) *Nanotoxicology*, 5 (2), pp. 110-124.



22. Fissan, H., Asbach, C.: Nanotechnology, a challenge for occupational and environmental medicine. (2011) *Arbeitsmedizin Sozialmedizin Umweltmedizin*, 46 (12), pp. 662-669.
23. Furukawa, F., Doi, Y., Suguro, M., Morita, O., Kuwahara, H., Masunaga, T., Hatakeyama, Y., Mori, F.: Lack of skin carcinogenicity of topically applied titanium dioxide nanoparticles in the mouse. (2011) *Food and Chemical Toxicology*, 49 (4), pp. 744-749.
24. Iavicoli, I., Leso, V., Fontana, L., Bergamaschi, A.: Toxicological effects of titanium dioxide nanoparticles: A review of in vitro mammalian studies. (2011) *Eur Rev Med Pharmacol Sci*, 15 (5), pp. 481-508.
25. Jeon, Y.-., Park, S.-., Lee, M.-.: Toxicoproteomic identification of TiO₂ nanoparticle-induced protein expression changes in mouse brain. (2011) *Animal Cells and Systems*, 15 (2), pp. 107-114.
26. Krug, H.F., Wick, P.: Nanotoxicology: An interdisciplinary challenge. (2011) *Angewandte Chemie - International Edition*, 50 (6), pp. 1260-1278.
27. Kumar, A., Pandey, A.K., Singh, S.S., Shanker, R., Dhawan, A.: Cellular uptake and mutagenic potential of metal oxide nanoparticles in bacterial cells. (2011) *Chemosphere*, 83 (8), pp. 1124-1132.
28. Labouta, H.I., Kraus, T., El-Khordagui, L.K., Schneider, M.: Combined multiphoton imaging-pixel analysis for semiquantitation of skin penetration of gold nanoparticles. (2011) *Int J Pharm*, 413 (1-2), pp. 279-282.
29. Larese Filon, F., Crosera, M., Adami, G., Bovenzi, M., Rossi, F., Maina, G.: Human skin penetration of gold nanoparticles through intact and damaged skin. (2011) *Nanotoxicology*, 5 (4), pp. 493-501.
30. Monteiro-Riviere, N.A., Wiench, K., Landsiedel, R., Schulte, S., Inman, A.O., Riviere, J.E.: Safety evaluation of sunscreen formulations containing titanium dioxide and zinc oxide nanoparticles in UVB sunburned skin: An in vitro and in vivo study. (2011) *Toxicological Sciences*, 123 (1), pp. 264-280.
31. Shukla, R.K., Sharma, V., Pandey, A.K., Singh, S., Sultana, S., Dhawan, A.: ROS-mediated genotoxicity induced by titanium dioxide nanoparticles in human epidermal cells. (2011) *Toxicology in Vitro*, 25 (1), pp. 231-241.
32. Simon, M., Barberet, P., Delville, M.-., Moretto, P., Sez nec, H.: Titanium dioxide nanoparticles induced intracellular calcium homeostasis modification in primary human keratinocytes. towards an in vitro explanation of titanium dioxide nanoparticles toxicity. (2011) *Nanotoxicology*, 5 (2), pp. 125-139.
33. Skocaj, M., Filipic, M., Petkovic, J., Novak, S.: Titanium dioxide in our everyday life; is it safe? (2011) *Radiology and Oncology*, 45 (4), pp. 227-247.
34. Smijs, T.G., Pavel, S.: Titanium dioxide and zinc oxide nanoparticles in sunscreens: Focus on their safety and effectiveness. (2011) *Nanotechnology, Science and Applications*, 4 (1), pp. 95-112.
35. Tran, D.T., Salmon, R.: Potential photocarcinogenic effects of nanoparticle sunscreens. (2011) *Australas J Dermatol*, 52 (1), pp. 1-6.
36. Unnithan, J., Rehman, M.U., Ahmad, F.J., Samim, M.: Aqueous synthesis and concentration-dependent dermal toxicity of TiO₂ nanoparticles in wistar rats. (2011) *Biol Trace Elem Res*, 143 (3), pp. 1682-1694.
37. Wu, Y., Sun, Y., Chen, H.-., Gao, X.-.: Nanotechnology for topical application in cosmetic dermatology. (2011) *Journal of Applied Cosmetology*, 29 (1), pp. 3-15.
38. Yildirimer, L., Thanh, N.T.K., Loizidou, M., Seifalian, A.M.: Toxicological considerations of clinically applicable nanoparticles. (2011) *Nano Today*, 6 (6), pp. 585-607.
39. Boczkowski, J., Hoet, P.: What's new in nanotoxicology? implications for public health from a brief review of the 2008 literature. (2010) *Nanotoxicology*, 4 (1), pp. 1-14.



40. Denda, M., Kumazawa, N.: Effects of metals on skin permeability barrier recovery. (2010) *Exp Dermatol*, 19 (8), pp. e124-e127.
41. Jeon, Y.-., Park, S.-., Rhee, S.-., Lee, M.-.: Proteomic profiling of the differentially expressed proteins by TiO₂ nanoparticles in mouse kidney. (2010) *Molecular and Cellular Toxicology*, 6 (4), pp. 419-425.
42. Lagopati, N., Kitsiou, P.V., Kontos, A.I., Venieratos, P., Kotsopoulou, E., Kontos, A.G., Dionysiou, D.D., Pispas, S., Tsilibary, E.C., Falaras, P.: Photo-induced treatment of breast epithelial cancer cells using nanostructured titanium dioxide solution. (2010) *J Photochem Photobiol A*, 214 (2-3), pp. 215-223.
43. Migdal, C., Rahal, R., Rubod, A., Callejon, S., Colomb, E., Atrux-Tallau, N., Haftek, M., Vincent, C., Serres, M., Daniele, S.: Internalisation of hybrid titanium dioxide/para-amino benzoic acid nanoparticles in human dendritic cells did not induce toxicity and changes in their functions. (2010) *Toxicol Lett*, 199 (1), pp. 34-42.
44. Robertson, T.A., Sanchez, W.Y., Roberts, M.S.: Are commercially available nanoparticles safe when applied to the skin? (2010) *Journal of Biomedical Nanotechnology*, 6 (5), pp. 452-468.
45. Smijs, T.G.M., Bouwstra, J.A.: Focus on skin as a possible port of entry for solid nanoparticles and the toxicological impact. (2010) *Journal of Biomedical Nanotechnology*, 6 (5), pp. 469-484.
46. Yanagisawa, R., Takano, H., Inoue, K.I., Koike, E., Sadakane, K., Ichinose, T.: Size effects of polystyrene nanoparticles on atopic dermatitis-like skin lesions in NC/NGA mice. (2010) *Int J Immunopathol Pharmacol*, 23 (1), pp. 131-141.
47. Yoshihisa, Y., Honda, A., Zhao, Q.-., Makino, T., Abe, R., Matsui, K., Shimizu, H., Miyamoto, Y., Kondo, T., Shimizu, T.: Protective effects of platinum nanoparticles against UV-light-induced epidermal inflammation. (2010) *Exp Dermatol*, 19 (11), pp. 1000-1006.
48. Crosera, M., Bovenzi, M., Maina, G., Adami, G., Zanette, C., Florio, C., Filon Larese, F.: Nanoparticle dermal absorption and toxicity: A review of the literature. (2009) *Int Arch Occup Environ Health*, 82 (9), pp. 1043-1055.
49. Di Gioacchino, M., Verna, N., Gornati, R., Sabbioni, E., Bernardini, G.: Metal nanoparticle health risk assessment. (2009) *Nanotoxicity: From In Vivo and In Vitro Models to Health Risks*, pp. 519-541.
50. Johnston, H.J., Hutchison, G.R., Christensen, F.M., Peters, S., Hankin, S., Stone, V.: Identification of the mechanisms that drive the toxicity of TiO₂ particulates: The contribution of physicochemical characteristics. (2009) *Particle and Fibre Toxicology*, 6 . 33.
51. Lee, Y.S., Yoon, S., Yoon, H.J., Lee, K., Yoon, H.K., Lee, J.-., Song, C.W.: Inhibitor of differentiation 1 (Id1) expression attenuates the degree of TiO₂-induced cytotoxicity in H1299 non-small cell lung cancer cells. (2009) *Toxicol Lett*, 189 (3), pp. 191-199.
52. Meinke, M., Abdollahnia, M., Gähr, F., Platzek, T., Sterry, W., Lademann, J.: Migration and penetration of a fluorescent textile dye into the skin - in vivo versus in vitro methods. (2009) *Exp Dermatol*, 18 (9), pp. 789-792.
53. Ukmar, T., Godec, A., Maver, U., Planinek, O., Bele, M., Jamnik, J., Gaberek, M.: Suspensions of modified TiO₂ nanoparticles with supreme UV filtering ability. (2009) *Journal of Materials Chemistry*, 19 (43), pp. 8176-8183.
54. Yanagisawa, R., Takano, H., Inoue, K.-., Koike, E., Kamachi, T., Sadakane, K., Ichinose, T.: Titanium dioxide nanoparticles aggravate atopic dermatitis-like skin lesions in NC/Nga mice. (2009) *Exp Biol Med*, 234 (3), pp. 314-322.



Függő idézetek: 5

1. Czifra, G., Szöllsi, A.G., Tóth, B.I., Demaude, J., Bouez, C., Breton, L., Bíró, T.: Endocannabinoids regulate growth and survival of human eccrine sweat gland-derived epithelial cells. (2012) *J Invest Dermatol*, 132 (8), pp. 1967-1976.
2. Géczy, T., Oláh, A., Tóth, B.I., Czifra, G., Szöllsi, A.G., Szabó, T., Zouboulis, C.C., Paus, R., Bíró, T.: Protein kinase C isoforms have differential roles in the regulation of human sebocyte biology. (2012) *J Invest Dermatol*, 132 (8), pp. 1988-1997.
3. Szikszai, Z., Kertész, Z., Bodnár, E., Borbíró, I., Angyal, A., Csedreki, L., Furu, E., Szoboszlai, Z., Kiss, A.Z., Hunyadi, J.: Nuclear microprobe investigation of ultrafine zinc oxide into human skin affected by atopic dermatitis. (2011) *Nuclear Instruments and Methods in Physics Research, Section B: Beam Interactions with Materials and Atoms*, 269 (20), pp. 2278-2280.
4. Tóth, B.I., Dobrosi, N., Dajnoki, A., Czifra, G., Oláh, A., Szöllsi, A.G., Juhász, I., Sugawara, K., Paus, R., Bíró, T.: Endocannabinoids modulate human epidermal keratinocyte proliferation and survival via the sequential engagement of cannabinoid receptor-1 and transient receptor potential vanilloid-1. (2011) *J Invest Dermatol*, 131 (5), pp. 1095-1104.
5. Szikszai, Z., Kertész, Z., Bodnár, E., Major, I., Borbíró, I., Kiss, A.Z., Hunyadi, J.: Nuclear microprobe investigation of the penetration of ultrafine zinc oxide into intact and tape-stripped human skin. (2010) *Nuclear Instruments and Methods in Physics Research, Section B: Beam Interactions with Materials and Atoms*, 268 (11-12), pp. 2160-2163.

23. Gönczi, M., Telek, A., **Czifra, G.**, Balogh, A., Blumberg, P.M., Bíró, T., Csernoch, L.:
Altered calcium handling following the recombinant overexpression of protein kinase
C isoforms in HaCaT cells.

Exp. Dermatol. 17 (7), 584-591, 2008.

DOI: <http://dx.doi.org/10.1111/j.1600-0625.2007.00678.x>

IF:3.259

Idézetek összesen: 9

Független idézetek: 5

1. Burnstock, G., Knight, G.E., Greig, A.V.H.: Purinergic signaling in healthy and diseased skin. (2012) *J Invest Dermatol*, 132 (3 PART 1), pp. 526-546.
2. Azorin, N., Raoux, M., Rodat-Despoix, L., Merrot, T., Delmas, P., Crest, M.: ATP signalling is crucial for the response of human keratinocytes to mechanical stimulation by hypo-osmotic shock. (2011) *Exp Dermatol*, 20 (5), pp. 401-407.
3. Liu, P.-., Chen, C.-.: Butyl benzyl phthalate suppresses the ATP-induced cell proliferation in human osteosarcoma HOS cells. (2010) *Toxicol Appl Pharmacol*, 244 (3), pp. 308-314.
4. Tran, J.N., Pupovac, A., Taylor, R.M., Wiley, J.S., Byrne, S.N., Sluyter, R.: Murine epidermal langerhans cells and keratinocytes express functional P2X7 receptors. (2010) *Exp Dermatol*, 19 (8), pp. e151-e157.
5. Micallef, L., Belaubre, F., Pinon, A., Jayat-Vignoles, C., Delage, C., Charveron, M., Simon, A.: Effects of extracellular calcium on the growth-differentiation switch in immortalized keratinocyte HaCaT cells compared with normal human keratinocytes. (2009) *Exp Dermatol*, 18 (2), pp. 143-151.



Függő idézetek: 4

1. Czifra, G., Szöllsi, A.G., Tóth, B.I., Demaude, J., Bouez, C., Breton, L., Bíró, T.: Endocannabinoids regulate growth and survival of human eccrine sweat gland-derived epithelial cells. (2012) *J Invest Dermatol*, 132 (8), pp. 1967-1976.
2. Géczy, T., Oláh, A., Tóth, B.I., Czifra, G., Szöllsi, A.G., Szabó, T., Zouboulis, C.C., Paus, R., Bíró, T.: Protein kinase C isoforms have differential roles in the regulation of human sebocyte biology. (2012) *J Invest Dermatol*, 132 (8), pp. 1988-1997.
3. Ruzsnavszky, O., Telek, A., Gönczi, M., Balogh, A., Remenyik, E., Csernoch, L.: UV-B induced alteration in purinergic receptors and signaling on HaCaT keratinocytes. (2011) *Journal of Photochemistry and Photobiology B: Biology*, 105 (1), pp. 113-118.
4. Tóth, B.I., Dobrosi, N., Dajnoki, A., Czifra, G., Oláh, A., Szöllsi, A.G., Juhász, I., Sugawara, K., Paus, R., Bíró, T.: Endocannabinoids modulate human epidermal keratinocyte proliferation and survival via the sequential engagement of cannabinoid receptor-1 and transient receptor potential vanilloid-1. (2011) *J Invest Dermatol*, 131 (5), pp. 1095-1104.

24. Deli, T., Tóth, I.B., **Czifra, G.**, Szappanos, H., Bíró, T., Csernoch, L.: Differences in purinergic and voltage-dependent signalling during protein kinase Calpha overexpression- and culturing-induced differentiation of C2C12 myoblasts.

J. Muscle Res. Cell. Motil. 27 (8), 617-630, 2006.

DOI: <http://dx.doi.org/10.1007/s10974-006-9096-z>

IF:0.944

Idézetek összesen: 7

Független idézetek: 7

1. Bustamante, M., Fernández-Verdejo, R., Jaimovich, E., Buvinic, S.: Electrical stimulation induces IL-6 in skeletal muscle through extracellular ATP by activating Ca²⁺ signals and an IL-6 autocrine loop. (2014) *American Journal of Physiology - Endocrinology and Metabolism*, 306 (8), pp. E869-E882.
2. Burnstock, G., Arnett, T.R., Orriss, I.R.: Purinergic signalling in the musculoskeletal system. (2013) *Purinergic Signalling*, 9 (4), pp. 541-572.
3. Young, C.N.J., Sinadinos, A., Gorecki, D.C.: P2X receptor signaling in skeletal muscle health and disease. (2013) *Wiley Interdisciplinary Reviews: Membrane Transport and Signaling*, 2 (6), pp. 265-274.
4. Young, C.N.J., Brutkowski, W., Lien, C.-., Arkle, S., Lochmüller, H., Zablocki, K., Górecki, D.C.: P2X7 purinoceptor alterations in dystrophic mdx mouse muscles: Relationship to pathology and potential target for treatment. (2012) *J Cell Mol Med*, 16 (5), pp. 1026-1037.
5. Martinello, T., Baldoin, M.C., Morbiato, L., Paganin, M., Tarricone, E., Schiavo, G., Bianchini, E., Sandonà, D., Betto, R.: Extracellular ATP signaling during differentiation of C2C12 skeletal muscle cells: Role in proliferation. (2011) *Mol Cell Biochem*, 351 (1-2), pp. 183-196.
6. Xu, C.-., Gao, Y., Liang, S.-.: Function of P2 receptors in skeletal muscle and their roles in the diseases. (2010) *Chinese Pharmacological Bulletin*, 26 (2), pp. 144-147.
7. Buvinic, S., Almarza, G., Bustamante, M., Casas, M., López, J., Riquelme, M., Sáez, J.C., Huidobro-Toro, J.P., Jaimovich, E.: ATP released by electrical stimuli elicits calcium transients and gene expression in skeletal muscle. (2009) *J Biol Chem*, 284 (50), pp. 34490-34505.



25. Kovács, I., Pocsai, K., **Czifra, G.**, Sarkadi, L., Szűcs, G., Nemes, Z., Rusznák, Z.: TASK-3 immunoreactivity shows differential distribution in the human gastrointestinal tract.

Virchows Arch. 446 (4), 402-410, 2005.

DOI: <http://dx.doi.org/10.1007/s00428-005-1205-7>

IF:2.224

Idézetek összesen: 13

Független idézetek: 10

1. Dadi, P.K., Vierra, N.C., Jacobson, D.A.: Pancreatic β -cell-specific ablation of TASK-1 channels augments glucose-stimulated calcium entry and insulin secretion, improving glucose tolerance. (2014) *Endocrinology*, 155 (10), pp. 3757-3768.
2. Szabo, I., Zoratti, M.: Mitochondrial channels: Ion fluxes and more. (2014) *Physiol Rev*, 94 (2), pp. 519-608.
3. Innamaa, A., Jackson, L., Asher, V., Van Shalkwyk, G., Warren, A., Hay, D., Bali, A., Sowter, H., Khan, R.: Expression and prognostic significance of the oncogenic K2P potassium channel KCNK9 (TASK-3) in ovarian carcinoma. (2013) *Anticancer Res*, 33 (4), pp. 1401-1408.
4. Leanza, L., Biasutto, L., Managò, A., Gulbins, E., Zoratti, M., Szabò, I.: Intracellular ion channels and cancer. (2013) *Frontiers in Physiology*, 4 SEP . 227.
5. Mant, A., Williams, S., O'Kelly, I.: Acid sensitive background potassium channels K2P3.1 and K2P9.1 undergo rapid dynamin-dependent endocytosis. (2013) *Channels*, 7 (4), pp. 288-302.
6. Patel, S.K., Jackson, L., Warren, A.Y., Arya, P., Shaw, R.W., Khan, R.N.: A role for two-pore potassium (K2P) channels in endometrial epithelial function. (2013) *J Cell Mol Med*, 17 (1), pp. 134-146.
7. Lee, G.-., Park, H.S., Kim, E.-., Cho, Y.-., Kim, G.-., Mun, Y.-., Choi, E.-., Lee, J.-., Han, J., Kang, D.: Reduction of breast cancer cell migration via up-regulation of TASK-3 two-pore domain K⁺ channel. (2012) *Acta Physiologica*, 204 (4), pp. 513-524.
8. Enyedi, P., Czirják, G.: Molecular background of leak K⁺ currents: Two-pore domain potassium channels. (2010) *Physiol Rev*, 90 (2), pp. 559-605.
9. Needham, K., Pontell, L., Hunne, B., Thacker, M., McHugh, D., Furness, J.B.: Identification of endocrine cells of the stomach that express acid-sensitive background potassium (K2P9.1/TASK3) channels. (2010) *Journal of Molecular Histology*, 41 (6), pp. 403-409.
10. Heitzmann, D., Warth, R.: Physiology and pathophysiology of potassium channels in gastrointestinal epithelia. (2008) *Physiol Rev*, 88 (3), pp. 1119-1182.

Függő idézetek: 3

1. Kosztka, L., Rusznák, Z., Nagy, D., Nagy, Z., Fodor, J., Szucs, G., Telek, A., Gönczi, M., Ruzsnavszky, O., Szentandrassy, N., Csernoch, L.: Inhibition of TASK-3 (KCNK9) channel biosynthesis changes cell morphology and decreases both DNA content and mitochondrial function of melanoma cells maintained in cell culture. (2011) *Melanoma Res*, 21 (4), pp. 308-322.
2. Rusznák, Z., Bakondi, G., Kosztka, L., Pocsai, K., Dienes, B., Fodor, J., Telek, A., Gönczi, M., Szucs, G., Csernoch, L.: Mitochondrial expression of the two-pore domain TASK-3 channels in malignantly transformed and non-malignant human cells. (2008) *Virchows Archiv*, 452 (4), pp. 415-426.
3. Pocsai, K., Kosztka, L., Bakondi, G., Gönczi, M., Fodor, J., Dienes, B., Szentesi, P., Kovács, I., Feniger-Barish, R., Kopf, E., Zharhary, D., Szucs, G., Csernoch, L., Rusznák, Z.: Melanoma cells exhibit strong intracellular TASK-3-specific immunopositivity in both tissue sections and cell culture. (2006) *Cellular and Molecular Life Sciences*, 63 (19-20), pp. 2364-2376.



26. Bodó, E., Bíró, T., Telek, A., **Czifra, G.**, Griger, Z., Tóth, I.B., Mescalchin, A., Ito, T., Bettermann, A., Kovács, L., Paus, R.: A Hot New Twist to Hair Biology: Involvement of Vanilloid Receptor-1 (VR1/TRPV1) Signaling in Human Hair Growth Control. *Am. J. Pathol.* 166 (4), 985-998, 2005.
DOI: [http://dx.doi.org/10.1016/S0002-9440\(10\)62320-6](http://dx.doi.org/10.1016/S0002-9440(10)62320-6)
IF:5.796

Idézetek összesen: 111

Független idézetek: 67

1. Caruntu, C., Boda, D., Musat, S., Caruntu, A., Poenaru, E., Calenic, B., Savulescu-Fiedler, I., Draghia, A., Rotaru, M., Badarau, A.I.: Stress effects on cutaneous nociceptive nerve fibers and their neurons of origin in rats. (2014) *Romanian Biotechnological Letters*, 19 (4), pp. 9525-9538.
2. Caterina, M.J.: TRP channel cannabinoid receptors in skin sensation, homeostasis, and inflammation. (2014) *ACS Chemical Neuroscience*, 5 (11), pp. 1107-1116.
3. Fusi, C., Materazzi, S., Minocci, D., Maio, V., Oranges, T., Massi, D., Nassini, R.: Transient receptor potential vanilloid 4 (TRPV4) is downregulated in keratinocytes in human non-melanoma skin cancer. (2014) *J Invest Dermatol*, 134 (9), pp. 2408-2417.
4. Benecke, H., Lotts, T., Ständer, S.: Investigational drugs for pruritus. (2013) *Expert Opin Investig Drugs*, 22 (9), pp. 1167-1179.
5. Graham, D.M., Huang, L., Robinson, K.R., Messerli, M.A.: Epidermal keratinocyte polarity and motility require Ca²⁺ influx through TRPV1. (2013) *J Cell Sci*, 126 (20), pp. 4602-4613.
6. Hou, I.-., Oi, Y., Fujita, H., Yano, Y., Fukami, H., Yoshikawa, M.: A hair growth-promoting effect of chinese black tea extract in mice. (2013) *Bioscience, Biotechnology and Biochemistry*, 77 (7), pp. 1606-1607.
7. Huang, X.-., Xue, J.-., Jiang, A.-., Zhu, H.-.: Capsaicin and its analogues: Structure-activity relationship study. (2013) *Curr Med Chem*, 20 (21), pp. 2661-2672.
8. Li, W.-., Liu, Q., Liu, X.-., Tan, B.-., He, P.-., Dong, J.-., Zhang, J.-.: The expression and significance of TRPV1 receptor in psoriatic lesions. (2013) *Journal of Clinical Dermatology*, 42 (9), pp. 518-521.
9. Radresa, O., Paré, M., Albert, J.S.: Multiple roles of transient receptor potential (TRP) channels in inflammatory conditions and current status of drug development. (2013) *Current Topics in Medicinal Chemistry*, 13 (3), pp. 367-385.
10. Sooampon, S., Phoolcharoen, W., Pavasant, P.: Thermal stimulation of TRPV1 up-regulates TNF α expression in human periodontal ligament cells. (2013) *Arch Oral Biol*, 58 (7), pp. 887-895.
11. Valdes-Rodriguez, R., Kaushik, S.B., Yosipovitch, G.: Transient receptor potential channels and dermatological disorders. (2013) *Current Topics in Medicinal Chemistry*, 13 (3), pp. 335-343.
12. Winter, Z., Buhala, A., Ötvös, F., Jósvay, K., Vizler, C., Dombi, G., Szakonyi, G., Oláh, Z.: Functionally important amino acid residues in the transient receptor potential vanilloid 1 (TRPV1) ion channel - an overview of the current mutational data. (2013) *Molecular Pain*, 9 (1). 30.
13. Xiao, L., Cheng, J., Zhuang, Y., Qu, W., Muir, J., Liang, H., Zhang, D.: Botulinum toxin type a reduces hyperalgesia and TRPV1 expression in rats with neuropathic pain. (2013) *Pain Medicine (United States)*, 14 (2), pp. 276-286.



14. Cathcart, C.J., Johnston, S.A., Reynolds, L.R., Al-Nadaf, S., Budsberg, S.C.: Efficacy of ABT-116, an antagonist of transient receptor potential vanilloid type 1, in providing analgesia for dogs with chemically induced synovitis. (2012) *Am J Vet Res*, 73 (1), pp. 19-26.
15. Ghosh, A.K., Basu, S.: Tumor macrophages as a target for capsaicin mediated immunotherapy. (2012) *Cancer Lett*, 324 (1), pp. 91-97.
16. Huang, J., Ding, L., Shi, D., Hu, J.-., Zhu, Q.-., Gao, S., Qiu, L.: Transient receptor potential vanilloid-1 participates in the inhibitory effect of ginsenoside Rg1 on capsaicin-induced interleukin-8 and prostaglandin E 2 production in HaCaT cells. (2012) *J Pharm Pharmacol*, 64 (2), pp. 252-258.
17. Kun, J., Helyes, Z., Perkecz, A., Ban, A., Polgar, B., Szolcsanyi, J., Pintér, E.: Effect of surgical and chemical sensory denervation on non-neural expression of the transient receptor potential vanilloid 1 (TRPV1) receptors in the rat. (2012) *Journal of Molecular Neuroscience*, 48 (3), pp. 795-803.
18. Li, H.-., Kanazawa, N., Kimura, A., Kaminaka, C., Yonei, N., Yamamoto, Y., Furukawa, F.: Severe ulceration with impaired induction of growth factors and cytokines in keratinocytes after trichloroacetic acid application on TRPV1-deficient mice. (2012) *European Journal of Dermatology*, 22 (5), pp. 614-621.
19. Lotti, T.M., Hercogová, J., Schwartz, R.A., Tsampau, D., Korobko, I., Pietrzak, A., Mitrevska, N.T., Valle, Y., Buggiani, G.: Treatments of vitiligo: What's new at the horizon. (2012) *Dermatologic Therapy*, 25 (SUPPL.1), pp. S32-S40.
20. Nevius, E., Srivastava, P.K., Basu, S.: Oral ingestion of capsaicin, the pungent component of chili pepper, enhances a discreet population of macrophages and confers protection from autoimmune diabetes. (2012) *Mucosal Immunology*, 5 (1), pp. 76-86.
21. Talbot, S., Dias, J.P., Lahjouji, K., Bogo, M.R., Campos, M.M., Gaudreau, P., Couture, R.: Activation of TRPV1 by capsaicin induces functional kinin B 1 receptor in rat spinal cord microglia. (2012) *Journal of Neuroinflammation*, 9 . 16.
22. Bin Saif, G.A., Ericson, M.E., Yosipovitch, G.: The itchy scalp - scratching for an explanation. (2011) *Exp Dermatol*, 20 (12), pp. 959-968.
23. Charrua, A., Avelino, A., Cruz, F.: Modulation of urinary bladder innervation: TRPV1 and botulinum toxin A. (2011) *Handbook of Experimental Pharmacology*, 202, pp. 345-374.
24. Denda, M., Tsutsumi, M.: Roles of transient receptor potential proteins (TRPs) in epidermal keratinocytes. (2011) *Advances in Experimental Medicine and Biology*, 704, pp. 847-860.
25. Hwang, Y.P., Kim, H.G., Han, E.H., Choi, J.H., Park, B.H., Jung, K.H., Shin, Y.C., Jeong, H.G.: N-acetylglucosamine suppress collagenase activation in ultraviolet B-irradiated human dermal fibroblasts: Involvement of calcium ions and mitogen-activated protein kinases. (2011) *J Dermatol Sci*, 63 (2), pp. 93-103.
26. Hwang, Y.P., Oh, K.N., Yun, H.J., Jeong, H.G.: The flavonoids apigenin and luteolin suppress ultraviolet A-induced matrix metalloproteinase-1 expression via MAPKs and AP-1-dependent signaling in HaCaT cells. (2011) *J Dermatol Sci*, 61 (1), pp. 23-31.
27. Kishimoto, E., Naito, Y., Handa, O., Okada, H., Mizushima, K., Hirai, Y., Nakabe, N., Uchiyama, K., Ishikawa, T., Takagi, T., Yagi, N., Kokura, S., Yoshida, N., Yoshikawa, T.: Oxidative stress-induced posttranslational modification of TRPV1 expressed in esophageal epithelial cells. (2011) *American Journal of Physiology - Gastrointestinal and Liver Physiology*, 301 (2), pp. G230-G238.
28. Mehrabyan, A., Guest, S., Essick, G., McGlone, F.: Tactile and thermal detection thresholds of the scalp skin. (2011) *Somatosensory and Motor Research*, 28 (3-4), pp. 31-47.



29. Severino, D., Zorn, T.M.T., Micke, G.A., Costa, A.C.O., Silva, J.R.M.C., Nogueira, L.F., Kowaltowski, A.J., Baptista, M.S.: Diguanoside tetraphosphate (gp 4G) is an epithelial cell and hair growth regulator. (2011) *J Cosmet Sci*, 62 (5), pp. 469-482.
30. White, J.P.M., Urban, L., Nagy, I.: TRPV1 function in health and disease. (2011) *Curr Pharm Biotechnol*, 12 (1), pp. 130-144.
31. Aghahowa, S.E., Obianwu, H.O., Isah, A.O., Arhewoh, I.M.: Chloroquine-induced pruritus. (2010) *Indian Journal of Pharmaceutical Sciences*, 72 (3), pp. 283-289.
32. Buddenkotte, J., Steinhoff, M.: Pathophysiology and therapy of pruritus in allergic and atopic diseases. (2010) *Allergy: European Journal of Allergy and Clinical Immunology*, 65 (7), pp. 805-821.
33. Denda, S., Denda, M., Inoue, K., Hibino, T.: Glycolic acid induces keratinocyte proliferation in a skin equivalent model via TRPV1 activation. (2010) *J Dermatol Sci*, 57 (2), pp. 108-113.
34. Nilius, B., Vennekens, R.: TRP channels and human diseases. (2010) *Vanilloid Receptor TRPV1 in Drug Discovery: Targeting Pain and Other Pathological Disorders*, , pp. 1-67.
35. Ohkawara, S., Tanaka-Kagawa, T., Furukawa, Y., Nishimura, T., Jinno, H.: Activation of the human transient receptor potential vanilloid subtype 1 by essential oils. (2010) *Biological and Pharmaceutical Bulletin*, 33 (8), pp. 1434-1437.
36. Schumacher, M.A., Eilers, H.: TRPV1 splice variants: Structure and function. (2010) *Frontiers in Bioscience*, 15 (3), pp. 872-882.
37. Szallasi, A.: Role of TRP channels in pain: An overview. (2010) *Vanilloid Receptor TRPV1 in Drug Discovery: Targeting Pain and Other Pathological Disorders*, , pp. 68-100.
38. Bode, A.M., Cho, Y.-., Zheng, D., Zhu, F., Ericson, M.E., Ma, W.-., Yao, K., Dong, Z.: Transient receptor potential type vanilloid 1 suppresses skin carcinogenesis. (2009) *Cancer Res*, 69 (3), pp. 905-913.
39. Ehsani, A.H., Toosi, S., Seirafi, H., Akhyani, M., Hosseini, M., Azadi, R., Noormohamadpour, P., Ghanadan, A.: Capsaicin vs. clobetasol for the treatment of localized alopecia areata. (2009) *Journal of the European Academy of Dermatology and Venereology*, 23 (12), pp. 1451-1453.
40. Yamada, T., Ugawa, S., Ueda, T., Ishida, Y., Kajita, K., Shimada, S.: Differential localizations of the transient receptor potential channels TRPV4 and TRPV1 in the mouse urinary bladder. (2009) *Journal of Histochemistry and Cytochemistry*, 57 (3), pp. 277-287.
41. Young, M.L., Yeon, K.K., Kyu, H.K., Su, J.P., Sung, J.K., Jin, H.C.: A novel role for the TRPV1 channel in UV-induced matrix metalloproteinase (MMP)-1 expression in HaCaT cells. (2009) *J Cell Physiol*, 219 (3), pp. 766-775.
42. Appendino, G., Minassi, A., Pagani, A., Ech-Chahad, A.: The role of natural products in the ligand deorphanization of TRP channels. (2008) *Curr Pharm Des*, 14 (1), pp. 2-17.
43. Gunthorpe, M.J., Szallasi, A.: Peripheral TRPV1 receptors as targets for drug development: New molecules and mechanisms. (2008) *Curr Pharm Des*, 14 (1), pp. 32-41.
44. Harada, N., Okajima, K., Narimatsu, N., Kurihara, H., Nakagata, N.: Effect of topical application of raspberry ketone on dermal production of insulin-like growth factor-I in mice and on hair growth and skin elasticity in humans. (2008) *Growth Hormone and IGF Research*, 18 (4), pp. 335-344.
45. Holzer, P.: The pharmacological challenge to tame the transient receptor potential vanilloid-1 (TRPV1) nociceptor. (2008) *Br J Pharmacol*, 155 (8), pp. 1145-1162.
46. Knotkova, H., Pappagallo, M., Szallasi, A.: Capsaicin (TRPV1 agonist) therapy for pain relief: Farewell or revival? (2008) *Clin J Pain*, 24 (2), pp. 142-154.



47. Lee, Y.M., Li, W.H., Kim, Y.K., Kim, K.H., Chung, J.H.: Heat-induced MMP-1 expression is mediated by TRPV1 through PKCa signaling in HaCaT cells. (2008) *Exp Dermatol*, 17 (10), pp. 864-870.
48. Lynch, J.L., Gallus, N.J., Ericson, M.E., Beitz, A.J.: Analysis of nociception, sex and peripheral nerve innervation in the TMEV animal model of multiple sclerosis. (2008) *Pain*, 136 (3), pp. 293-304.
49. Okajima, K., Harada, N.: Promotion of insulin-like growth factor-I production by sensory neuron stimulation; molecular mechanism(s) and therapeutic implications. (2008) *Curr Med Chem*, 15 (29), pp. 3095-3112.
50. Pecze, L., Szabó, K., Széll, M., Jósavay, K., Kaszás, K., Kúsz, E., Letoha, T., Prorok, J., Koncz, I., Tóth, A., Kemény, L., Vizler, C., Oláh, Z.: Human keratinocytes are vanilloid resistant. (2008) *PLoS ONE*, 3 (10). e3419.
51. Premkumar, L.S., Sikand, P.: TRPV1: A target for next generation analgesics. (2008) *Current Neuropharmacology*, 6 (2), pp. 151-163.
52. Cevikbas, F., Steinhoff, A., Homey, B., Steinhoff, M.: Neuroimmune interactions in allergic skin diseases. (2007) *Current Opinion in Allergy and Clinical Immunology*, 7 (5), pp. 365-373.
53. Eppler, E., Jevdjovic, T., Maake, C., Reinecke, M.: Insulin-like growth factor I (IGF-I) and its receptor (IGF-1R) in the rat anterior pituitary. (2007) *Eur J Neurosci*, 25 (1), pp. 191-200.
54. Harada, N., Okajima, K., Arai, M., Kurihara, H., Nakagata, N.: Administration of capsaicin and isoflavone promotes hair growth by increasing insulin-like growth factor-I production in mice and in humans with alopecia. (2007) *Growth Hormone and IGF Research*, 17 (5), pp. 408-415.
55. Li, W.H., Lee, Y.M., Kim, J.Y., Kang, S., Kim, S., Kim, K.H., Park, C.-., Chung, J.H.: Transient receptor potential vanilloid-1 mediates heat-shock-induced matrix metalloproteinase-1 expression in human epidermal keratinocytes. (2007) *J Invest Dermatol*, 127 (10), pp. 2328-2335.
56. Lilja, J., Lindegren, H., Forsby, A.: Surfactant-induced TRPV1 activity - A novel mechanism for eye irritation? (2007) *Toxicological Sciences*, 99 (1), pp. 174-180.
57. Pingle, S.C., Matta, J.A., Ahern, G.P.: Capsaicin receptor: TRPV1 a promiscuous TRP channel. (2007) *Handbook of Experimental Pharmacology*, 179, pp. 155-171.
58. Planells-Cases, R., Ferrer-Montiel, A.: Drug design and development through the vanilloid receptor. (2007) *Expert Opinion on Drug Discovery*, 2 (8), pp. 1053-1063.
59. Won, C.H., Joo, Y.H., Lee, D.H., An, J.S., Kim, B.J., Kwon, O.S., Cho, K.H., Kim, K.H., Eun, H.C.: The analysis of the expression of TGF- β in human hair follicles in vivo. (2007) *Korean Journal of Dermatology*, 45 (4), pp. 321-326.
60. Appendino, G., Szallasi, A.: 4 clinically useful vanilloid receptor TRPV1 antagonists: Just around the corner (or too early to tell)? (2006) *Progress in Medicinal Chemistry*, 44, pp. 145-180.
61. Franco, R., Bortner, C.D., Cidlowski, J.A.: Potential roles of electrogenic ion transport and plasma membrane depolarization in apoptosis. (2006) *J Membr Biol*, 209 (1), pp. 43-58.
62. Ikoma, A., Steinhoff, M., Ständer, S., Yosipovitch, G., Schmelz, M.: The neurobiology of itch. (2006) *Nature Reviews Neuroscience*, 7 (7), pp. 535-547.
63. Krause, K., Foitzik, K.: Biology of the hair follicle: The basics. (2006) *Semin Cutan Med Surg*, 25 (1), pp. 2-10.
64. Messeguer, A., Planells-Cases, R., Ferrer-Montiel, A.: Physiology and pharmacology of the vanilloid receptor. (2006) *Current Neuropharmacology*, 4 (1), pp. 1-15.



65. Roosterman, D., Goerge, T., Schneider, S.W., Bunnett, N.W., Steinhoff, M.: Neuronal control of skin function: The skin as a neuroimmunoendocrine organ. (2006) *Physiol Rev*, 86 (4), pp. 1309-1379.
66. Szallasi, A.: Small molecule vanilloid TRPV1 receptor antagonists approaching drug status: Can they live up to the expectations? (2006) *Naunyn Schmiedebergs Arch Pharmacol*, 373 (4), pp. 273-286.
67. Szallasi, A., Cruz, F., Geppetti, P.: TRPV1: A therapeutic target for novel analgesic drugs? (2006) *Trends Mol Med*, 12 (11), pp. 545-554.

Függő idézetek: 44

1. Fischer, T.W., Herczeg-Lisztes, E., Funk, W., Zillikens, D., Bírő, T., Paus, R.: Differential effects of caffeine on hair shaft elongation, matrix and outer root sheath keratinocyte proliferation, and transforming growth factor- β 2/insulin-like growth factor-1-mediated regulation of the hair cycle in male and female human hair follicles in vitro. (2014) *Br J Dermatol*, 171 (5), pp. 1031-1043.
2. Nagy, Z., Kovács, I., Török, M., Tóth, D., Vereb, G., Buzás, K., Juhász, I., Blumberg, P.M., Bíró, T., Czifra, G.: Function of RasGRP3 in the formation and progression of human breast cancer. (2014) *Molecular Cancer*, 13 (1).
3. Tóth, B.I., Oláh, A., Szöllösi, A.G., Bíró, T.: TRP channels in the skin. (2014) *Br J Pharmacol*, 171 (10), pp. 2568-2581.
4. Samuelov, L., Sprecher, E., Sugawara, K., Singh, S.K., Tobin, D.J., Tsuruta, D., Bíró, T., Kloepper, J.E., Paus, R.: Topobiology of human pigmentation: P-cadherin selectively stimulates hair follicle melanogenesis. (2013) *J Invest Dermatol*, 133 (6), pp. 1591-1600.
5. Tóth, B.I., Bíró, T.: TRP channels and pruritus. (2013) *Open Pain Journal*, 6 (SPEC.ISSUE.1), pp. 62-80.
6. Czifra, G., Szöllösi, A.G., Tóth, B.I., Demaude, J., Bouez, C., Breton, L., Bíró, T.: Endocannabinoids regulate growth and survival of human eccrine sweat gland-derived epithelial cells. (2012) *J Invest Dermatol*, 132 (8), pp. 1967-1976.
7. Géczy, T., Oláh, A., Tóth, B.I., Czifra, G., Szöllösi, A.G., Szabó, T., Zouboulis, C.C., Paus, R., Bíró, T.: Protein kinase C isoforms have differential roles in the regulation of human sebocyte biology. (2012) *J Invest Dermatol*, 132 (8), pp. 1988-1997.
8. Holub, B.S., Kloepper, J.E., Tóth, B.I., Bíró, T., Kofler, B., Paus, R.: The neuropeptide galanin is a novel inhibitor of human hair growth. (2012) *Br J Dermatol*, 167 (1), pp. 10-16.
9. Oláh, A., Szöllösi, A.G., Bíró, T.: The channel physiology of the skin. (2012) *Reviews of Physiology, Biochemistry and Pharmacology*, 163, pp. 65-131.
10. Samuelov, L., Kinori, M., Bertolini, M., Paus, R.: Neural controls of human hair growth: Calcitonin gene-related peptide (CGRP) induces catagen. (2012) *J Dermatol Sci*, 67 (2), pp. 153-155.
11. Borbíró, I., Lisztes, E., Tóth, B.I., Czifra, G., Oláh, A., Szöllösi, A.G., Szentandrassy, N., Nánási, P.P., Péter, Z., Paus, R., Kovács, L., Bíró, T.: Activation of transient receptor potential vanilloid-3 inhibits human hair growth. (2011) *J Invest Dermatol*, 131 (8), pp. 1605-1614.
12. Galajda, Z., Balla, J., Szentmiklosi, A.J., Biro, T., Czifra, G., Dobrosi, N., Cseppento, A., Patonay, L., Roszer, T., Balla, G., Popescu, L.M., Lekli, I., Tosaki, A.: Histamine and H1-histamine receptors faster venous circulation. (2011) *J Cell Mol Med*, 15 (12), pp. 2614-2623.
13. Moran, M.M., McAlexander, M.A., Bíró, T., Szallasi, A.: Transient receptor potential channels as therapeutic targets. (2011) *Nature Reviews Drug Discovery*, 10 (8), pp. 601-620.



DEBRECENI EGYETEM
EGYETEMI ÉS NEMZETI KÖNYVTÁR
PUBLIKÁCIÓK



14. Tóth, B.I., Dobrosi, N., Dajnoki, A., Czifra, G., Oláh, A., Szöllosi, A.G., Juhász, I., Sugawara, K., Paus, R., Bíró, T.: Endocannabinoids modulate human epidermal keratinocyte proliferation and survival via the sequential engagement of cannabinoid receptor-1 and transient receptor potential vanilloid-1. (2011) *J Invest Dermatol*, 131 (5), pp. 1095-1104.
15. Tóth, B.I., Oláh, A., Szöllosi, A.G., Czifra, G., Bíró, T.: "Sebocytes' makeup" - novel mechanisms and concepts in the physiology of the human sebaceous glands. (2011) *Pflugers Archiv European Journal of Physiology*, 461 (6), pp. 593-606.
16. Al-Nuaimi, Y., Baier, G., Watson, R.E.B., Chuong, C., Paus, R.: The cycling hair follicle as an ideal systems biology research model. (2010) *Exp Dermatol*, 19 (8), pp. 707-713.
17. Bán, Á., Marincsák, R., Bíró, T., Perkecz, A., Gömöri, É., Sándor, K., Tóth, I.B., Bánvölgyi, Á., Szolcsányi, J., Pintér, E.: Upregulation of transient receptor potential vanilloid type-1 receptor expression in oral lichen planus. (2010) *Neuroimmunomodulation*, 17 (2), pp. 103-108.
18. Gáspár, E., Hardenbicker, C., Bodó, E., Wenzel, B., Ramot, Y., Funk, W., Kromminga, A., Paus, R.: Thyrotropin releasing hormone (TRH): A new player in human hair-growth control. (2010) *FASEB Journal*, 24 (2), pp. 393-403.
19. Kemecei, P., Miklós, Z., Bíró, T., Marincsák, R., Tóth, B.I., Komlódi-Pásztor, E., Barnucz, E., Mirk, É., Van Der Vusse, G.J., Ligeti, L., Ivanics, T.: Hearts of surviving MLP-KO mice show transient changes of intracellular calcium handling. (2010) *Mol Cell Biochem*, 342 (1-2), pp. 251-260.
20. Kloepper, J.E., Sugawara, K., Al-Nuaimi, Y., Gáspár, E., van Beek, N., Paus, R.: Methods in hair research: How to objectively distinguish between anagen and catagen in human hair follicle organ culture. (2010) *Exp Dermatol*, 19 (3), pp. 305-312.
21. Tiede, S., Bohm, K., Meier, N., Funk, W., Paus, R.: Endocrine controls of primary adult human stem cell biology: Thyroid hormones stimulate keratin 15 expression, apoptosis, and differentiation in human hair follicle epithelial stem cells in situ and in vitro. (2010) *Eur J Cell Biol*, 89 (10), pp. 769-777.
22. Bíró, T., Kovács, L.: An ice-cold TR(i)P to skin biology: The role of TRPA1 in human epidermal keratinocytes. (2009) *J Invest Dermatol*, 129 (9), pp. 2096-2099.
23. Bíró, T., Tóth, B.I., Haskó, G., Paus, R., Pacher, P.: The endocannabinoid system of the skin in health and disease: Novel perspectives and therapeutic opportunities. (2009) *Trends Pharmacol Sci*, 30 (8), pp. 411-420.
24. Bodó, E., Kromminga, A., Bíró, T., Borbíró, I., Gáspár, E., Zmijewski, M.A., Van Beek, N., Langbein, L., Slominski, A.T., Paus, R.: Human female hair follicles are a direct, nonclassical target for thyroid-stimulating hormone. (2009) *J Invest Dermatol*, 129 (5), pp. 1126-1139.
25. Czifra, G., Varga, A., Nyeste, K., Marincsák, R., Tóth, B.I., Kovács, I., Kovács, L., Bíró, T.: Increased expressions of cannabinoid receptor-1 and transient receptor potential vanilloid-1 in human prostate carcinoma. (2009) *J Cancer Res Clin Oncol*, 135 (4), pp. 507-514.
26. Marincsák, R., Tóth, B., Czifra, G., Márton, I., Rédl, P., Tar, I., Tóth, L., Kovács, L., Bíró, T.: Increased expression of TRPV1 in squamous cell carcinoma of the human tongue. (2009) *Oral Dis*, 15 (5), pp. 328-335.
27. Szegedi, A., Páyer, E., Czifra, G., Tóth, B.I., Schmidt, E., Kovács, L., Blumberg, P.M., Bíró, T.: Protein kinase C isoenzymes differentially regulate the differentiation-dependent expression of adhesion molecules in human epidermal keratinocytes. (2009) *Exp Dermatol*, 18 (2), pp. 122-129.



DEBRECENI EGYETEM
EGYETEMI ÉS NEMZETI KÖNYVTÁR
PUBLIKÁCIÓK



28. Tiede, S., Koop, N., Klopper, J.E., Fässler, R., Paus, R.: Nonviral in situ green fluorescent protein labeling and culture of primary, adult human hair follicle epithelial progenitor cells. (2009) *Stem Cells*, 27 (11), pp. 2793-2803.
29. Tóth, B.I., Benko, S., Szöllosi, A.G., Kovács, L., Rajnavölgyi, E., Bíró, T.: Transient receptor potential vanilloid-1 signaling inhibits differentiation and activation of human dendritic cells. (2009) *FEBS Lett*, 583 (10), pp. 1619-1624.
30. Tóth, B.I., Géczy, T., Griger, Z., Dózsa, A., Seltsmann, H., Kovács, L., Nagy, L., Zouboulis, C.C., Paus, R., Bíró, T.: Transient receptor potential vanilloid-1 signaling as a regulator of human sebocyte biology. (2009) *J Invest Dermatol*, 129 (2), pp. 329-339.
31. Dobrosi, N., Tóth, B.I., Nagy, G., Dózsa, A., Géczy, T., Nagy, L., Zouboulis, C.C., Paus, R., Kovács, L., Bíró, T.: Endocannabinoids enhance lipid synthesis and apoptosis of human sebocytes via cannabinoid receptor-2-mediated signaling. (2008) *FASEB Journal*, 22 (10), pp. 3685-3695.
32. Kiss, B., Bíró, T., Czifra, G., Tóth, B.I., Kertész, Z., Szikszai, Z., Kiss, A.Z., Juhász, I., Zouboulis, C.C., Hunyadi, J.: Investigation of micronized titanium dioxide penetration in human skin xenografts and its effect on cellular functions of human skin-derived cells. (2008) *Exp Dermatol*, 17 (8), pp. 659-667.
33. Klopper, J.E., Tiede, S., Brinckmann, J., Reinhardt, D.P., Meyer, W., Faessler, R., Paus, R.: Immunophenotyping of the human bulge region: The quest to define useful in situ markers for human epithelial hair follicle stem cells and their niche. (2008) *Exp Dermatol*, 17 (7), pp. 592-609.
34. Paus, R., Arck, P., Tiede, S.: (Neuro-)endocrinology of epithelial hair follicle stem cells. (2008) *Mol Cell Endocrinol*, 288 (1-2), pp. 38-51.
35. Bíró, T., Tóth, B.I., Marincsak, R., Dobrosi, N., Géczy, T., Paus, R.: TRP channels as novel players in the pathogenesis and therapy of itch. (2007) *Biochimica et Biophysica Acta - Molecular Basis of Disease*, 1772 (8), pp. 1004-1021.
36. Bodó, E., Kromminga, A., Funk, W., Laugsch, M., Duske, U., Jelkmann, W., Paus, R.: Human hair follicles are an extrarenal source and a nonhematopoietic target of erythropoietin. (2007) *FASEB Journal*, 21 (12), pp. 3346-3354.
37. Bodó, E., Tobin, D.J., Kamenisch, Y., Bíró, T., Berneburg, M., Funk, W., Paus, R.: Dissecting the impact of chemotherapy on the human hair follicle: A pragmatic in vitro assay for studying the pathogenesis and potential management of hair follicle dystrophy. (2007) *Am J Pathol*, 171 (4), pp. 1153-1167.
38. Kertész, Z., Szikszai, Z., Pelicon, P., Simcic, J., Telek, A., Bíró, T.: Ion beam microanalysis of human hair follicles. (2007) *Nuclear Instruments and Methods in Physics Research, Section B: Beam Interactions with Materials and Atoms*, 260 (1), pp. 218-221.
39. Telek, A., Bíró, T., Bodó, E., Tóth, B.I., Borbíró, I., Kunos, G., Paus, R.: Inhibition of human hair follicle growth by endoand exocannabinoids. (2007) *FASEB Journal*, 21 (13), pp. 3534-3541.
40. Bíró, T., Bodó, E., Telek, A., Géczy, T., Tychsen, B., Kovács, L., Paus, R.: Hair cycle control by vanilloid receptor-1 (TRPV1): Evidence from TRPV1 knockout mice [1]. (2006) *J Invest Dermatol*, 126 (8), pp. 1909-1912.
41. Braun, S., Krampert, M., Bodó, E., Kümin, A., Born-Berclaz, C., Paus, R., Werner, S.: Keratinocyte growth factor protects epidermis and hair follicles from cell death induced by UV irradiation, chemotherapeutic or cytotoxic agents. (2006) *J Cell Sci*, 119 (23), pp. 4841-4849.
42. Paus, R., Schmelz, M., Bíró, T., Steinhoff, M.: Frontiers in pruritus research: Scratching the brain for more effective itch therapy. (2006) *J Clin Invest*, 116 (5), pp. 1174-1185.



43. Paus, R., Theoharides, T.C., Arck, P.C.: Neuroimmunoendocrine circuitry of the 'brain-skin connection'. (2006) *Trends Immunol*, 27 (1), pp. 32-39.
44. Steinhoff, M., Bienenstock, J., Schmelz, M., Maurer, M., Wei, E., Bíró, T.: Neurophysiological, neuroimmunological, and neuroendocrine basis of pruritus. (2006) *J Invest Dermatol*, 126 (8), pp. 1705-1718.

27. Szabó, G., Szentandrassy, N., Bíró, T., Tóth, I.B., **Czifra, G.**, Magyar, J., Bányász, T., Varró, A., Kovács, L., Nánási, P.P.: Asymmetrical distribution of ion channels in canine and human left-ventricular wall: Epicardium versus midmyocardium. *Pflugers Arch.* 450 (5), 307-316, 2005.

DOI: <http://dx.doi.org/10.1007/s00424-005-1445-z>

IF:3.564

Idézetek összesen: 57

Független idézetek: 31

1. Pedersen, P.J., Moeller, S.B., Flethøj, M., Kanters, J.K., Buhl, R., Klaerke, D.A.: Diurnal modulation and sources of variation affecting ventricular repolarization in warmblood horses. (2014) *Journal of Veterinary Cardiology*, 16 (4), pp. 265-276.
2. Chen, P.-., Tang, W.H., Chen, M.-., Luo, C.-.: Determination of adequate defibrillation of ventricular tachycardia using computer simulation of electroporation aftershock effects on human cardiomyocytes. (2013) *Journal of Medical and Biological Engineering*, 33 (6), pp. 597-605.
3. McGahon, M.K., Yarham, J.M., Daly, A., Guduric-Fuchs, J., Ferguson, L.J., Simpson, D.A., Collins, A.: Distinctive profile of IsomiR expression and novel MicroRNAs in rat heart left ventricle. (2013) *PLoS ONE*, 8 (6).
4. Wang, Z.: miRNA in the regulation of ion channel/transporter expression. (2013) *Comprehensive Physiology*, 3 (2), pp. 599-653.
5. Davies, M.R., Mistry, H.B., Hussein, L., Pollard, C.E., Valentin, J.-., Swinton, J., Abi-Gerges, N.: An in silico canine cardiac midmyocardial action potential duration model as a tool for early drug safety assessment. (2012) *American Journal of Physiology - Heart and Circulatory Physiology*, 302 (7), pp. H1466-H1480.
6. Harmer, A.R., Abi-Gerges, N., Morton, M.J., Pullen, G.F., Valentin, J.P., Pollard, C.E.: Validation of an in vitro contractility assay using canine ventricular myocytes. (2012) *Toxicol Appl Pharmacol*, 260 (2), pp. 162-172.
7. Keller, D.U.J., Weiss, D.L., Dossel, O., Seemann, G.: Influence of I_{Ks} heterogeneities on the genesis of the T-wave: A computational evaluation. (2012) *IEEE Transactions on Biomedical Engineering*, 59 (2), pp. 311-322.
8. O'Hara, T., Rudy, Y.: Quantitative comparison of cardiac ventricular myocyte electrophysiology and response to drugs in human and nonhuman species. (2012) *American Journal of Physiology - Heart and Circulatory Physiology*, 302 (5), pp. H1023-H1030.
9. Adeniran, I., McPate, M.J., Witchel, H.J., Hancox, J.C., Zhang, H.: Increased vulnerability of human ventricle to re-entrant excitation in hERG-linked variant 1 short QT syndrome. (2011) *PLoS Computational Biology*, 7 (12). e1002313.
10. Cazorla, O., Lacampagne, A.: Regional variation in myofilament length-dependent activation. (2011) *Pflugers Archiv European Journal of Physiology*, 462 (1), pp. 15-28.
11. Jespersen, T.: Regulation and physiological function of na v1.5 and KCNQ1 channels. (2011) *Acta Physiologica*, 202 (3), pp. 1-26.



DEBRECENI EGYETEM
EGYETEMI ÉS NEMZETI KÖNYVTÁR
PUBLIKÁCIÓK



12. Johnson, D.M., Hussein, L., M.G. Spätjens, R.L., Valentin, J.-., Volders, P.G., Abi-Gerges, N.: Measurement of action potential generation in isolated canine left ventricular midmyocardial myocytes. (2011) *Current Protocols in Pharmacology*, (SUPPL. 55). 10.14.
13. Abi-Gerges, N., Valentin, J.-., Pollard, C.E.: Dog left ventricular midmyocardial myocytes for assessment of drug-induced delayed repolarization: Short-term variability and proarrhythmic potential. (2010) *Br J Pharmacol*, 159 (1), pp. 77-92.
14. Kim, N., Cannell, M.B., Hunter, P.J.: Changes in the calcium current among different transmural regions contributes to action potential heterogeneity in rat heart. (2010) *Prog Biophys Mol Biol*, 103 (1), pp. 28-34.
15. Larsen, A.P.: Role of ERG1 isoforms in modulation of ERG1 channel trafficking and function. (2010) *Pflugers Archiv European Journal of Physiology*, 460 (5), pp. 803-812.
16. Larsen, A.P., Olesen, S.-.: Differential expression of hERG1 channel isoforms reproduces properties of native IKr and modulates cardiac action potential characteristics. (2010) *PLoS ONE*, 5 (2). e9021.
17. Wang, Z.: The role of microRNA in cardiac excitability. (2010) *J Cardiovasc Pharmacol*, 56 (5), pp. 460-470.
18. Barajas-Martinez, H., Haufe, V., Chamberland, C., Roy, M.-B., Fecteau, M.H., Cordeiro, J.M., Dumaine, R.: Larger dispersion of INa in female dog ventricle as a mechanism for gender-specific incidence of cardiac arrhythmias. (2009) *Cardiovasc Res*, 81 (1), pp. 82-89.
19. Boukens, B.J.D., Christoffels, V.M., Coronel, R., Moorman, A.F.M.: Developmental basis for electrophysiological heterogeneity in the ventricular and outflow tract myocardium as a substrate for life-threatening ventricular arrhythmias. (2009) *Circ Res*, 104 (1), pp. 19-31.
20. Decker, K.F., Heijman, J., Silva, J.R., Hund, T.J., Rudy, Y.: Properties and ionic mechanisms of action potential adaptation, restitution, and accommodation in canine epicardium. (2009) *American Journal of Physiology - Heart and Circulatory Physiology*, 296 (4), pp. H1017-H1026.
21. Hardy, M.E.L., Pollard, C.E., Small, B.G., Bridgland-Taylor, M., Woods, A.J., Valentin, J.-., Abi-Gerges, N.: Validation of a voltage-sensitive dye (di-4-ANEPPS)-based method for assessing drug-induced delayed repolarisation in beagle dog left ventricular midmyocardial myocytes. (2009) *J Pharmacol Toxicol Methods*, 60 (1), pp. 94-106.
22. Kharin, S.N., Shmakov, D.N., Antonova, N.A.: Effects of ectopic pacing on repolarization of the chicken left ventricle. (2009) *Physiological Research*, 58 (3), pp. 351-361.
23. McCrossan, Z.A., Roepke, T.K., Lewis, A., Panaghie, G., Abbott, G.W.: Regulation of the Kv2.1 potassium channel by MinK and MiRP1. (2009) *J Membr Biol*, 228 (1), pp. 1-14.
24. Remme, C.A., Verkerk, A.O., Hoogaars, W.M.H., Aanhaanen, W.T.J., Scicluna, B.P., Annink, C., van den Hoff, M.J.B., Wilde, A.A.M., van Veen, T.A.B., Veldkamp, M.W., de Bakker, J.M.T., Christoffels, V.M., Bezzina, C.R.: The cardiac sodium channel displays differential distribution in the conduction system and transmural heterogeneity in the murine ventricular myocardium. (2009) *Basic Res Cardiol*, 104 (5), pp. 511-522.
25. Benson, A.P., Aslanidi, O.V., Zhang, H., Holden, A.V.: The canine virtual ventricular wall: A platform for dissecting pharmacological effects on propagation and arrhythmogenesis. (2008) *Prog Biophys Mol Biol*, 96 (1-3), pp. 187-208.
26. Larsen, A.P., Olesen, S.-., Grunnet, M., Jespersen, T.: Characterization of hERG1a and hERG1b potassium channels - A possible role for hERG1b in the I_{kr} current. (2008) *Pflugers Archiv European Journal of Physiology*, 456 (6), pp. 1137-1148.



27. Heffernan, K.S., Jae, S.Y., Lee, M., Mojtahedi, M., Evans, E.M., Zhu, W., Fernhall, B.: Gender differences in QTc interval in young, trained individuals with lower spinal cord injury. (2007) *Spinal Cord*, 45 (7), pp. 518-521.
28. Luo, X., Xiao, J., Lin, H., Li, B., Lu, Y., Yang, B., Wang, Z.: Transcriptional activation by stimulating protein 1 and post-transcriptional repression by muscle-specific microRNAs of I_{ks}-encoding genes and potential implications in regional heterogeneity of their expressions. (2007) *J Cell Physiol*, 212 (2), pp. 358-367.
29. Mantravadi, R., Gabris, B., Liu, T., Choi, B.-., De Groat, W.C., Ng, G.A., Salama, G.: Autonomic nerve stimulation reverses ventricular repolarization sequence in rabbit hearts. (2007) *Circ Res*, 100 (7), pp. e72-e80.
30. Zhang, Y., Xiao, J., Lin, H., Luo, X., Wang, H., Bai, Y., Wang, J., Zhang, H., Yang, B., Wang, Z.: Ionic mechanisms underlying abnormal QT prolongation and the associated arrhythmias in diabetic rabbits: A role of rapid delayed rectifier K⁺ current. (2007) *Cellular Physiology and Biochemistry*, 19 (5-6), pp. 225-238.
31. Van Wagoner, D.R.: Metaboelectric signaling in the diseased heart. (2006) *J Mol Cell Cardiol*, 40 (3), pp. 333-334.

Függő idézetek: 26

1. Ruzsnavszky, F., Hegyi, B., Kistamás, K., Váczi, K., Horváth, B., Szentandrassy, N., Bányász, T., Nánási, P.P., Magyar, J.: Asynchronous activation of calcium and potassium currents by isoproterenol in canine ventricular myocytes. (2014) *Naunyn Schmiedebergs Arch Pharmacol*, 387 (5), pp. 457-467.
2. Hegyi, B., Komáromi, I., Kistamás, K., Ruzsnavszky, F., Váczi, K., Horváth, B., Magyar, J., Bányász, T., Nánási, P.P., Szentandrassy, N.: Tetrodotoxin blockade on canine cardiac L-type Ca²⁺ channels depends on pH and redox potential. (2013) *Marine Drugs*, 11 (6), pp. 2140-2153.
3. Kistamás, K., Szentandrassy, N., Hegyi, B., Ruzsnavszky, F., Váczi, K., Bárándi, L., Horváth, B., Szebeni, A., Magyar, J., Bányász, T., Kecskeméti, V., Nánási, P.P.: Effects of pioglitazone on cardiac ion currents and action potential morphology in canine ventricular myocytes. (2013) *Eur J Pharmacol*, 710 (1-3), pp. 10-19.
4. Nagy, N., Acsai, K., Kormos, A., Sebok, Z., Farkas, A.S., Jost, N., Nánási, P.P., Papp, J.G., Varró, A., Tóth, A.: I-induced augmentation of the inward rectifier potassium current (IK1) in canine and human ventricular myocardium. (2013) *Pflugers Archiv European Journal of Physiology*, 465 (11), pp. 1621-1635.
5. Szabó, L., Szentandrassy, N., Kistamás, K., Hegyi, B., Ruzsnavszky, F., Váczi, K., Horváth, B., Magyar, J., Bányász, T., Pál, B., Nánási, P.P.: Effects of tacrolimus on action potential configuration and transmembrane ion currents in canine ventricular cells. (2013) *Naunyn Schmiedebergs Arch Pharmacol*, 386 (3), pp. 239-246.
6. Szentandrassy, N., Papp, F., Hegyi, B., Bartok, A., Krasznai, Z., Nánási, P.P.: Tetrodotoxin blocks native cardiac L-type calcium channels but not Cav1.2 channels expressed in hek cells. (2013) *Journal of Physiology and Pharmacology*, 64 (6).
7. Szuts, V., Ménesi, D., Varga-Orvos, Z., Zvara, Á., Houshmand, N., Bitay, M., Bogáts, G., Virág, L., Baczkó, I., Szalontai, B., Geramipoor, A., Cotella, D., Wettwer, E., Ravens, U., Deák, F., Puskás, L.G., Papp, J.G., Kiss, I., Varró, A., Jost, N.: Altered expression of genes for kir ion channels in dilated cardiomyopathy. (2013) *Can J Physiol Pharmacol*, 91 (8), pp. 648-656.
8. Gönczi, M., Birinyi, P., Balázs, B., Szentandrassy, N., Harmati, G., Könczei, Z., Csernoch, L., Nánási, P.P.: Age-dependent changes in ion channel mRNA expression in canine cardiac tissues. (2012) *Gen Physiol Biophys*, 31 (2), pp. 153-162.



DEBRECENI EGYETEM
EGYETEMI ÉS NEMZETI KÖNYVTÁR
PUBLIKÁCIÓK



9. Hegyi, B., Bárándi, L., Komáromi, I., Papp, F., Horváth, B., Magyar, J., Bányász, T., Krasznai, Z., Szentandrassy, N., Nánási, P.P.: Tetrodotoxin blocks L-type Ca^{2+} channels in canine ventricular cardiomyocytes. (2012) *Pflugers Archiv European Journal of Physiology*, 464 (2), pp. 167-174.
10. Szentandrassy, N., Farkas, V., Bárándi, L., Hegyi, B., Ruzsnavszky, F., Horváth, B., Bányász, T., Magyar, J., Márton, I., Nánási, P.P.: Role of action potential configuration and the contribution of Ca^{2+} and K^{+} currents to isoprenaline-induced changes in canine ventricular cells. (2012) *Br J Pharmacol*, 167 (3), pp. 599-611.
11. Bányász, T., Bárándi, L., Harmati, G., Virág, L., Szentandrassy, N., Márton, I., Zaza, A., Varró, A., Nánási, P.P.: Mechanism of reverse rate-dependent action of cardioactive agents. (2011) *Curr Med Chem*, 18 (24), pp. 3597-3606.
12. Harmati, G., Bányász, T., Bárándi, L., Szentandrassy, N., Horváth, B., Szabó, G., Szentmiklósi, J.A., Szénási, G., Nánási, P.P., Magyar, J.: Effects of β -adrenoceptor stimulation on delayed rectifier K^{+} currents in canine ventricular cardiomyocytes. (2011) *Br J Pharmacol*, 162 (4), pp. 890-896.
13. Harmati, G., Papp, F., Szentandrassy, N., Bárándi, L., Ruzsnavszky, F., Horváth, B., Bányász, T., Magyar, J., Panyi, G., Krasznai, Z., Nánási, P.P.: Effects of the PKC inhibitors chelerythrine and bisindolylmaleimide I (GF 109203X) on delayed rectifier K^{+} currents. (2011) *Naunyn Schmiedebergs Arch Pharmacol*, 383 (2), pp. 141-148.
14. O'Hara, T., Virág, L., Varró, A., Rudy, Y.: Simulation of the undiseased human cardiac ventricular action potential: Model formulation and experimental validation. (2011) *PLoS Computational Biology*, 7 (5), e1002061.
15. Szabó, G., Farkas, V., Grunnet, M., Mohácsi, A., Nánási, P.P.: Enhanced repolarization capacity: New potential antiarrhythmic strategy based on hERG channel activation. (2011) *Curr Med Chem*, 18 (24), pp. 3607-3621.
16. Szentandrassy, N., Harmati, G., Bárándi, L., Simkő, J., Horváth, B., Magyar, J., Bányász, T., Lorincz, I., Szebeni, A., Kecskeméti, V., Nánási, P.P.: Effects of rosiglitazone on the configuration of action potentials and ion currents in canine ventricular cells. (2011) *Br J Pharmacol*, 163 (3), pp. 499-509.
17. Szentandrassy, N., Harmati, G., Farkas, V., Horváth, B., Hegyi, B., Magyar, J., Szénási, G., Márton, I., Nánási, P.P.: Modified cAMP derivatives: Powerful tools in heart research. (2011) *Curr Med Chem*, 18 (24), pp. 3729-3736.
18. Szentandrassy, N., Nagy, D., Ruzsnavszky, F., Harmati, G., Bányász, T., Magyar, J., Szentmiklósi, A.J., Nánási, P.P.: Powerful technique to test selectivity of agents acting on cardiac ion channels: The action potential voltage-clamp. (2011) *Curr Med Chem*, 18 (24), pp. 3737-3756.
19. Nánási, P.P., Bárándi, L., Virág, L., Jost, N., Horváth, Z., Koncz, I., Papp, R., Harmati, G., Horváth, B., Szentandrassy, N., Bányász, T., Magyar, J., Zaza, A., Varró, A.: Reverse rate-dependent changes are determined by baseline action potential duration in mammalian and human ventricular preparations. (2010) *Basic Res Cardiol*, 105 (3), pp. 315-323.
20. Simkő, J., Szentandrassy, N., Harmati, G., Bárándi, L., Horváth, B., Magyar, J., Bányász, T., Lorincz, I., Nánási, P.P.: Effects of ropinirole on action potential characteristics and the underlying ion currents in canine ventricular myocytes. (2010) *Naunyn Schmiedebergs Arch Pharmacol*, 382 (3), pp. 213-220.
21. Szentandrassy, N., Szabó, A., Almássy, J., Jóna, I., Horváth, B., Szabó, G., Bányász, T., Márton, I., Nánási, P.P., Magyar, J.: Effects of articaine and ropivacaine on calcium handling and contractility in canine ventricular myocardium. (2010) *Eur J Anaesthesiol*, 27 (2), pp. 153-161.



22. Bányász, T., Horváth, B., Virág, L., Bárándi, L., Szentandrassy, N., Harmati, G., Magyar, J., Marangoni, S., Zaza, A., Varró, A., Nánási, P.P.: Reverse rate dependency is an intrinsic property of canine cardiac preparations. (2009) *Cardiovasc Res*, 84 (2), pp. 237-244.
23. Alvarez, J., Coulombe, A., Cazorla, O., Ugur, M., Rauzier, J.-., Magyar, J., Mathieu, E.-., Boulay, G., Souto, R., Bideaux, P., Salazar, G., Rassendren, F., Lacampagne, A., Fauconnier, J., Vassort, G.: ATP/UTP activate cation-permeable channels with TRPC3/7 properties in rat cardiomyocytes. (2008) *American Journal of Physiology - Heart and Circulatory Physiology*, 295 (1), pp. H21-H28.
24. Birinyi, P., Tóth, A., Jóna, I., Acsai, K., Almássy, J., Nagy, N., Prorok, J., Gherasim, I., Papp, Z., Hertelendi, Z., Szentandrassy, N., Bányász, T., Fülöp, F., Papp, J.G., Varró, A., Nánási, P.P., Magyar, J.: The Na⁺/Ca²⁺ exchange blocker SEA0400 fails to enhance cytosolic Ca²⁺ transient and contractility in canine ventricular cardiomyocytes. (2008) *Cardiovasc Res*, 78 (3), pp. 476-484.
25. Szabó, A., Szentandrassy, N., Birinyi, P., Horváth, B., Szabó, G., Bányász, T., Márton, I., Magyar, J., Nánási, P.P.: Effects of ropivacaine on action potential configuration and ion currents in isolated canine ventricular cardiomyocytes. (2008) *Anesthesiology*, 108 (4), pp. 693-702.
26. Szabó, A., Szentandrassy, N., Birinyi, P., Horváth, B., Szabó, G., Bányász, T., Márton, I., Nánási, P.P., Magyar, J.: Effects of articaine on action potential characteristics and the underlying ion currents in canine ventricular myocytes. (2007) *Br J Anaesth*, 99 (5), pp. 726-733.
28. Zákány, R., Sziójyártó, Z., Matta, C., Juhász, T., Csontos, C., Szűcs, K., **Czifra, G.**, Bíró, T., Módis, L., Gergely, P.: Hydrogen peroxide inhibits formation of cartilage in chicken micromass cultures and decreases the activity of calcineurin: Implication of ERK1/2 and Sox9 pathways.
Exp. Cell Res. 305 (1), 190-199, 2005.
DOI: <http://dx.doi.org/10.1016/j.yexcr.2004.12.016>
IF:4.148

Idézetek összesen: 24

Független idézetek: 12

1. Liu, X., Xu, Y., Chen, S., Tan, Z., Xiong, K., Li, Y., Ye, Y., Luo, Z.-., He, F., Gong, Y.: Rescue of proinflammatory cytokine-inhibited chondrogenesis by the antiarthritic effect of melatonin in synovium mesenchymal stem cells via suppression of reactive oxygen species and matrix metalloproteinases. (2014) *Free Radical Biology and Medicine*, 68 , pp. 234-246.
2. Pei, M., Zhang, Y., Li, J., Chen, D.: Antioxidation of decellularized stem cell matrix promotes human synovium-derived stem cell-based chondrogenesis. (2013) *Stem Cells and Development*, 22 (6), pp. 889-900.
3. Tanaka, T., Kuroki, T., Adachi, T., Ono, S., Hirabaru, M., Soyama, A., Kitasato, A., Takatsuki, M., Hayashi, T., Eguchi, S.: Evaluation of SOX9 expression in pancreatic ductal adenocarcinoma and intraductal papillary mucinous neoplasm. (2013) *Pancreas*, 42 (3), pp. 488-493.
4. Kung, M.H., Yukata, K., O'Keefe, R.J., Zuscik, M.J.: Aryl hydrocarbon receptor-mediated impairment of chondrogenesis and fracture healing by cigarette smoke and benzo(a)pyrene. (2012) *J Cell Physiol*, 227 (3), pp. 1062-1070.
5. Musson, R.E.A., Smit, N.P.M.: Regulatory mechanisms of calcineurin phosphatase activity. (2011) *Curr Med Chem*, 18 (2), pp. 301-315.



6. Chen, M.P., Yang, S.H., Chou, C.H., Yang, K.C., Wu, C.C., Cheng, Y.H., Lin, F.-.: The chondroprotective effects of ferulic acid on hydrogen peroxide-stimulated chondrocytes: Inhibition of hydrogen peroxide-induced pro-inflammatory cytokines and metalloproteinase gene expression at the mRNA level. (2010) *Inflammation Res*, 59 (8), pp. 587-595.
7. Passeron, T., Valencia, J.C., Namiki, T., Vieira, W.D., Passeron, H., Miyamura, Y., Hearing, V.J.: Upregulation of SOX9 inhibits the growth of human and mouse melanomas and restores their sensitivity to retinoic acid. (2009) *J Clin Invest*, 119 (4), pp. 954-963.
8. Du, M.-., Zhou, W.-., Dong, L., Zhu, X.-., He, Y.-., Yang, J.-., Li, D.-.: Cyclosporin A promotes growth and invasiveness in vitro of human first-trimester trophoblast cells via MAPK3/MAPK1-mediated AP1 and ca²⁺/calcineurin/NFAT signaling pathways. (2008) *Biol Reprod*, 78 (6), pp. 1102-1110.
9. Miller, D.S., Sen, M.: Potential role of WISP3 (CCN6) in regulating the accumulation of reactive oxygen species. (2007) *Biochem Biophys Res Commun*, 355 (1), pp. 156-161.
10. Mio, K., Kirkham, J., Bonass, W.A.: Possible role of extracellular signal-regulated kinase pathway in regulation of Sox9 mRNA expression in chondrocytes under hydrostatic pressure. (2007) *Journal of Bioscience and Bioengineering*, 104 (6), pp. 506-509.
11. Namavar, M., Bahmanpour, S.: Effect of cyclosporine on weight and crown-rump length of mice embryo. (2007) *Indian Journal of Pharmaceutical Sciences*, 69 (4), pp. 582-585.
12. Racz, B., Reglodi, D., Fodor, B., Gasz, B., Lubics, A., Gallyas Jr., F., Roth, E., Borsiczky, B.: Hyperosmotic stress-induced apoptotic signaling pathways in chondrocytes. (2007) *Bone*, 40 (6), pp. 1536-1543.

Függő idézetek: 12

1. Juhász, T., Matta, C., Katona, E., Somogyi, C., Takács, R., Gergely, P., Csernoch, L., Panyi, G., Tóth, G., Reglodi, D., Tamás, A., Zákány, R.: Pituitary adenylate cyclase activating polypeptide (PACAP) signalling exerts chondrogenesis promoting and protecting effects: Implication of calcineurin as a downstream target. (2014) *PLoS ONE*, 9 (3), e91541.
2. Juhász, T., Matta, C., Somogyi, C., Katona, É., Takács, R., Soha, R.F., Szabó, I.A., Cserhádi, C., Szody, R., Karácsonyi, Z., Bakó, É., Gergely, P., Zákány, R.: Mechanical loading stimulates chondrogenesis via the PKA/CREB-Sox9 and PP2A pathways in chicken micromass cultures. (2014) *Cell Signal*, 26 (3), pp. 468-482.
3. Matta, C., Mobasher, A.: Regulation of chondrogenesis by protein kinase C: Emerging new roles in calcium signalling. (2014) *Cell Signal*, 26 (5), pp. 979-1000.
4. Matta, C., Mobasher, A., Gergely, P., Zákány, R.: Ser/Thr-phosphoprotein phosphatases in chondrogenesis: Neglected components of a two-player game. (2014) *Cell Signal*, 26 (10), pp. 2175-2185.
5. Fodor, J., Matta, C., Oláh, T., Juhász, T., Takács, R., Tóth, A., Dienes, B., Csernoch, L., Zákány, R.: Store-operated calcium entry and calcium influx via voltage-operated calcium channels regulate intracellular calcium oscillations in chondrogenic cells. (2013) *Cell Calcium*, 54 (1), pp. 1-16.
6. Matta, C., Zákány, R.: Calcium signalling in chondrogenesis: Implications for cartilage repair. (2013) *Frontiers in Bioscience - Scholar*, 5 S (1), pp. 305-324.
7. Matta, C., Fodor, J., Juhász, T., Zákány, R.: Insights into the role of intracellular ca²⁺ concentration changes during in vitro chondrogenesis. (2012) *Calcium Signaling*, , pp. 131-148.



8. Matta, C., Juhász, T., Szígyártó, Z., Kolozsvári, B., Somogyi, C., Nagy, G., Gergely, P., Zákány, R.: PKCdelta is a positive regulator of chondrogenesis in chicken high density micromass cell cultures. (2011) *Biochimie*, 93 (2), pp. 149-159.
 9. Juhász, T., Matta, C., Mészár, Z., Nagy, G., Szígyártó, Z., Molnár, Z., Kolozsvári, B., Bakó, E., Zákány, R.: Optimized transient transfection of chondrogenic primary cell cultures. (2010) *Central European Journal of Biology*, 5 (5), pp. 572-584.
 10. Juhász, T., Matta, C., Veress, G., Nagy, G., Szígyártó, Z., Molnár, Z., Fodor, J., Zákány, R., Gergely, P.: Inhibition of calcineurin by cyclosporine A exerts multiple effects on human melanoma cell lines HT168 and WM35. (2009) *Int J Oncol*, 34 (4), pp. 995-1003.
 11. Matta, C., Fodor, J., Szígyártó, Z., Juhász, T., Gergely, P., Csernoch, L., Zákány, R.: Cytosolic free Ca²⁺ concentration exhibits a characteristic temporal pattern during in vitro cartilage differentiation: A possible regulatory role of calcineurin in ca-signalling of chondrogenic cells. (2008) *Cell Calcium*, 44 (3), pp. 310-323.
 12. Szígyártó, Z., Szucs, K., Kovács, I., Zákány, R., Sipka, S., Gergely, P.Á.L.: The role of protein kinase C isoenzymes in the regulation of calcineurin activity in human peripheral blood mononuclear cells. (2007) *Int J Mol Med*, 20 (3), pp. 359-364.
29. Varga, E., Nagy, N., Lázár, J., **Czifra, G.**, Bak, I., Bíró, T., Tósaki, Á.: Inhibition of ischemia/reperfusion-induced damage by dexamethasone in isolated working rat hearts: The role of cytochrome c release.
Life Sci. 75 (20), 2411-2423, 2004.
DOI: <http://dx.doi.org/10.1016/j.lfs.2004.04.031>
IF:2.158

Idézetek összesen: 14

Független idézetek: 14

1. Varvarousi, G., Stefaniotou, A., Varvaroussis, D., Xanthos, T.: Glucocorticoids as an emerging pharmacologic agent for cardiopulmonary resuscitation. (2014) *Cardiovascular Drugs and Therapy*, 28 (5), pp. 477-488.
2. Xue, Q., Patterson, A.J., Xiao, D., Zhang, L.: Glucocorticoid modulates angiotensin ii receptor expression patterns and protects the heart from ischemia and reperfusion inj. (2014) *PLoS ONE*, 9 (9), e106827.
3. Merlet, N., Busseuil, D., Rhéaume, É., Tardif, J.-.: Cardiac consequences of anti-inflammatory drugs in experimental models. (2013) *Anti-Inflammatory and Anti-Allergy Agents in Medicinal Chemistry*, 12 (1), pp. 24-35.
4. Rusai, K., Prokai, A., Juanxing, C., Meszaros, K., Szalay, B., Pásti, K., Müller, V., Heemann, U., Lutz, J., Tulassay, T., Szabo, A.: Dexamethasone protects from renal ischemia/reperfusion injury: A possible association with SGK-1. (2013) *Acta Physiol Hung*, 100 (2), pp. 173-185.
5. Xie, J., Zhang, Y., Wang, L., Qi, W., Zhang, M.: Composition of fatty oils from semen ziziphi spinosae and its cardiotonic effect on isolated toad hearts. (2012) *Natural Product Research*, 26 (5), pp. 479-483.
6. Melek, M., Edirne, Y., Edirne, T., Etensel, B., Karaca, I., Aktas, S., Guldal Kirkali, Demir, H.: Parameters of some of biochemistry on ischemia-reperfusion injury in newborn rat intestine. (2010) *Asian Journal of Chemistry*, 22 (2), pp. 1569-1576.



7. Fan, W.-., Genade, S., Genis, A., Huisamen, B., Lochner, A.: Dexamethasone-induced cardioprotection: A role for the phosphatase MKP-1? (2009) *Life Sci*, 84 (23-24), pp. 838-846.
 8. Fouad, A.A., El-Bidawy, M.H., Uddin, A.M., Yacoubi, M.T.: A preliminary study of dexamethasone against ischemia/reperfusion liver injury in rats. (2009) *International Journal of Pharmacology*, 5 (2), pp. 155-161.
 9. Mihailidou, A.S., Le, T.Y.L., Mardini, M., Funder, J.W.: Glucocorticoids activate cardiac mineralocorticoid receptors during experimental myocardial infarction. (2009) *Hypertension*, 54 (6), pp. 1306-1312.
 10. Tokudome, S., Sano, M., Shinmura, K., Matsushashi, T., Morizane, S., Moriyama, H., Tamaki, K., Hayashida, K., Nakanishi, H., Yoshikawa, N., Shimizu, N., Endo, J., Katayama, T., Murata, M., Yuasa, S., Kaneda, R., Tomita, K., Eguchi, N., Urade, Y., Asano, K., Utsunomiya, Y., Suzuki, T., Taguchi, R., Tanaka, H., Fukuda, K.: Glucocorticoid protects rodent hearts from ischemia/reperfusion injury by activating lipocalin-type prostaglandin D synthase-derived PGD2 biosynthesis. (2009) *J Clin Invest*, 119 (6), pp. 1477-1488.
 11. Kaljusto, M.-., Stenslökken, K.-., Mori, T., Panchenko, A., Frantzen, M.-., Valen, G., Vaage, J.: Preconditioning effects of steroids and hyperoxia on cardiac ischemia-reperfusion injury and vascular reactivity. (2008) *European Journal of Cardio-thoracic Surgery*, 33 (3), pp. 355-363.
 12. Hadzimiralis, N.M., Baliga, S.S., Golfetti, R., Jaques, K.M., Firestein, B.L., Merrill, G.F.: Acetaminophen-mediated cardioprotection via inhibition of the mitochondrial permeability transition pore-induced apoptotic pathway. (2007) *American Journal of Physiology - Heart and Circulatory Physiology*, 293 (6), pp. H3348-H3355.
 13. Xia, Q.-., Na, T., Guo, Y.-., Bi, Y.-., Zhang, H.-., Dai, D.-.: Improvement of chronic heart failure by dexamethasone is not associated with downregulation of leptin in rats. (2007) *Acta Pharmacol Sin*, 28 (2), pp. 202-210.
 14. Mogilner, J.G., Elenberg, Y., Lurie, M., Shiloni, E., Coran, A.G., Sukhotnik, I.: Effect of dexamethasone on germ cell apoptosis in the contralateral testis after testicular ischemia-reperfusion injury in the rat. (2006) *Fertil Steril*, 85 (SUPPL. 1), pp. 1111-1117
30. Papp, H., **Czifra, G.**, Bodó, E., Lázár, J., Kovács, I., Aleksza, M., Juhász, I., Ács, P., Sipka, S., Kovács, L., Blumberg, P.M., Bíró, T.: Opposite roles of protein kinase C isoforms in proliferation, differentiation, apoptosis, and tumorigenicity of human HaCaT keratinocytes.
Cell. Mol. Life Sci. 61 (9), 1095-1105, 2004.
DOI: <http://dx.doi.org/10.1007/s00018-004-4014-2>
IF:4.812

Idézetek összesen: 33

Független idézetek: 23

1. Saha, K., Adhikary, G., Kanade, S.R., Rorke, E.A., Eckert, R.L.: P38d regulates p53 to control p21Cip1 expression in human epidermal keratinocytes. (2014) *J Biol Chem*, 289 (16), pp. 11443-11453.
2. Sattayakhom, A., Chunglok, W., Ittarat, W., Chamulitrat, W.: Study designs to investigate Nox1 acceleration of neoplastic progression in immortalized human epithelial cells by selection of differentiation resistant cells. (2014) *Redox Biology*, 2 (1), pp. 140-147.



3. Inoue, K., Jinnin, M., Yamane, K., Makino, T., Kajihara, I., Makino, K., Honda, N., Nakayama, W., Fukushima, S., Ihn, H.: Down-regulation of miR-223 contributes to the formation of gottron's papules in dermatomyositis via the induction of PKC ϵ . (2013) *European Journal of Dermatology*, 23 (2), pp. 160-167.
4. Breitzkreutz, D., Braiman-Wiksman, L., Daum, N., Tennenbaum, T.: The protein kinase C family: Key regulators bridging signaling pathways in skin and tumor epithelia. (2011) *Protein Reviews*, 13, pp. 171-198.
5. Chew, Y.C., Adhikary, G., Wilson, G.M., Reece, E.A., Eckert, R.L.: Protein kinase C (PKC) δ suppresses keratinocyte proliferation by increasing p21 Cip1 level by a KLF4 transcription factor-dependent mechanism. (2011) *J Biol Chem*, 286 (33), pp. 28772-28782.
6. Oka, M., Edamatsu, H., Kunisada, M., Hu, L., Takenaka, N., Sakaguchi, M., Kataoka, T., Nishigori, C.: Phospholipase ϵ has a crucial role in ultraviolet B-induced neutrophil-associated skin inflammation by regulating the expression of CXCL1/KC. (2011) *Laboratory Investigation*, 91 (5), pp. 711-718.
7. Andersen, S.M., Rosada, C., Dagnaes-Hansen, F., Laugesen, I.G., de Darkó, E., Dam, T.N., Stenderup, K.: Topical application of valrubicin has a beneficial effect on developing skin tumors. (2010) *Carcinogenesis*, 31 (8), pp. 1483-1490.
8. Kim, H.-., Akbar, M., Kim, Y.-.: Phosphatidylserine-dependent neuroprotective signaling promoted by docosahexaenoic acid. (2010) *Prostaglandins Leukotrienes Essential Fatty Acids*, 82 (4-6), pp. 165-172.
9. Reznikova, T.V., Phillips, M.A., Patterson, T.J., Rice, R.H.: Opposing actions of insulin and arsenite converge on PKC δ to alter keratinocyte proliferative potential and differentiation. (2010) *Mol Carcinog*, 49 (4), pp. 398-409.
10. Cheng, M.-., Lee, C.-., Huang, G.-., Wu, H.-., Chiang, P.-., Sheu, L.-., Lee, H.-.: Oncostatin M induces upregulation of β -arrestin 2 and growth inhibition in osteosarcoma cells. (2009) *Journal of Medical Sciences*, 29 (1), pp. 13-18.
11. Numata, I., Okuyama, R., Memezawa, A., Ito, Y., Takeda, K., Furuyama, K., Shibahara, S., Aiba, S.: Functional expression of heme oxygenase-1 in human differentiated epidermis and its regulation by cytokines. (2009) *J Invest Dermatol*, 129 (11), pp. 2594-2603.
12. Takasuka, N., Takahashi, M., Hori, Y., Kitahashi, T., Iigo, M., Imai, T., Yoshimi, N., Sugimura, T., Wakabayashi, K.: Promotion of mouse two-stage skin carcinogenesis by diacylglycerol-rich edible oil. (2009) *Cancer Lett*, 275 (1), pp. 150-157.
13. Schüppel, M., Kürschner, U., Kleuser, U., Schäfer-Korting, M., Kleuser, B.: Sphingosine 1-phosphate restrains insulin-mediated keratinocyte proliferation via inhibition of akt through the S1P2 receptor subtype. (2008) *J Invest Dermatol*, 128 (7), pp. 1747-1756.
14. Breitzkreutz, D., Braiman-Wiksman, L., Daum, N., Denning, M.F., Tennenbaum, T.: Protein kinase C family: On the crossroads of cell signaling in skin and tumor epithelium. (2007) *J Cancer Res Clin Oncol*, 133 (11), pp. 793-808.
15. D'Costa, A.M., Robinson, J.K., Maududi, T., Chaturvedi, V., Nickoloff, B.J., Denning, M.F.: The proapoptotic tumor suppressor protein kinase C- δ is lost in human squamous cell carcinomas. (2006) *Oncogene*, 25 (3), pp. 378-386.
16. Pregi, N., Vittori, D., Pérez, G., Leirós, C.P., Nesse, A.: Effect of erythropoietin on staurosporine-induced apoptosis and differentiation of SH-SY5Y neuroblastoma cells. (2006) *Biochimica et Biophysica Acta - Molecular Cell Research*, 1763 (2), pp. 238-246.



17. Quadros, M.R., Connelly, S., Kari, C., Abrams, M.T., Wickstrom, E., Rodeck, U.: EGFR-dependent downregulation of bim in epithelial cells requires MAPK and PKC-d activities. (2006) *Cancer Biology and Therapy*, 5 (5), pp. 498-504.
18. Saito, M., Hori, M., Obara, Y., Ohizumi, Y., Ohkubo, S., Nakahata, N.: Neurotrophic factor production in human astrocytoma cells by 2,5,6-tribromogranine via activation of epsilon isoform of protein kinase C. (2006) *European Journal of Pharmaceutical Sciences*, 28 (4), pp. 263-271.
19. Zhu, M., Zhang, Y., Bowden, G.T.: Involvement of mitogen-activated protein kinases and protein kinase C in regulation of antioxidant response element activity in human keratinocytes. (2006) *Cancer Lett*, 244 (2), pp. 220-228.
20. Choi, H., Ahn, S., Lee, B.G., Chang, I., Hwang, J.S.: Inhibition of skin pigmentation by an extract of *lepidium apetalum* and its possible implication in IL-6 mediated signaling. (2005) *Pigment Cell Research*, 18 (6), pp. 439-446.
21. Seaman, J.J., Orth, T.L., Mueller, R.E., Maravolo, N.C.: The influence of spermine on the activity of a protein kinase C-like enzyme in *marchantia polymorpha thalli* during programmed cell death. (2005) *Bryologist*, 108 (1), pp. 110-117.
22. Terskikh, V.V., Vasil'ev, A.V.: Apoptosis and differentiation of epidermal keratinocytes. (2005) *Ontogenez*, 36 (2), pp. 85-89.
23. Terskikh, V.V., Vasil'ev, A.V.: Apoptosis and differentiation of epidermal keratinocytes. (2005) *Russian Journal of Developmental Biology*, 36 (2), pp. 61-64.

Függő idézetek: 10

1. Czifra, G., Szöllsi, A.G., Tóth, B.I., Demaude, J., Bouez, C., Breton, L., Bíró, T.: Endocannabinoids regulate growth and survival of human eccrine sweat gland-derived epithelial cells. (2012) *J Invest Dermatol*, 132 (8), pp. 1967-1976.
2. Géczy, T., Oláh, A., Tóth, B.I., Czifra, G., Szöllsi, A.G., Szabó, T., Zouboulis, C.C., Paus, R., Bíró, T.: Protein kinase C isoforms have differential roles in the regulation of human sebocyte biology. (2012) *J Invest Dermatol*, 132 (8), pp. 1988-1997.
3. Havlickova, B., Bíró, T., Mescalchin, A., Tschirschmann, M., Mollenkopf, H., Bettermann, A., Pertile, P., Lauster, R., Bodó, E., Paus, R.: A human folliculoid microsphere assay for exploring epithelial- mesenchymal interactions in the human hair follicle. (2009) *J Invest Dermatol*, 129 (4), pp. 972-983.
4. Szegedi, A., Páyer, E., Czifra, G., Tóth, B.I., Schmidt, E., Kovács, L., Blumberg, P.M., Bíró, T.: Protein kinase C isoenzymes differentially regulate the differentiation-dependent expression of adhesion molecules in human epidermal keratinocytes. (2009) *Exp Dermatol*, 18 (2), pp. 122-129.
5. Dobrosi, N., Tóth, B.I., Nagy, G., Dózsa, A., Géczy, T., Nagy, L., Zouboulis, C.C., Paus, R., Kovács, L., Bíró, T.: Endocannabinoids enhance lipid synthesis and apoptosis of human sebocytes via cannabinoid receptor-2-mediated signaling. (2008) *FASEB Journal*, 22 (10), pp. 3685-3695.
6. Gönczi, M., Telek, A., Czifra, G., Balogh, A., Blumberg, P.M., Bíró, T., Csernoch, L.: Altered calcium handling following the recombinant overexpression of protein kinase C isoforms in HaCaT cells. (2008) *Exp Dermatol*, 17 (7), pp. 584-591.
7. Kiss, B., Bíró, T., Czifra, G., Tóth, B.I., Kertész, Z., Szikszai, Z., Kiss, A.Z., Juhász, I., Zouboulis, C.C., Hunyadi, J.: Investigation of micronized titanium dioxide penetration in human skin xenografts and its effect on cellular functions of human skin-derived cells. (2008) *Exp Dermatol*, 17 (8), pp. 659-667.



8. Griger, Z., Páyer, E., Kovács, I., Tóth, B.I., Kovács, L., Sipka, S., Bíró, T.: Protein kinase C- β and - δ isoenzymes promote arachidonic acid production and proliferation of MonoMac-6 cells. (2007) *Journal of Molecular Medicine*, 85 (9), pp. 1031-1042.
9. Czifra, G., Tóth, I.B., Marincsák, R., Juhász, I., Kovács, I., Ács, P., Kovács, L., Blumberg, P.M., Bíró, T.: Insulin-like growth factor-I-coupled mitogenic signaling in primary cultured human skeletal muscle cells and in C2C12 myoblasts. A central role of protein kinase cd. (2006) *Cell Signal*, 18 (9), pp. 1461-1472.
10. Deli, T., Tóth, B.I., Czifra, G., Szappanos, H., Bíró, T., Csernoch, L.: Differences in purinergic and voltage-dependent signalling during protein kinase ca overexpression- and culturing-induced differentiation of C2C12 myoblasts. (2006) *J Muscle Res Cell Motil*, 27 (8), pp. 617-630.

31. Varga, A., **Czifra, G.**, Tállai, B., Németh, T., Kovács, I., Kovács, L., Bíró, T.: Tumor grade-dependent alterations in the protein kinase C isoform pattern in urinary bladder carcinomas.

Eur. Urol. 46 (4), 462-465, 2004.

DOI: <http://dx.doi.org/10.1016/j.eururo.2004.04.014>

IF:2.651

Idézetek összesen: 41

Független idézetek: 39

1. Allen-Petersen, B.L., Carter, C.J., Ohm, A.M., Reyland, M.E.: Protein kinase C δ is required for ErbB2-driven mammary gland tumorigenesis and negatively correlates with prognosis in human breast cancer. (2014) *Oncogene*, 33 (10), pp. 1306-1315.
2. Du, H.F., Ou, L.P., Yang, X., Song, X.D., Fan, Y.R., Tan, B., Luo, C.L., Wu, X.H.: A new PKC α/β /TBX3/E-cadherin pathway is involved in PLC ϵ -regulated invasion and migration in human bladder cancer cells. (2014) *Cell Signal*, 26 (3), pp. 580-593.
3. Heger, M., van Golen, R.F., Broekgaarden, M., Michel, M.C.: The molecular basis for the pharmacokinetics and pharmacodynamics of curcumin and its metabolites in relation to cancers. (2014) *Pharmacol Rev*, 66 (1), pp. 222-307.
4. Jin, H., Kanthasamy, A., Harischandra, D.S., Kondru, N., Ghosh, A., Panicker, N., Anantharam, V., Rana, A., Kanthasamy, A.G.: Histone hyperacetylation up-regulates protein kinase C δ in dopaminergic neurons to induce cell death: Relevance to epigenetic mechanisms of neurodegeneration in parkinson disease. (2014) *Journal of Biological Chemistry*, 289 (50), pp. 34743-34767.
5. Hecker, N., Stephan, C., Mollenkopf, H.-., Jung, K., Preissner, R., Meyer, H.-.: A new algorithm for integrated analysis of miRNA-mRNA interactions based on individual classification reveals insights into bladder cancer. (2013) *PLoS ONE*, 8 (5). e64543.
6. Jou, Y.-., Chiu, Y.-., Chen, Y.-., Hwang, J.-., Chao, P.-., Shiu, J.-., Hwang, W.-., Liu, J.-., Hsu, L.-.: Expression of protein kinase C α and the MZF-1 and elk-1 transcription factors in human bladder transitional cell carcinoma cells. (2012) *Chin J Physiol*, 55 (2).
7. Yue, C.-., Chiu, Y.-., Tung, J.-., Tzang, B.-., Shiu, J.-., Huang, W.-., Liu, J.-., Hwang, J.-.: Expression of protein kinase C α and the MZF-1 and ELK-1 transcription factors in human breast cancer cells. (2012) *Chin J Physiol*, 55 (1).



8. Bosco, R., Melloni, E., Celeghini, C., Rimondi, E., Vaccarezza, M., Zauli, G.: Fine tuning of protein kinase C (PKC) isoforms in cancer: Shortening the distance from the laboratory to the bedside. (2011) *Mini-Reviews in Medicinal Chemistry*, 11 (3), pp. 185-199.
9. Huang, B., Cao, K., Li, X., Guo, S., Mao, X., Wang, Z., Zhuang, J., Pan, J., Mo, C., Chen, J., Qiu, S.: The expression and role of protein kinase C (PKC) epsilon in clear cell renal cell carcinoma. (2011) *Journal of Experimental and Clinical Cancer Research*, 30 (1), 88.
10. Kuo, T.-., Huang, W.-., Guh, J.-.: WJ9708012 exerts anticancer activity through PKC- α related crosstalk of mitochondrial and endoplasmic reticulum stresses in human hormone-refractory prostate cancer cells. (2011) *Acta Pharmacol Sin*, 32 (1), pp. 89-98.
11. Ling, Y., Chunli, L., Xiaohou, W., Qiaoling, Z.: Involvement of the PLC ϵ /PKC α pathway in human BIU-87 bladder cancer cell proliferation. (2011) *Cell Biol Int*, 35 (10), pp. 1031-1036.
12. Mishra, S., Vinayak, M.: Anti-carcinogenic action of ellagic acid mediated via modulation of oxidative stress regulated genes in dalton lymphoma bearing mice. (2011) *Leukemia and Lymphoma*, 52 (11), pp. 2155-2161.
13. Omar, H.A., Chou, C.-., Berman-Booty, L.D., Ma, Y., Hung, J.-., Wang, D., Kogure, T., Patel, T., Terracciano, L., Muthusamy, N., Byrd, J.C., Kulp, S.K., Chen, C.-.: Antitumor effects of OSU-2S, a nonimmunosuppressive analogue of FTY720, in hepatocellular carcinoma. (2011) *Hepatology*, 53 (6), pp. 1943-1958.
14. Yu, L.R., Lv, J.Q., Jin, L.Y., Ding, S.D., Ma, X.Y., Wang, J.J., Zhu, X.Q.: Over-expression of protein kinase C isoforms (α , δ , θ and ζ) in squamous cervical cancer. (2011) *Neoplasma*, 58 (6), pp. 491-498.
15. Aaltonen, V., Peltonen, J.: PKC α/β I inhibitor Go6976 induces dephosphorylation of constitutively hyperphosphorylated rb and G1 arrest in T24 cells. (2010) *Anticancer Res*, 30 (10), pp. 3995-3999.
16. Cheng, H.-., Wu, X.-., Luo, C.-., Xia, Y.-., Zhang, J.-., Wu, Q.-.: Effect of silencing PLC ϵ gene on bcl-2/Bax protein expression of implanted human bladder cancer cells in nude mice. (2010) *Tumor*, 30 (5), pp. 376-380.
17. Ersvaer, E., Kittang, A.O., Hampson, P., Sand, K., Gjertsen, B.T., Lord, J.M., Bruserud, O.: The protein kinase C agonist PEP005 (ingenol 3-angelate) in the treatment of human cancer: A balance between efficacy and toxicity. (2010) *Toxins*, 2 (1), pp. 174-194.
18. Hu, J.-., Wang, X.-., Zhou, J.-., Wang, F.-., Li, X.-., Lü, H.-.: Activation of PKC α is required for migration of C6 glioma cells. (2010) *Acta Neurobiol Exp*, 70 (3), pp. 239-245.
19. Konopatskaya, O., Poole, A.W.: Protein kinase C α : Disease regulator and therapeutic target. (2010) *Trends Pharmacol Sci*, 31 (1), pp. 8-14.
20. Lu, H.-., Chou, F.-., Yeh, K.-., Chang, Y.-., Hsu, N.C., Chang, J.-.: Expression of protein kinase C family in human hepatocellular carcinoma. (2010) *Pathology and Oncology Research*, 16 (3), pp. 385-391.
21. Yadav, V., Yanez, N.C., Fenton, S.E., Denning, M.F.: Loss of protein kinase C δ gene expression in human squamous cell carcinomas: A laser capture microdissection study. (2010) *Am J Pathol*, 176 (3), pp. 1091-1096.
22. Gorin, M.A., Pan, Q.: Protein kinase C ϵ : An oncogene and emerging tumor biomarker. (2009) *Molecular Cancer*, 8 . 9.
23. Lu, H.-., Chou, F.-., Yeh, K.-., Chang, Y.-., Hsu, N.C., Chang, J.-.: Analysing the expression of protein kinase C ϵ in human hepatocellular carcinoma. (2009) *Pathology*, 41 (7), pp. 626-629.
24. Mitra, A.P., Cote, R.J.: Molecular pathogenesis and diagnostics of bladder cancer. (2009) *Annual Review of Pathology: Mechanisms of Disease*, 4, pp. 251-285.



25. Wang, Y., An, R., Dong, X., Pan, S., Duan, G., Sun, X.: Protein kinase C is involved in arsenic trioxide-induced apoptosis and inhibition of proliferation in human bladder cancer cells. (2009) *Urol Int*, 82 (2), pp. 214-221.
26. Yan, L., Luo, C.-., Wu, X.-., Zhang, Q.-., Ou, L.-., Wang, C.-.: Role of PKC α activity in the proliferation of bladder cancer cells and its action mechanism. (2009) *Tumor*, 29 (11), pp. 1045-1048.
27. Youssef, R.F., Mitra, A.P., Bartsch Jr., G., Jones, P.A., Skinner, D.G., Cote, R.J.: Molecular targets and targeted therapies in bladder cancer management. (2009) *World J Urol*, 27 (1), pp. 9-20.
28. Hilton, H.N., Stanford, P.M., Harris, J., Oakes, S.R., Kaplan, W., Daly, R.J., Ormandy, C.J.: KIBRA interacts with discoidin domain receptor 1 to modulate collagen-induced signalling. (2008) *Biochimica et Biophysica Acta - Molecular Cell Research*, 1783 (3), pp. 383-393.
29. Van Kolen, K., Pullan, S., Neefs, J.-., Dautzenberg, F.M.: Nociceptive and behavioural sensitisation by protein kinase C ϵ signalling in the CNS. (2008) *J Neurochem*, 104 (1), pp. 1-13.
30. Vignot, S., Soria, J.-., Spano, J.-., Mounier, N.: Protein kinases C: A new cytoplasmic target. (2008) *Bull Cancer*, 95 (7-8), pp. 683-689.
31. Ying, T.-., Tsai, J.-., Wu, T.-., Tsai, M.-., Su, W.-., Hsieh, Y.-., Liu, J.-.: Immunochemical localization of protein kinase C α in the biopsies of human hepatocellular carcinoma. (2008) *Chin J Physiol*, 51 (5), pp. 269-274.
32. Griner, E.M., Kazanietz, M.G.: Protein kinase C and other diacylglycerol effectors in cancer. (2007) *Nature Reviews Cancer*, 7 (4), pp. 281-294.
33. Mackay, H.J., Twelves, C.J.: Targeting the protein kinase C family: Are we there yet? (2007) *Nature Reviews Cancer*, 7 (7), pp. 554-562.
34. Martiny-Baron, G., Fabbro, D.: Classical PKC isoforms in cancer. (2007) *Pharmacological Research*, 55 (6), pp. 477-486.
35. Revil, T., Toutant, J., Shkreta, L., Garneau, D., Cloutier, P., Chabot, B.: Protein kinase C-dependent control of bcl-x alternative splicing. (2007) *Mol Cell Biol*, 27 (24), pp. 8431-8441.
36. Wu, T.-., Hsieh, Y.-., Wu, C.-., Hsieh, Y.-., Huang, C.-., Liu, J.-.: Overexpression of protein kinase C α mRNA in human hepatocellular carcinoma: A potential marker of disease prognosis. (2007) *Clinica Chimica Acta*, 382 (1-2), pp. 54-58.
37. Aaltonen, V., Koivunen, J., Laato, M., Peltonen, J.: Heterogeneity of cellular proliferation within transitional cell carcinoma: Correlation of protein kinase C alpha/beta expression and activity. (2006) *Journal of Histochemistry and Cytochemistry*, 54 (7), pp. 795-806.
38. Chang, J.T., Lu, Y.-., Chen, Y.-., Tseng, C.-., Chen, Y.-., Fang, C.-., Cheng, A.-.: hTERT phosphorylation by PKC is essential for telomerase holoprotein integrity and enzyme activity in head neck cancer cells. (2006) *Br J Cancer*, 94 (6), pp. 870-878.
39. Koivunen, J., Aaltonen, V., Peltonen, J.: Protein kinase C (PKC) family in cancer progression. (2006) *Cancer Lett*, 235 (1), pp. 1-10.

Függő idézetek: 2

1. Czifra, G., Varga, A., Nyeste, K., Marincsák, R., Tóth, B.I., Kovács, I., Kovács, L., Bíró, T.: Increased expressions of cannabinoid receptor-1 and transient receptor potential vanilloid-1 in human prostate carcinoma. (2009) *J Cancer Res Clin Oncol*, 135 (4), pp. 507-514.
2. Marincsák, R., Tóth, B., Czifra, G., Márton, I., Rédl, P., Tar, I., Tóth, L., Kovács, L., Bíró, T.: Increased expression of TRPV1 in squamous cell carcinoma of the human tongue. (2009) *Oral Dis*, 15 (5), pp. 328-335.



32. Papp, H., Czifra, G., Lázár, J., Gönczi, M., Csernoch, L., Kovács, L., Bíró, T.: Protein kinase C isozymes regulate proliferation and high cell density-mediated differentiation in HaCaT keratinocytes.
Exp. Dermatol. 12 (6), 811-824, 2003.
DOI: <http://dx.doi.org/10.1111/j.0906-6705.2003.00097.x>
IF:2.04

Idézetek összesen: 32

Független idézetek: 17

1. Laugesen, I.G., Hauge, E., Andersen, S.M., Stenderup, K., De Darkó, E., Dam, T.N., Rosada, C.: Valrubicin activates PKC α in keratinocytes: A conceivable mode of action in treating hyper-proliferative skin diseases. (2013) *Journal of Drugs in Dermatology*, 12 (10), pp. 1156-1162.
2. Bose, A., Teh, M.-., Hutchison, I.L., Wan, H., Leigh, I.M., Waseem, A.: Two mechanisms regulate keratin K15 expression in keratinocytes: Role of PKC/AP-1 and FOXM1 mediated signalling. (2012) *PLoS ONE*, 7 (6).
3. Li, L., Gao, T., He, S.-., Xu, G.-., Yang, L.-.: Effect of heparin-derived oligosaccharide on vascular smooth muscle cell proliferation through inhibition of PKC- α expression. (2012) *Yaoxue Xuebao*, 47 (8), pp. 993-1000.
4. Matus, C.E., Bhoola, K.D., Figueroa, C.D.: Kallikreins and kinin receptors: Modulators of skin homeostasis. (2011) *Kinins*, , pp. 155-169.
5. Bertrand-Vallery, V., Belot, N., Dieu, M., Delaive, E., Ninane, N., Demazy, C., Raes, M., Salmon, M., Poumay, Y., Debacq-Chainiaux, F., Toussaint, O.: Proteomic profiling of human keratinocytes undergoing UVB-induced alternative differentiation reveals tripartite motif protein 29 as a survival factor. (2010) *PLoS ONE*, 5 (5). e10462.
6. Fu, J., Jin, F., Zhang, J., Fong, K., Bassi, D.E., de Cicco, R.L., Ramaraju, D., Braunewell, K.-., Conti, C., Benavides, F., Klein-Szanto, A.J.P.: VILIP-1 expression in vivo results in decreased mouse skin keratinocyte proliferation and tumor development. (2010) *PLoS ONE*, 5 (4). e10196.
7. Kamioka, N., Akahane, T., Kohno, Y., Kuroki, T., Iijima, M., Honma, I., Ohba, M.: Protein kinase C δ and η differently regulate the expression of loricrin and jun family proteins in human keratinocytes. (2010) *Biochem Biophys Res Commun*, 394 (1), pp. 106-111.
8. Kamioka, N., Honma, I., Akahane, T., Kohno, Y., Iijima, M., Ohba, M.: Establishment of effective gene transfer method to three-dimensional skin culture. (2010) *Journal of the Showa Medical Association*, 70 (3), pp. 253-262.
9. McIntosh, K., Cunningham, M.R., Cadalbert, L., Lockhart, J., Boyd, G., Ferrell, W.R., Plevin, R.: Proteinase-activated receptor-2 mediated inhibition of TNF α -stimulated JNK activation - A novel paradigm for Gq/11 linked GPCRs. (2010) *Cell Signal*, 22 (2), pp. 265-273.
10. Jerome-Morais, A., Rahn, H.R., Tibudan, S.S., Denning, M.F.: Role for protein kinase C- α in keratinocyte growth arrest. (2009) *J Invest Dermatol*, 129 (10), pp. 2365-2375.
11. Micallef, L., Belaubre, F., Pinon, A., Jayat-Vignoles, C., Delage, C., Charveron, M., Simon, A.: Effects of extracellular calcium on the growth-differentiation switch in immortalized keratinocyte HaCaT cells compared with normal human keratinocytes. (2009) *Exp Dermatol*, 18 (2), pp. 143-151.
12. Goon Goh, F., Sloss, C.M., Cunningham, M.R., Nilsson, M., Cadalbert, L., Plevin, R.: G-protein-dependent and -independent pathways regulate proteinase-activated receptor-2 mediated p65 NF κ B serine 536 phosphorylation in human keratinocytes. (2008) *Cell Signal*, 20 (7), pp. 1267-1274.



DEBRECENI EGYETEM
EGYETEMI ÉS NEMZETI KÖNYVTÁR
PUBLIKÁCIÓK



13. Matus, C.E., Ehrenfeld, P., Pavicic, F., Sarmiento, J.M., Astroza, A., Sanchez, T., Salem, C., Concha, M., Vidal, M.A., Gonzalez, C.B., Figueroa, C.D.: Activation of kinin B1 receptor triggers differentiation of cultured human keratinocytes. (2008) *Br J Dermatol*, 159 (4), pp. 792-803.
14. Yamaguchi, Y., Passeron, T., Hoashi, T., Watabe, H., Rouzaud, F., Yasumoto, K., Hara, T., Tohyama, C., Katayama, I., Miki, T., Hearing, V.J.: Dickkopf 1 (DKK1) regulates skin pigmentation and thickness by affecting wnt/ β -catenin signaling in keratinocytes. (2008) *FASEB Journal*, 22 (4), pp. 1009-1020.
15. Bodily, J.M., Alam, S., Meyers, C.: Regulation of human papillomavirus type 31 late promoter activation and genome amplification by protein kinase C. (2006) *Virology*, 348 (2), pp. 328-340.
16. Fischer, A., Müller, D., Zimmermann-Kordmann, M., Kleuser, B., Mickleit, M., Laabs, S., Löwe, W., Cantagrel, F., Reutter, W., Danker, K.: The ether lipid inositol-C2-PAF is a potent inhibitor of cell proliferation in HaCaT cells. (2006) *ChemBioChem*, 7 (3), pp. 441-449.
17. Lee, S.H., Jeong, S.K., Ahn, S.K.: An update of the defensive barrier function of skin. (2006) *Yonsei Med J*, 47 (3), pp. 293-306.

Függő idézetek: 15

1. Czifra, G., Szöllsi, A.G., Tóth, B.I., Demaude, J., Bouez, C., Breton, L., Bíró, T.: Endocannabinoids regulate growth and survival of human eccrine sweat gland-derived epithelial cells. (2012) *J Invest Dermatol*, 132 (8), pp. 1967-1976.
2. Géczy, T., Oláh, A., Tóth, B.I., Czifra, G., Szöllsi, A.G., Szabó, T., Zouboulis, C.C., Paus, R., Bíró, T.: Protein kinase C isoforms have differential roles in the regulation of human sebocyte biology. (2012) *J Invest Dermatol*, 132 (8), pp. 1988-1997.
3. Ruzsnavszky, O., Telek, A., Gönczi, M., Balogh, A., Remenyik, E., Csernoch, L.: UV-B induced alteration in purinergic receptors and signaling on HaCaT keratinocytes. (2011) *Journal of Photochemistry and Photobiology B: Biology*, 105 (1), pp. 113-118.
4. Szegedi, A., Páyer, E., Czifra, G., Tóth, B.I., Schmidt, E., Kovács, L., Blumberg, P.M., Bíró, T.: Protein kinase C isoenzymes differentially regulate the differentiation-dependent expression of adhesion molecules in human epidermal keratinocytes. (2009) *Exp Dermatol*, 18 (2), pp. 122-129.
5. Gönczi, M., Telek, A., Czifra, G., Balogh, A., Blumberg, P.M., Bíró, T., Csernoch, L.: Altered calcium handling following the recombinant overexpression of protein kinase C isoforms in HaCaT cells. (2008) *Exp Dermatol*, 17 (7), pp. 584-591.
6. Kiss, B., Bíró, T., Czifra, G., Tóth, B.I., Kertész, Z., Szikszai, Z., Kiss, A.Z., Juhász, I., Zouboulis, C.C., Hunyadi, J.: Investigation of micronized titanium dioxide penetration in human skin xenografts and its effect on cellular functions of human skin-derived cells. (2008) *Exp Dermatol*, 17 (8), pp. 659-667.
7. Gönczi, M., Szentandrassy, N., Fülöp, L., Telek, A., Szigeti, G.P., Magyar, J., Bíró, T., Nánási, P.P., Csernoch, L.: Hypotonic stress influence the membrane potential and alter the proliferation of keratinocytes in vitro. (2007) *Exp Dermatol*, 16 (4), pp. 302-310.
8. Lengyel, C., Virág, L., Bíró, T., Jost, N., Magyar, J., Biliczki, P., Kocsis, E., Skoumal, R., Nánási, P.P., Tóth, M., Kecskeméti, V., Papp, J.G., Varró, A.: Diabetes mellitus attenuates the repolarization reserve in mammalian heart. (2007) *Cardiovasc Res*, 73 (3), pp. 512-520.
9. Gönczi, M., Szentandrassy, N., Johnson, I.T., Heagerty, A.M., Weston, A.H.: Investigation of the role of TASK-2 channels in rat pulmonary arteries; pharmacological and functional studies following RNA interference procedures. (2006) *Br J Pharmacol*, 147 (5), pp. 496-505.



10. Szabó, G., Szentandrassy, N., Bíró, T., Tóth, B.I., Czifra, G., Magyar, J., Bányász, T., Varró, A., Kovács, L., Nánási, P.P.: Asymmetrical distribution of ion channels in canine and human left-ventricular wall: Epicardium versus midmyocardium. (2005) Pflugers Archiv European Journal of Physiology, 450 (5), pp. 307-316.
 11. Szentadrassy, N., Banyasz, T., Biro, T., Szabo, G., Toth, B.I., Magyar, J., Lazar, J., Varro, A., Kovacs, L., Nanasi, P.P.: Apico-basal inhomogeneity in distribution of ion channels in canine and human ventricular myocardium. (2005) Cardiovasc Res, 65 (4), pp. 851-860.
 12. Lázár, J., Szabó, T., Marincsák, R., Kovács, L., Blumberg, P.M., Bíró, T.: Sensitization of recombinant vanilloid receptor-1 by various neurotrophic factors. (2004) Life Sci, 75 (2), pp. 153-163.
 13. Papp, H., Czifra, G., Bodó, E., Lázár, J., Kovács, I., Aleksza, M., Juhász, I., Ács, P., Sipka, S., Kovács, L., Blumberg, P.M., Bíró, T.: Opposite roles of protein kinase C isoforms in proliferation, differentiation, apoptosis, and tumorigenicity of human HaCaT keratinocytes. (2004) Cellular and Molecular Life Sciences, 61 (9), pp. 1095-1105.
 14. Varga, A., Czifra, G., Tállai, B., Németh, T., Kovács, I., Kovács, L., Bíró, T.: Tumor grade-dependent alterations in the protein kinase C isoform pattern in urinary bladder carcinomas. (2004) Eur Urol, 46 (4), pp. 462-465.
 15. Varga, E., Nagy, N., Lazar, J., Czifra, G., Bak, I., Biro, T., Tosaki, A.: Inhibition of ischemia/reperfusion-induced damage by dexamethasone in isolated working rat hearts: The role of cytochrome c release. (2004) Life Sci, 75 (20), pp. 2411-2423.
33. Zákány, R., Szűcs, K., Bakó, É., Felszeghy, S., **Czifra, G.**, Bíró, T., Módis, L., Gergely, P.: Protein Phosphatase 2A Is Involved in the Regulation of Protein Kinase A Signaling Pathway during in Vitro Chondrogenesis.
Exp. Cell Res. 275 (1), 1-8, 2002.
DOI: <http://dx.doi.org/10.1006/excr.2002.5487>
IF:4.712

Idézetek összesen: 27

Független idézetek: 20

1. Matta, C., Mobasheri, A.: Regulation of chondrogenesis by protein kinase C: Emerging new roles in calcium signalling. (2014) Cell Signal, 26 (5), pp. 979-1000.
2. Stenberg, J., Rüetschi, U., Skiöldebrand, E., Kärrholm, J., Lindahl, A.: Quantitative proteomics reveals regulatory differences in the chondrocyte secretome from human medial and lateral femoral condyles in osteoarthritic patients. (2013) Proteome Science, 11 (1), 43.
3. Nurminsky, D., Shanmugasundaram, S., Deasey, S., Michaud, C., Allen, S., Hendig, D., Dastjerdi, A., Francis-West, P., Nurminskaya, M.: Transglutaminase 2 regulates early chondrogenesis and glycosaminoglycan synthesis. (2011) Mech Dev, 128 (3-4), pp. 234-245.
4. Bobick, B.E., Tuan, R.S., Chen, F.H.: The intermediate filament vimentin regulates chondrogenesis of adult human bone marrow-derived multipotent progenitor cells. (2010) J Cell Biochem, 109 (1), pp. 265-276.
5. Harrington, E.K., Coon, D.J., Kern, M.F., Svoboda, K.K.H.: PTH stimulated growth and decreased col-X deposition are phosphatidylinositol-3,4,5 triphosphate kinase and mitogen activating protein kinase dependent in avian sterna. (2010) Anat Rec, 293 (2), pp. 225-234.
6. Kim, D., Song, J., Jin, E.-.: MicroRNA-221 regulates chondrogenic differentiation through promoting proteosomal degradation of slug by targeting Mdm2. (2010) J Biol Chem, 285 (35), pp. 26900-26907.



7. Bobick, B.E., Chen, F.H., Le, A.M., Tuan, R.S.: Regulation of the chondrogenic phenotype in culture. (2009) *Birth Defects Research Part C - Embryo Today: Reviews*, 87 (4), pp. 351-371.
8. Satpathy, M., Shao, M., Emerson, R., Donner, D.B., Matei, D.: Tissue transglutaminase regulates matrix metalloproteinase-2 in ovarian cancer by modulating cAMP-response element-binding protein activity. (2009) *J Biol Chem*, 284 (23), pp. 15390-15399.
9. Bobick, B.E., Kulyk, W.M.: Regulation of cartilage formation and maturation by mitogen-activated protein kinase signaling. (2008) *Birth Defects Research Part C - Embryo Today: Reviews*, 84 (2), pp. 131-154.
10. Boskey, A.L., Doty, S.B., Kudryashov, V., Mayer-Kuckuk, P., Roy, R., Binderman, I.: Modulation of extracellular matrix protein phosphorylation alters mineralization in differentiating chick limb-bud mesenchymal cell micromass cultures. (2008) *Bone*, 42 (6), pp. 1061-1071.
11. Huang, S., Wettlaufer, S.H., Hogaboam, C., Aronoff, D.M., Peters-Golden, M.: Prostaglandin E2 inhibits collagen expression and proliferation in patient-derived normal lung fibroblasts via E prostanoic acid 2 receptor and cAMP signaling. (2007) *American Journal of Physiology - Lung Cellular and Molecular Physiology*, 292 (2), pp. L405-L413.
12. Gilbert, S.J., Duance, V.C., Mason, D.J.: Protein kinase R: A novel mediator of articular cartilage degradation in arthritis. (2006) *Current Rheumatology Reviews*, 2 (1), pp. 9-21.
13. Yates, K.E.: Identification of cis and trans-acting transcriptional regulators in chondroinduced fibroblasts from the pre-phenotypic gene expression profile. (2006) *Gene*, 377 (1-2), pp. 77-87.
14. Humphries, K.M., Deal, M.S., Taylor, S.S.: Enhanced dephosphorylation of cAMP-dependent protein kinase by oxidation and thiol modification. (2005) *J Biol Chem*, 280 (4), pp. 2750-2758.
15. Katsiari, C.G., Kytтары, V.C., Juang, Y.-., Tsokos, G.C.: Protein phosphatase 2A is a negative regulator of IL-2 production in patients with systemic lupus erythematosus. (2005) *J Clin Invest*, 115 (11), pp. 3193-3204.
16. López-Armada, M.J., Caramés, B., Cillero-Pastor, B., Lires-Deán, M., Maneiro, E., Fuentes, I., Ruíz, C., Galdo, F., Blanco, F.J.: Phosphatase-1 and -2A inhibition modulates apoptosis in human osteoarthritis chondrocytes independently of nitric oxide production. (2005) *Ann Rheum Dis*, 64 (7), pp. 1079-1082.
17. Choe, E.S., Parelkar, N.K., Kim, J.Y., Cho, H.W., Kang, H.S., Mao, L., Wang, J.Q.: The protein phosphatase 1/2A inhibitor okadaic acid increases CREB and elk-1 phosphorylation and c-fos expression in the striatum in vivo. (2004) *J Neurochem*, 89 (2), pp. 383-390.
18. Kalla, R., Bohatschek, M., Kloss, C.U.A., Krol, J., Von Maltzan, X., Raivich, G.: Loss of microglial ramification in microglia-astrocyte cocultures: Involvement of adenylate cyclase, calcium, phosphatase, and gi-protein systems. (2003) *Glia*, 41 (1), pp. 50-63.
19. Viallet, J., Garcia, A., Weydert, A.: Protein phosphatase 2A as a new target for morphogenetic studies in the chick limb. (2003) *Biochimie*, 85 (8), pp. 753-762.
20. Yoshida, K., Okamura, H., Morimoto, H., Nagata, T., Haneji, T.: Okadaic acid stimulates the expression of receptor activator of nuclear factor-kappa B ligand (RANKL) in mouse osteoblastic cells. (2003) *Biomed Res*, 14 (2), pp. 126-132.

Függő idézetek: 7

1. Juhász, T., Matta, C., Katona, E., Somogyi, C., Takács, R., Gergely, P., Csernoch, L., Panyi, G., Tóth, G., Reglodi, D., Tamás, A., Zákány, R.: Pituitary adenylate cyclase activating polypeptide (PACAP) signalling exerts chondrogenesis promoting and protecting effects: Implication of calcineurin as a downstream target. (2014) *PLoS ONE*, 9 (3). e91541.



2. Juhász, T., Matta, C., Somogyi, C., Katona, É., Takács, R., Soha, R.F., Szabó, I.A., Cserhádi, C., Szody, R., Karácsonyi, Z., Bakó, É., Gergely, P., Zákány, R.: Mechanical loading stimulates chondrogenesis via the PKA/CREB-Sox9 and PP2A pathways in chicken micromass cultures. (2014) *Cell Signal*, 26 (3), pp. 468-482.
 3. Matta, C., Mobasher, A., Gergely, P., Zákány, R.: Ser/Thr-phosphoprotein phosphatases in chondrogenesis: Neglected components of a two-player game. (2014) *Cell Signal*, 26 (10), pp. 2175-2185.
 4. Matta, C., Zákány, R.: Calcium signalling in chondrogenesis: Implications for cartilage repair. (2013) *Frontiers in Bioscience - Scholar*, 5 S (1), pp. 305-324.
 5. Juhász, T., Matta, C., Mészár, Z., Nagy, G., Szíjgyártó, Z., Molnár, Z., Koložsvári, B., Bakó, E., Zákány, R.: Optimized transient transfection of chondrogenic primary cell cultures. (2010) *Central European Journal of Biology*, 5 (5), pp. 572-584.
 6. Zákány, R., Bakondi, E., Juhász, T., Matta, C., Szíjgyártó, Z., Erdélyi, K., Szabó, É., Módis, L., Virág, L., Gergely, P.: Oxidative stress-induced poly(ADP-ribosylation) in chick limb bud-derived chondrocytes. (2007) *Int J Mol Med*, 19 (4), pp. 597-605.
 7. Zákány, R., Szíjgyártó, Z., Matta, C., Juhász, T., Csontos, C., Szucs, K., Czifra, G., Bíró, T., Módis, L., Gergely, P.: Hydrogen peroxide inhibits formation of cartilage in chicken micromass cultures and decreases the activity of calcineurin: Implication of ERK1/2 and Sox9 pathways. (2005) *Exp Cell Res*, 305 (1), pp. 190-199.
34. Boczán, J., Bíró, T., **Czifra, G.**, Lázár, J., Papp, H., Bárdos, H., Ádány, R., Mechler, F., Kovács, L.: Phorbol ester treatment inhibits proliferation and differentiation of cultured human skeletal muscle satellite cells by differentially acting on protein kinase C isoforms.
Acta Neuropathol. 102 (1), 55-62, 2001.
DOI: <http://dx.doi.org/10.1007/s004010000347>
IF:2.165

Idézetek összesen: 6

Független idézetek: 3

1. Marino, J.S., Hinds Jr., T.D., Potter, R.A., Ondrus, E., Onion, J.L., Dowling, A., McLoughlin, T.J., Sanchez, E.R., Hill, J.W.: Suppression of protein kinase C theta contributes to enhanced myogenesis in vitro via IRS1 and ERK1/2 phosphorylation. (2013) *BMC Cell Biology*, 14 (1), 39.
2. Cárdenas, C., Müller, M., Jaimovich, E., Pérez, F., Buchuk, D., Quest, A.F.G., Carrasco, M.A.: Depolarization of skeletal muscle cells induces phosphorylation of cAMP response element binding protein via calcium and protein kinase ca. (2004) *J Biol Chem*, 279 (37), pp. 39122-39131.
3. Komati, H., Minasi, A., Naro, F., Lagarde, M., Prigent, A.-., Adamo, S., Némoz, G.: Phorbol ester-induced differentiation of L6 myogenic cells involves phospholipase D activation. (2004) *FEBS Lett*, 577 (3), pp. 409-414.

Függő idézetek: 3

1. Czifra, G., Tóth, I.B., Marincsák, R., Juhász, I., Kovács, I., Ács, P., Kovács, L., Blumberg, P.M., Bíró, T.: Insulin-like growth factor-I-coupled mitogenic signaling in primary cultured human skeletal muscle cells and in C2C12 myoblasts. A central role of protein kinase cd. (2006) *Cell Signal*, 18 (9), pp. 1461-1472.



DEBRECENI EGYETEM
EGYETEMI ÉS NEMZETI KÖNYVTÁR
PUBLIKÁCIÓK



2. Deli, T., Tóth, B.I., Czifra, G., Szappanos, H., Bíró, T., Csernoch, L.: Differences in purinergic and voltage-dependent signalling during protein kinase ca overexpression- and culturing-induced differentiation of C2C12 myoblasts. (2006) *J Muscle Res Cell Motil*, 27 (8), pp. 617-630.
3. Papp, H., Czifra, G., Lázár, J., Gönczi, M., Csernoch, L., Kovács, L., Bíró, T.: Protein kinase C isozymes regulate proliferation and high cell density-mediated differentiation in HaCaT keratinocytes. (2003) *Exp Dermatol*, 12 (6), pp. 811-824.



Tudományometriai értékek

Tudományos közlemények:

Folyóiratcikkek száma és impakt faktora: 34 (IF: 147,084)

Első szerzős közlemények: 5 (IF: 18,666)

Utolsó szerzős közlemények: 1 (IF: 5,397)

Idegen nyelvű közlemények: 34 (IF: 147,084)

Magyar nyelvű közlemények: 0 (IF: 0)

Összesített tudományometriai adatok:

Összesített Impakt Faktor érték: 147,084

Hivatkozások száma: 686

Ebből független: 497

Hirsch-index: 15

Debrecen, 2015.01.21.